

Potrubné systémy z plastov na renováciu podzemných beztlakových kanalizačných potrubí a stokových sietí Časť 3: Výstelkovanie tesne dosadajúcimi rúrami (ISO 11296-3: 2018)

STN EN ISO 11296-3

75 6130

Plastics piping systems for renovation of underground non-pressure drainage and sewerage networks - Part 3: Lining with close-fit pipes (ISO 11296-3:2018)

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 01/19

Obsahuje: EN ISO 11296-3:2018, ISO 11296-3:2018

Oznámením tejto normy sa ruší STN EN ISO 11296-3 (75 6130) z februára 2012

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 11296-3

August 2018

ICS 23.040.20; 23.040.45; 91.140.80; 93.030

Supersedes EN ISO 11296-3:2011

English Version

Plastics piping systems for renovation of underground non-pressure drainage and sewerage networks - Part 3: Lining with close-fit pipes (ISO 11296-3:2018)

Systèmes de canalisations en plastique pour la rénovation des réseaux de branchements et de collecteurs d'assainissement enterrés sans pression - Partie 3: Tubage par tuyau continu sans espace annulaire (ISO 11296-3:2018)

Kunststoff-Rohrleitungssysteme für die Renovierung von erdverlegten drucklosen Entwässerungsnetzen (Freispiegelleitungen) - Teil 3: Close-Fit-Lining (ISO 11296-3:2018)

This European Standard was approved by CEN on 5 August 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 11296-3:2018 (E)

Contents	Pag	e
Furonean foreword		3

European foreword

This document (EN ISO 11296-3:2018) has been prepared by Technical Committee ISO/TC 138 "Plastics pipes, fittings and valves for the transport of fluids" in collaboration with Technical Committee CEN/TC 155 "Plastics piping systems and ducting systems" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2019, and conflicting national standards shall be withdrawn at the latest by February 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 11296-3:2011.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 11296-3:2018 has been approved by CEN as EN ISO 11296-3:2018 without any modification.

INTERNATIONAL STANDARD

ISO 11296-3

Second edition 2018-08

Plastics piping systems for renovation of underground non-pressure drainage and sewerage networks —

Part 3: **Lining with close-fit pipes**

Systèmes de canalisations en plastique pour la rénovation des réseaux de branchements et de collecteurs d'assainissement enterrés sans pression —

Partie 3: Tubage par tuyau continu sans espace annulaire



STN EN ISO 11296-3: 2019

ISO 11296-3:2018(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents		Page	
For	eword		v
Intr	oductio	on	vi
1	Scon	oe	1
2	-	native references	
3	Tern 3.1	ns and definitions General	
	3.1	Techniques	
	3.3	Characteristics	
	3.4	Materials	
	3.5	Product stages	
	3.6	Service conditions	
	3.7	Joints	3
4	Svm	bols and abbreviated terms	3
5	-	s at the "M" stage	
3	5.1	Materials	
	5.1	5.1.1 General	
		5.1.2 Distinction between PVC-U types	
		5.1.3 Virgin material	
		5.1.4 Reprocessable material and recyclable material	
	5.2	General characteristics	
		5.2.1 Appearance	
	F 2	5.2.2 Colour	
	5.3 5.4	Material characteristics	
	5.4 5.5	Geometric characteristics Mechanical characteristics	
	5.6	Physical characteristics	
	5.7	Jointing	
	5.8	Marking	
6	Fitti	ngs at the "M" stage	6
7		llary components	
8		ess for purpose of the installed lining system at the "I" stage	
0	8.1	Materials	
	8.2	General characteristics.	
	8.3	Material characteristics	
	8.4	Geometric characteristics	
	8.5	Mechanical characteristics	
	8.6	Physical characteristics	
	8.7	Additional characteristics	
	8.8	Sampling	9
9		allation practice	
	9.1	Preparatory work	
	9.2	Storage, handling and transport of pipes and fittings	
	9.3	Equipment	
		9.3.1 Butt fusion equipment and debeading equipment	
		9.3.3 Pipe skids/rollers	
		9.3.4 Winching and rod-pulling equipment	
		9.3.5 Pipe entry guides	
		9.3.6 Reforming equipment	
		9.3.7 Electrofusion equipment	10
		9.3.8 Inspection equipment	11

ISO 11296-3:2018(E)

	9.3.9 Lifting equipment	
9.4	Installation	11
9.5	Process-related inspection and testing	
9.6	Lining termination	
9.7	Reconnection to existing manholes and laterals	12
9.8	Documentation	
9.9	Final inspection and testing	
	ormative) Factory-folded heat-reverted polyethylene (PE) pipe — ermination of memory ability	13
Bibliography		15

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 138, *Plastics pipes, fittings and valves for the transport of fluids*, Subcommittee SC 8, *Rehabilitation of pipeline systems*.

This second edition cancels and replaces the first edition (ISO 11296-3:2009) which has been technically revised. It also incorporates the Corrigendum ISO 11296-3:2009/Cor 1:2011.

The main changes compared to the previous edition are as follows:

- <u>Clauses 3, 5, 6, 8</u> and 9 have been technically revised;
- the previous Annex B has been deleted.

A list of all parts in the ISO 11296 series can be found on the ISO website.

ISO 11296-3:2018(E)

Introduction

This document is a part of a system standard for plastics piping systems of various materials used for renovation of existing pipelines in a specified application area. System standards for renovation dealing with the following applications are either available or in preparation:

- ISO 11296, Plastics piping systems for renovation of underground non-pressure drainage and sewerage networks (this series);
- ISO 11297, Plastics piping systems for renovation of underground drainage and sewerage networks under pressure;
- ISO 11298, Plastics piping systems for renovation of underground water supply networks;
- ISO 11299, Plastics piping systems for renovation of underground gas supply networks.

These system standards are distinguished from system standards for conventionally installed plastics piping systems by the requirement to verify certain characteristics in the "as installed" condition, after site processing. This is in addition to verification of characteristics of plastics piping systems "as manufactured".

Each of the system standards comprises a:

— Part 1: General

and all applicable renovation technique family-related parts, which for non-pressure drainage and sewerage networks include or potentially include the following:

- Part 2: Lining with continuous pipes
- *Part 3: Lining with close-fit pipes* (this document)
- Part 4: Lining with cured-in-place pipes
- Part 5: Lining with discrete pipes
- Part 7: Lining with spirally-wound pipes
- Part 8: Lining with pipe segments
- Part 9: Lining with rigidly anchored plastics inner layer
- Part 10: Lining with sprayed polymeric materials

The requirements for any given renovation technique family are specified in Part 1, applied in conjunction with the relevant other part. For example, both ISO 11296-1 and this document together specify the requirements relating to lining with close-fit pipes. For complementary information, see ISO 11295. Not all technique families are pertinent to every area of application and this is reflected in the part numbers included in each system standard.

A consistent structure of clause headings has been adopted for all parts to facilitate direct comparisons across renovation technique families.

Figure 1 shows the common part and clause structure and the relationship between ISO 11296 and system standards for other applications.




Figure 1 — Format of the renovation system standards

Plastics piping systems for renovation of underground non-pressure drainage and sewerage networks —

Part 3:

Lining with close-fit pipes

1 Scope

This document, in conjunction with ISO 11296-1, specifies requirements and test methods for close-fit lining systems used for the renovation of underground non-pressure drainage and sewerage networks.

It applies to pipes and fittings made of polyethylene (PE) or unplasticized poly(vinyl chloride) (PVC-U) as manufactured, as well to the installed lining system with its associated joints.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 527-2, Plastics — Determination of tensile properties — Part 2: Test conditions for moulding and extrusion plastics

ISO 2507-1, Thermoplastics pipes and fittings — Vicat softening temperature — Part 1: General test method

ISO 3126, Plastics piping systems — Plastics components — Determination of dimensions

ISO 4435, Plastics piping systems for non-pressure underground drainage and sewerage — Unplasticized poly(vinyl chloride) (PVC-U)

ISO 6259-1, Thermoplastics pipes — Determination of tensile properties — Part 1: General test method

ISO 8772, Plastics piping systems for non-pressure underground drainage and sewerage — Polyethylene (PE)

ISO 9852, Unplasticized poly(vinyl chloride) (PVC-U) pipes — Dichloromethane resistance at specified temperature (DCMT) — Test method

ISO 9967, Thermoplastics pipes — Determination of creep ratio

ISO 9969, Thermoplastics pipes — Determination of ring stiffness

ISO 11296-1:2018, Plastics piping systems for renovation of underground non-pressure drainage and sewerage networks — Part 1: General

ISO 12176-1, Plastics pipes and fittings — Equipment for fusion jointing polyethylene systems — Part 1: Butt fusion

ISO 12176-2, Plastics pipes and fittings — Equipment for fusion jointing polyethylene systems — Part 1: Electrofusion

ISO 13953, Polyethylene (PE) pipes and fittings — Determination of the tensile strength and failure mode of test pieces from a butt-fused joint

ISO 18373-1:2007, Rigid PVC pipes — Differential scanning calorimetry (DSC) method — Part 1: Measurement of the processing temperature

koniec náhľadu – text ďalej pokračuje v platenej verzii STN