

<b>STN</b>	<b>Námorné navaigačné a rádiokomunikačné zariadenia a prístroje Automatické identifikačné systémy (AIS) Časť 2: Lodné prístroje triedy A automatického identifikačného systému (AIS) Požiadavky na prevádzkovú spôsobilosť, skúšobné postupy a požadované výsledky skúšok</b>	<b>STN EN IEC 61993-2</b>  <b>32 6787</b>
------------	---	---

Maritime navigation and radiocommunication equipment and systems - Automatic Identification Systems (AIS) - Part 2: Class A shipborne equipment of the automatic identification system (AIS) - Operational and performance requirements, methods of test and required test results

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 02/19

Obsahuje: EN IEC 61993-2:2018, IEC 61993-2:2018

Oznámením tejto normy sa od 23.08.2021 ruší  
STN EN 61993-2 (32 6787) z júna 2013

**127975**

**EUROPEAN STANDARD**  
**NORME EUROPÉENNE**  
**EUROPÄISCHE NORM**

**EN IEC 61993-2**

October 2018

ICS 47.020.70

Supersedes EN 61993-2:2013

## English Version

**Maritime navigation and radiocommunication equipment and systems - Automatic Identification Systems (AIS) - Part 2: Class A shipborne equipment of the automatic identification system (AIS) - Operational and performance requirements, methods of test and required test results**  
**(IEC 61993-2:2018)**

Matériels et systèmes de navigation et de radiocommunication maritimes - Systèmes d'identification automatique (AIS) Partie 2: Équipements AIS de type Classe A embarqués - Exigences d'exploitation et de fonctionnement, méthodes d'essai et résultats d'essai exigés  
 (IEC 61993-2:2018)

Navigations- und Funkkommunikationsgeräte und -systeme für die Seeschifffahrt - Automatische Identifikationssysteme (AIS) - Teil 2: Geräte der Klasse A des universellen automatischen Identifikationssystems (AIS) für Schiffe - Betriebs- und Leistungsanforderungen, Prüfverfahren und geforderte Prüfergebnisse  
 (IEC 61993-2:2018)

This European Standard was approved by CENELEC on 2018-08-23. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
 Comité Européen de Normalisation Electrotechnique  
 Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

**EN IEC 61993-2:2018 (E)****European foreword**

The text of document 80/888/FDIS, future edition 3 of IEC 61993-2, prepared by IEC/TC 80 "Maritime navigation and radiocommunication equipment and systems" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61993-2:2018.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2019-05-23
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2021-08-23

This document supersedes EN 61993-2:2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

**Endorsement notice**

The text of the International Standard IEC 61993-2:2018 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61097-14	NOTE	Harmonized as EN 61097-14
IEC 61108-1	NOTE	Harmonized as EN 61108-1
IEC 61108-2	NOTE	Harmonized as EN 61108-2
IEC 61162-3	NOTE	Harmonized as EN 61162-3
IEC 61924-2	NOTE	Harmonized as EN 61924-2
IEC 62287-1	NOTE	Harmonized as EN 62287-1
IEC 62320-1	NOTE	Harmonized as EN 62320-1
IEC 62320-2	NOTE	Harmonized as EN 62320-2

**Annex ZA**  
(normative)

**Normative references to international publications  
with their corresponding European publications**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60945	2002	Maritime navigation and radiocommunication equipment and systems - General requirements - Methods of testing and required test results	EN 60945	2002
IEC 61108	series	Maritime navigation and radiocommunication equipment and systems - Global navigation satellite systems (GNSS)	EN 61108	series
IEC 61162-1	2016	Maritime navigation and radiocommunication equipment and systems - Digital interfaces - Part 1: Single talker and multiple listeners	EN 61162-1	2016
IEC 61162-2	-	Maritime navigation and radiocommunication equipment and systems - Digital interfaces - Part 2: Single talker and multiple listeners, high-speed transmission	EN 61162-2	-
IEC 61162-450	2018	Maritime navigation and radiocommunication equipment and systems - Digital interfaces - Part 450: Multiple talkers and multiple listeners - Ethernet interconnection	EN IEC 61162-450	2018
IEC 61162-460	-	Maritime navigation and radiocommunication equipment and systems - Digital interfaces - Part 460: Multiple talkers and multiple listeners - Ethernet interconnection - Safety and security	EN IEC 61162-460	-
IEC 62288	-	Maritime navigation and radiocommunication equipment and systems - Presentation of navigation-related information on shipborne navigational displays - General requirements, methods of testing and required test results	EN 62288	-
IEC 62388	-	Maritime navigation and radiocommunication equipment and systems - Shipborne radar - Performance requirements, methods of testing and required test results	EN 62388	-

**EN IEC 61993-2:2018 (E)**

IEC 62923-1	-	Maritime navigation and radiocommunication equipment and systems - Bridge alert management - Part 1: Operational and performance requirements, methods of testing and required test results	-
IEC 62923-2	-	Maritime navigation and radiocommunication equipment and systems – Bridge alert management - Part 2: Alert and cluster identifiers and other additional features	EN 62923-2 <sup>1</sup>
ITU-R Recommendation M.1084-5	2012	Interim solutions for improved efficiency in the use of the band 156-174 MHz by stations in the maritime mobile service	-
ITU-R Recommendation M.1371-5	2014	Technical characteristics for an automatic identification system using time-division multiple access in the VHF maritime mobile band	-
ITU-R Recommendation M.493-14	-	Digital selective-calling system for use in the maritime mobile service	-
ITU-R Recommendation M.541-10	-	Operational procedures for the use of digital selective calling equipment in the maritime mobile service	-
ITU-R Recommendation M.825-3	-	Characteristics of a transponder system using digital selective calling techniques for use with vessel traffic services and ship-to-ship identification	-
ITU-T Recommendation O.153	-	Basic parameters for the measurement of error performance at bit rates below the primary rate	-
IMO Resolution-A.694 (17)		General requirements for shipborne radio equipment forming part of the Global Maritime Distress and Safety System (GMDSS) and for electronic navigational aids	
IMO Resolution-MSC.302(87)		Performance standards for Bridge Alert Management	
IMO Resolution-MSC.43(64)		Guidelines and Criteria for Ship Reporting Systems (as amended by MSC.111(73))	
IMO Resolution-MSC.74(69)		Performance standards for an Universal shipborne automatic identification systems (AIS)	

<sup>1</sup> Under preparation. Stage at the time of publication: FprEN 62923-2:2018.



IEC 61993-2

Edition 3.0 2018-07

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

**Maritime navigation and radiocommunication equipment and systems –  
Automatic identification systems (AIS) –  
Part 2: Class A shipborne equipment of the automatic identification  
system (AIS) – Operational and performance requirements, methods of test  
and required test results**

**Matériels et systèmes de navigation et de radiocommunication maritimes –  
Systèmes d'identification automatique (AIS)  
Partie 2: Équipements AIS de type Classe A embarqués – Exigences  
d'exploitation et de fonctionnement, méthodes d'essai et résultats  
d'essai exigés**





## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2018 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembé  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 21 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalelement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).



# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

**Maritime navigation and radiocommunication equipment and systems –  
Automatic identification systems (AIS) –  
Part 2: Class A shipborne equipment of the automatic identification  
system (AIS) – Operational and performance requirements, methods of test  
and required test results**

**Matériels et systèmes de navigation et de radiocommunication maritimes –  
Systèmes d'identification automatique (AIS)  
Partie 2: Équipements AIS de type Classe A embarqués – Exigences  
d'exploitation et de fonctionnement, méthodes d'essai et résultats  
d'essai exigés**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	10
1 Scope.....	12
2 Normative references.....	12
3 Terms, definitions and abbreviated terms .....	13
3.1 Terms and definitions .....	13
3.2 Abbreviated terms .....	14
4 General requirements .....	15
4.1 General.....	15
4.1.1 Overview .....	15
4.1.2 General requirements.....	15
4.1.3 Capabilities of the AIS.....	15
4.1.4 Additional requirements.....	15
4.1.5 Transmitter shutdown procedure .....	16
4.1.6 Quality assurance .....	16
4.2 Modes of operation .....	16
4.3 Manuals .....	16
4.4 Marking and identification.....	16
5 Other requirements.....	17
5.1 Environmental, power supply, special purpose and safety requirements .....	17
5.2 Display of information.....	17
5.3 Update of software .....	17
6 Performance requirements.....	17
6.1 Composition .....	17
6.2 Time and position.....	18
6.2.1 Source for UTC .....	18
6.2.2 Source for AIS position reporting .....	18
6.3 User interface .....	19
6.4 Identification .....	19
6.5 Information.....	19
6.5.1 Information provided by the AIS.....	19
6.5.2 Information reporting intervals .....	20
6.5.3 Ship reporting capacity.....	21
6.6 Event log .....	21
6.7 Permissible initialization period .....	22
6.8 Power supply .....	22
6.9 Technical characteristics .....	22
6.10 Alerts and indications, fall-back arrangements .....	22
6.10.1 Built-in test equipment .....	22
6.10.2 Status messages .....	25
6.11 Display, input and output.....	29
6.11.1 Minimum keyboard and display (MKD).....	29
6.11.2 Communication test .....	33
6.11.3 Alerts and status information .....	33
6.11.4 Data protection .....	34
6.11.5 Distance calculation .....	34
6.12 Protection from invalid controls.....	35

7	Technical requirements .....	35
7.1	General .....	35
7.2	Physical layer .....	35
7.2.1	General .....	36
7.2.2	Transmitter parameters .....	36
7.2.3	Receiver parameters .....	37
7.3	Link layer .....	37
7.3.1	General .....	37
7.3.2	Link sublayer 1: Medium Access Control (MAC) .....	38
7.3.3	Link sublayer 2: Data Link Service (DLS) .....	38
7.3.4	Link sublayer 3 – Link Management Entity (LME) .....	38
7.4	Network layer .....	41
7.4.1	General .....	41
7.4.2	Management of regional operating settings .....	41
7.5	Transport layer .....	42
7.6	Presentation interface .....	42
7.6.1	General .....	42
7.6.2	Automatic input of sensor data .....	43
7.6.3	High speed input/output ports .....	44
7.6.4	Long-range communication ports .....	50
7.6.5	Optional IEC 61162-450/-460 interface .....	52
7.6.6	Test of the optional IEC 61162-450/-460 interface .....	55
7.6.7	BIIT alert output .....	56
8	Long-range applications .....	57
8.1	General .....	57
8.2	Long-range application by two-way interface .....	57
8.2.1	General .....	57
8.2.2	Interrogations and responses .....	57
8.2.3	Manual and automatic response .....	57
8.2.4	Data formats and contents .....	57
8.2.5	Addressing AIS-units .....	58
8.3	Long-range application by broadcast .....	58
9	Test conditions .....	59
9.1	Normal and extreme test conditions .....	59
9.1.1	Normal test conditions .....	59
9.1.2	Extreme test conditions .....	59
9.2	Standard test environment .....	59
9.3	Additional test arrangements .....	60
9.3.1	Arrangements for test signals applied to the receiver input .....	60
9.3.2	Encoder for receiver measurements .....	60
9.3.3	Waiver for receivers .....	60
9.3.4	Impedance .....	60
9.3.5	Artificial antenna (dummy load) .....	60
9.3.6	Facilities for access .....	60
9.3.7	Modes of operation of the transmitter .....	60
9.4	Common test conditions for protection from invalid controls .....	61
9.5	Measurement uncertainties .....	61
10	Test signals .....	61

10.1	Standard test signal number 1 (DSC).....	61
10.2	Standard test signal number 2 (TDMA) .....	61
10.3	Standard test signal number 3 (TDMA) .....	61
10.4	Standard test signal number 4 (PRBS).....	62
10.5	Standard test signal number 5 (PRBS).....	62
11	Power supply, special purpose and safety tests.....	63
12	Environmental tests .....	63
13	EMC tests .....	63
14	Operational tests .....	63
14.1	Identification and operating modes .....	63
14.1.1	Autonomous mode .....	63
14.1.2	Assigned mode .....	64
14.1.3	Polled mode.....	64
14.1.4	Addressed operation .....	65
14.1.5	Broadcast operation.....	66
14.1.6	Multiple slot messages .....	67
14.2	Manuals, marking and identification .....	67
14.2.1	Method of measurement.....	67
14.2.2	Required results.....	68
14.3	Information.....	68
14.3.1	Information provided by the AIS.....	68
14.3.2	Reporting intervals.....	68
14.4	Event log .....	70
14.4.1	Method of measurement.....	70
14.4.2	Required results.....	70
14.5	Software update .....	70
14.5.1	Method of measurement.....	70
14.5.2	Required results.....	71
14.6	Initialization period .....	71
14.6.1	Method of measurement.....	71
14.6.2	Required results.....	71
14.7	Technical characteristics .....	71
14.7.1	Channel selection .....	71
14.7.2	Transceiver protection.....	71
14.7.3	Automatic power setting .....	72
14.8	Alerts and indicators, fall-back arrangements.....	72
14.8.1	Loss of power supply .....	72
14.8.2	Monitoring of functions and integrity .....	72
14.8.3	Monitoring of sensor data.....	75
14.9	Display, input and output .....	78
14.9.1	Data input/output facilities .....	79
14.9.2	Initiate message transmission .....	79
14.9.3	Communication test .....	80
14.9.4	System control .....	80
14.9.5	Display of received targets .....	81
14.9.6	Display of position quality.....	82
14.9.7	Display of targets if optional filter is implemented .....	82
14.9.8	Display of received safety related messages.....	83

14.9.9	Presentation of navigation information .....	83
15	Physical tests .....	83
15.1	TDMA transmitter .....	84
15.1.1	Frequency error .....	84
15.1.2	Carrier power .....	84
15.1.3	Slotted transmission spectrum .....	85
15.1.4	Modulation accuracy .....	86
15.1.5	Transmitter output power characteristics .....	86
15.2	TDMA receivers .....	87
15.2.1	Sensitivity .....	87
15.2.2	Error behaviour at high input levels .....	88
15.2.3	Co-channel rejection .....	88
15.2.4	Adjacent channel selectivity .....	89
15.2.5	Spurious response rejection .....	89
15.2.6	Intermodulation response rejection and blocking .....	92
15.2.7	Transmit to receive switching time .....	93
15.2.8	Immunity to out-of-band energy .....	93
15.3	Conducted spurious emissions .....	94
15.3.1	Spurious emissions from the transmitter .....	94
15.3.2	Spurious emissions from the receiver .....	95
16	Specific tests of link layer .....	95
16.1	TDMA synchronisation .....	95
16.1.1	Synchronisation test using UTC .....	95
16.1.2	Synchronisation test using UTC with repeated messages .....	96
16.1.3	Synchronisation test without UTC, semaphore .....	96
16.1.4	Synchronisation test without UTC .....	97
16.1.5	Reception of un-synchronised messages .....	97
16.2	Time division (frame format) .....	97
16.2.1	Method of measurement .....	97
16.2.2	Required results .....	97
16.3	Synchronisation and jitter accuracy .....	97
16.3.1	Definition .....	97
16.3.2	Method of measurement .....	97
16.3.3	Required results .....	98
16.4	Data encoding (bit stuffing) .....	98
16.4.1	Method of measurement .....	98
16.4.2	Required results .....	98
16.5	Frame check sequence .....	98
16.5.1	Method of measurement .....	98
16.5.2	Required results .....	98
16.6	Slot allocation (channel access protocols) .....	98
16.6.1	Network entry .....	98
16.6.2	Autonomous scheduled transmissions (SOTDMA) .....	99
16.6.3	Autonomous scheduled transmissions (ITDMA) .....	99
16.6.4	Safety related/binary message transmission .....	99
16.6.5	Transmission of Message 5 (ITDMA) .....	100
16.6.6	Assigned operation .....	100
16.6.7	Group assignment .....	101
16.6.8	Fixed allocated transmissions (FATDMA) .....	104

16.6.9	Randomisation of message transmissions.....	105
16.7	Message formats.....	105
16.7.1	Received messages .....	105
16.7.2	Transmitted messages .....	105
17	Specific tests of network layer.....	106
17.1	Dual channel operation – Alternate transmissions .....	106
17.1.1	Method of measurement.....	106
17.1.2	Required results.....	106
17.2	Regional area designation by VDL message .....	106
17.2.1	Method of measurement.....	106
17.2.2	Required results.....	107
17.3	Regional area designation by serial message .....	107
17.4	Regional area designation with lost position.....	107
17.4.1	Method of measurement.....	107
17.4.2	Required results.....	107
17.5	Power setting .....	107
17.5.1	Method of measurement.....	107
17.5.2	Required results.....	108
17.6	Message priority handling.....	108
17.6.1	Method of measurement.....	108
17.6.2	Required results.....	108
17.7	Slot reuse and FATDMA reservations .....	108
17.7.1	Method of measurement.....	108
17.7.2	Required results.....	108
17.8	Management of received regional operating settings .....	109
17.8.1	Test for replacement or erasure of dated or remote regional operating settings.....	109
17.8.2	Test of correct input via presentation interface or MKD .....	110
17.8.3	Test of addressed telecommand .....	110
17.8.4	Test for invalid regional operating areas .....	111
17.9	Continuation of autonomous mode reporting interval.....	111
17.9.1	Method of test.....	111
17.9.2	Required results.....	111
18	Specific tests of transport layer .....	111
18.1	Addressed messages .....	112
18.1.1	Transmission .....	112
18.1.2	Acknowledgement.....	112
18.1.3	Transmission retry .....	112
18.1.4	Acknowledgement of addressed safety related messages .....	112
18.1.5	Behaviour of NavStatus 14 reception .....	112
18.2	Interrogation responses.....	113
18.2.1	Method of measurement.....	113
18.2.2	Required results.....	113
19	Specific presentation interface tests .....	113
19.1	General.....	113
19.2	Checking manufacturer's documentation.....	113
19.3	Electrical test .....	114
19.3.1	Method of measurement.....	114
19.3.2	Required results.....	114

19.4	Test of input sensor interface performance .....	114
19.4.1	Method of measurement.....	114
19.4.2	Required results.....	114
19.5	Test of sensor input .....	114
19.5.1	Test of GNS input .....	114
19.5.2	Test of RMC input.....	115
19.5.3	Test of DTM input .....	115
19.5.4	Test of GBS input.....	116
19.5.5	Test of VBW input.....	117
19.5.6	Test of VTG input.....	117
19.5.7	Test of HDT/THS input.....	117
19.5.8	Test of ROT input.....	118
19.5.9	Test of different inputs .....	118
19.5.10	Test of multiple inputs .....	119
19.6	Test of high speed output .....	119
19.6.1	Method of measurement.....	119
19.6.2	Required results.....	119
19.7	High speed output interface performance .....	119
19.7.1	Method of measurement.....	119
19.7.2	Required results.....	120
19.8	Output of undefined VDL messages.....	120
19.8.1	Method of measurement.....	120
19.8.2	Required results.....	120
19.9	Test of high speed input.....	120
19.9.1	General .....	120
19.9.2	Test of VSD input sentence .....	120
19.9.3	Test of SSD input sentence .....	120
19.9.4	Test of EPV input sentence .....	121
19.9.5	Test of the Pilot Port access level.....	122
20	Long-range functionality tests .....	122
20.1	Long-range application by two-way interface .....	122
20.1.1	LR interrogation .....	122
20.1.2	LR "all ships" interrogation .....	122
20.1.3	Consecutive LR "all ships" interrogations.....	123
20.2	Long-range application by broadcast .....	123
20.2.1	Long-range broadcast .....	123
20.2.2	Multiple assignment operation .....	124
Annex A (informative)	Block diagram of AIS .....	126
Annex B (normative)	AIS interface overview .....	127
Annex C (normative)	DSC functionality .....	128
C.1	DSC compatibility.....	128
C.2	DSC receiver tests .....	128
C.2.1	Maximum sensitivity .....	128
C.2.2	Error behaviour at high input levels .....	128
C.2.3	Co-channel rejection .....	129
C.2.4	Adjacent channel selectivity .....	129
C.2.5	Spurious response rejection .....	129
C.2.6	Intermodulation response rejection .....	130

C.2.7	Blocking or desensitisation .....	131
C.2.8	Conducted spurious emissions from the receiver .....	132
C.3	DSC functionality tests .....	132
C.3.1	Definition .....	132
C.3.2	Method of measurement .....	132
C.3.3	Required results .....	133
Annex D (informative)	Alert handling with ALR/ACK .....	134
Annex E (normative)	Calculation of area size and distance .....	136
E.1	Importance of a common method for area size and distance calculations .....	136
E.2	Calculation of area sizes .....	136
E.3	Calculation of general distances .....	137
E.3.1	General .....	137
E.3.2	Great-circle .....	137
E.3.3	Rhumb-line distance .....	137
Annex F (normative)	New interface sentences – Sender signature authentication (SSA) .....	138
Annex G (normative)	Updated interface sentences .....	140
G.1	General .....	140
G.2	VSD – AIS voyage static data .....	140
Annex H (informative)	Conversion between IEC 61162-1 sentences and IEC 61162-3 parameter group numbers .....	142
Annex I (normative)	Extended tow dimension values .....	144
I.1	Purpose and background .....	144
I.2	Method .....	144
Bibliography	.....	146
Figure 1 – OSI layer model .....	35	
Figure 2 – Power versus time characteristics .....	36	
Figure 3 – Format for repeating four-packet cluster .....	62	
Figure 4 – Measurement arrangement for frequency error .....	84	
Figure 5 – Measurement arrangement for carrier power .....	84	
Figure 6 – Emission mask for slotted transmission .....	85	
Figure 7 – Measurement arrangement for modulation accuracy .....	86	
Figure 8 – Measurement arrangement .....	87	
Figure 9 – Measurement arrangement with two generators .....	89	
Figure 10 – SINAD or PER/BER measuring equipment .....	90	
Figure 11 – Test set-up .....	92	
Figure 12 – Transmit to receive switching time measurement setup .....	93	
Figure 13 – Regional area scenario .....	106	
Figure C.1 – Measurement arrangement for inter-modulation .....	131	
Figure D.1 – State diagram of IEC 61993-2 Ed.2 Alert handling .....	135	
Figure I.1 – Input, extension and transmitted dimensional values .....	145	
Table 1 –Talker IDs for automatic detection of electronic position fixing system type .....	19	
Table 2 – Information reporting intervals for autonomous mode .....	21	

Table 3 – Required conditions for BIIT and reaction of the system to the condition detected .....	23
Table 4 – Classification of required alerts .....	24
Table 5 – Mapping between BAM alert states and ALR alert states .....	25
Table 6 – Sensor status indications signalled using TXT sentence formatter .....	26
Table 7 – Position sensor fall-back conditions .....	27
Table 8 – Use of accuracy (PA) flag .....	28
Table 9 – ROT sensor fallback conditions .....	29
Table 10 – Identification of locating devices when active .....	30
Table 11 – Identification of locating devices when in test mode .....	30
Table 12 – Identification of locating devices for type approval testing .....	31
Table 13 – Message display on MKD .....	32
Table 14 – Position quality .....	33
Table 15 – Transmitter parameters .....	36
Table 16 – Power versus time characteristics .....	37
Table 17 – Receiver parameters .....	37
Table 18 – Use of VDL messages .....	39
Table 19 – Presentation interface access .....	43
Table 20 – IEC 61162-1 sensor sentences .....	44
Table 21 – AIS high-speed input data and formats .....	46
Table 22 – AIS high-speed output data and formats .....	47
Table 23 – Property identifiers .....	48
Table 24 – AIS Long-range communications input data and formats .....	51
Table 25 – LR output data formats .....	52
Table 26 – Default input transmission groups with applicable sentences .....	53
Table 27 – TAG block parameters .....	53
Table 28 – CRP sentences applicable for Class A AIS .....	54
Table 29 – Tests to be repeated for IEC 61162-450 interface .....	56
Table 30 – LR data types .....	58
Table 31 – Content of first two packets .....	62
Table 32 – Fixed PRS data derived from Recommendation ITU-T O.153 .....	62
Table 33 – Peak frequency deviation versus time .....	86
Table 34 – Tests to be performed .....	92
Table 35 – Primary channels for each region .....	107
Table D.1 – IEC 61993-2:2012 alert states .....	134
Table D.2 – IEC 61993-2:2012 alert events .....	134
Table E.1 – Coordinate points .....	136
Table H.1 – Conversion between IEC 61162-1 and IEC 61162-3 .....	142

**INTERNATIONAL ELECTROTECHNICAL COMMISSION**

---

**MARITIME NAVIGATION AND RADIOTRANSFER EQUIPMENT  
AND SYSTEMS – AUTOMATIC IDENTIFICATION SYSTEMS (AIS) –****Part 2: Class A shipborne equipment of the automatic  
identification system (AIS) – Operational and performance  
requirements, methods of test and required test results****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61993-2 has been prepared by IEC technical committee 80: Maritime navigation and radiotransfer equipment and systems.

This third edition cancels and replaces the second edition published in 2012. This edition constitutes a technical revision.

This edition includes the following technical changes with respect to the previous edition:

- a) it incorporates the technical characteristics included in Recommendation ITU-R M.1371-5:2014;
- b) it introduces the concept of locating device groups in order to include EPIRB AIS and MOB AIS in addition to AIS SART;
- c) it adds security features for configuration input by introducing a new sentence SSA;

- d) it adds optional implementation of IEC 61162-450/460 interfaces;
- e) it adds requirements for bridge alert management (BAM);
- f) it introduces extended dimension values used by towing vessels;
- g) it adds a software update requirement.

The text of this document is based on the following documents:

FDIS	Report on voting
80/888/FDIS	80/890/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61993 series, published under the general title *Maritime navigation and radiocommunication equipment and systems – Automatic identification systems (AIS)*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## MARITIME NAVIGATION AND RADIOTRANSFER EQUIPMENT AND SYSTEMS – AUTOMATIC IDENTIFICATION SYSTEMS (AIS) –

### Part 2: Class A shipborne equipment of the automatic identification system (AIS) – Operational and performance requirements, methods of test and required test results

#### 1 Scope

This part of IEC 61993 specifies the minimum operational and performance requirements, methods of testing and required test results conforming to performance standards adopted by IMO in Resolution MSC.74(69):1998, Annex 3. This document incorporates the applicable technical characteristics of Class A shipborne equipment included in Recommendation ITU-R M.1371 and takes into account the ITU Radio Regulations, where applicable. In addition, it takes account of IMO Resolution A.694(17) to which IEC 60945 is associated. When a requirement in this document is different from IEC 60945, the requirement of this document takes precedence.

This document also specifies the minimum requirements both for the means to input and display data and for the interfaces to other equipment suitable to be used as means of input and display data.

**NOTE** All text of this document that is identical to that in IMO resolution MSC.74(69):1998, Annex 3, or to that in ITU-R Recommendation M.1371 is printed in *italics*, and references to the resolution (abbreviated to "A3") or the recommendation (abbreviated to "M.1371") and paragraph numbers are indicated in parentheses, for instance (A3/3.3) or (M.1371-5/A2-3.3) respectively.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60945:2002, *Maritime navigation and radiotransfer equipment and systems – General requirements – Methods of testing and required test results*

IEC 61108 (all parts), *Maritime navigation and radiotransfer equipment and systems – Global navigation satellite systems (GNSS)*

IEC 61162-1:2016, *Maritime navigation and radiotransfer equipment and systems – Digital interfaces – Part 1: Single talker and multiple listeners*

IEC 61162-2, *Maritime navigation and radiotransfer equipment and systems – Digital interfaces – Part 2: Single talker and multiple listeners, high-speed transmission*

IEC 61162-450:2018, *Maritime navigation and radiotransfer equipment and systems – Digital interfaces – Part 450: Multiple talkers and multiple listeners – Ethernet interconnection*

IEC 61162-460, *Maritime navigation and radiotransfer equipment and systems – Digital interfaces – Part 460: Multiple talkers and multiple listeners – Ethernet interconnection – Safety and security*

IEC 62288, *Maritime navigation and radiocommunication equipment and systems – Presentation of navigation-related information on shipborne navigational displays – General requirements, methods of testing and required test results*

IEC 62388, *Maritime navigation and radiocommunication equipment and systems – Shipborne radar – Performance requirements, methods of testing and required test results*

IEC 62923-1, *Maritime navigation and radiocommunication equipment and systems – Bridge alert management – Part 1: Operational and performance requirements, methods of testing and required test results*

IEC 62923-2, *Maritime navigation and radiocommunication equipment and systems – Bridge alert management – Part 2: Alert and cluster identifiers and other additional features*

ITU-R Recommendation M.493-14, *Digital selective-calling system for the use in the maritime mobile service*

ITU-R Recommendation M.541-10, *Operational procedures for the use of digital selective-calling equipment in the maritime mobile service*

ITU-R Recommendation M.825-3, *Characteristics of a transponder system using digital selective calling techniques for use with vessel traffic services and ship-to-ship identification*

ITU-R Recommendation M.1084-5:2012, *Interim solutions for improved efficiency in the use of the band 156-174 MHz by stations in the maritime mobile service*

ITU-R Recommendation M.1371-5:2014, *Technical characteristics for an automatic identification system using time-division multiple access in the VHF maritime mobile band*

ITU-T Recommendation O.153, *Basic parameters for the measurement of error performance at bit rates below the primary rate*

IMO Resolution A.694(17), *General requirements for shipborne radio equipment forming part of the Global Maritime Distress and Safety System (GMDSS) and for electronic navigational aids*

IMO Resolution MSC.43(64), as amended by MSC.111(73), *Guidelines and Criteria for Ship Reporting Systems*

IMO Resolution MSC.74(69):1998, Annex 3, *Recommendation on performance standards for AIS*

IMO Resolution MSC.302(87), *Adoption of performance standards for bridge alert management*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN