

STN	<p>Terestriálne fotovoltické (PV) moduly Posúdenie návrhu a typové schválenie Časť 2: Skúšobné postupy Oprava AC2</p>	<p>STN EN 61215-2/AC2</p>
		36 4630

Terrestrial photovoltaic (PV) modules - Design qualification and type approval - Part 2: Test procedures

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola označená vo Vestníku ÚNMS SR č. 02/19

Obsahuje: EN 61215-2:2017/AC Apr.:2018, IEC 61215-2:2016/COR1:2018

128091

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 61215-2:2017/AC:2018-04

April 2018

ICS 27.160

English Version

Terrestrial photovoltaic (PV) modules - Design qualification and
type approval - Part 2: Test procedures
(IEC 61215-2:2016/COR1:2018)

Modules photovoltaïques (PV) pour applications terrestres -
Qualification de la conception et homologation - Partie 2:
Procédures d'essai
(IEC 61215-2:2016/COR1:2018)

Terrestrische Photovoltaik(PV)-Module - Bauarteignung und
Bauartzulassung - Teil 2: Prüfverfahren
(IEC 61215-2:2016/COR1:2018)

This corrigendum becomes effective on 6 April 2018 for incorporation in the English language version of the EN.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Endorsement notice

The text of the corrigendum IEC 61215-2:2016/COR1:2018 was approved by CENELEC as EN 61215-2:2017/AC:2018-04 without any modification.

IEC 61215-2:2016/COR1:2018
© IEC 2018

– 1 –

INTERNATIONAL ELECTROTECHNICAL COMMISSION
COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

IEC 61215-2
Edition 1.0 2016-03

TERRESTRIAL PHOTOVOLTAIC (PV) MODULES –
DESIGN QUALIFICATION AND TYPE APPROVAL

Part 2: Test procedures

IEC 61215-2
Édition 1.0 2016-03

MODULES PHOTOVOLTAÏQUES (PV) POUR
APPLICATIONS TERRESTRES – QUALIFICATION
DE LA CONCEPTION ET HOMOLOGATION

Partie 2: Procédures d'essai

C O R R I G E N D U M 1

Corrections to the French version appear after the English text.

Les corrections à la version française sont données après le texte anglais.

4.9.4 Apparatus

Replace:

- a) "Radiant source: Natural sunlight, or a class BBB (or better) steady-state solar simulator conforming to IEC 60904-9 with an irradiance of $(1\ 000 \pm 100)$ W/m²."

By:

- a) "Radiant source: Natural sunlight, or a class BBB (or better) steady-state solar simulator conforming to IEC 60904-9 with an irradiance of 800 W/m² to 1 100 W/m²."

4.9.5.3.1 General

Replace:


"The hot-spot test is performed with the module exposed to 800 W/m² to 1 000 W/m²."

By:

"The hot-spot test is performed with the module exposed to $(1\ 000 \pm 100)$ W/m²."

4.14.3 Test of cord anchorage (MQT 14.2)

Replace:



NOTE For module testing setup depends on the module construction.

Figure 11 – Typical arrangement for the cord anchorage pull test for component testing

By:




Figure 11 – a) Typical arrangement for the cord anchorage pull test for component testing from IEC 62790. **b)** Typical schematic arrangement for cord anchorage pull test on PV module mounted junction box

Replace:





Figure 12 – Typical arrangement for torsion test

By:



If the test is performed with the manufacturer's cable, the fixture for securing the cable shall be as close as possible to the cable securing plate of the junction box.

Figure 12 – Typical arrangement for torsion test

4.17.3 Procedure**Table 4 – Impact locations***Replace:*

3, 4	Over edges of the circuit (e.g. individual cells).
5, 6	Over the circuit near interconnects (i.e. cell interconnects and bus ribbons).

By:

3, 4	Over the circuit near interconnects (i.e. cell interconnects and bus ribbons).
5, 6	Over edges of the circuit (e.g. individual cells).