

STN	<p>Zariadenia s krátkym dosahom (SRD) Snímače detekcie kovov a predmetov pracujúce vo frekvenčnom rozsahu od 1 kHz do 148,5 kHz Harmonizovaná norma vzťahujúca sa na základné požiadavky podľa článku 3.2 Smernice 2014/53/EU</p>	<p>STN EN 303 454 V1.1.1</p>
		87 3454

Short Range Devices (SRD); Metal and object detection sensors in the frequency range 1 kHz to 148,5 kHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 02/19

Obsahuje: EN 303 454 V1.1.1:2018

128099

ETSI EN 303 454 V1.1.1 (2018-01)



**Short Range Devices (SRD);
Metal and object detection sensors
in the frequency range 1 kHz to 148,5 kHz;
Harmonised Standard covering the essential requirements
of article 3.2 of Directive 2014/53/EU**

Reference

DEN/ERM-TG28-542

Keywordsharmonised standard, inductive, measurement,
SRD***ETSI***

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.
GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	5
Foreword.....	5
Modal verbs terminology.....	5
Introduction	6
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references.....	7
3 Definitions, symbols and abbreviations	8
3.1 Definitions.....	8
3.2 Symbols	9
3.3 Abbreviations	9
4 Technical requirements specifications	9
4.1 Environmental conditions.....	9
4.2 General	10
4.2.1 Wanted performance criteria.....	10
4.2.2 Operational Modes.....	10
4.2.3 Presentation of equipment for testing purposes	10
4.3 Transmitter conformance requirements	11
4.3.1 Operating Frequency Range (OFR)	11
4.3.1.1 Applicability.....	11
4.3.1.2 Description.....	11
4.3.1.3 Limits	11
4.3.1.4 Conformance	12
4.3.2 Transmitter H-field requirements	12
4.3.2.1 Applicability.....	12
4.3.2.2 Description	12
4.3.2.3 Limits	12
4.3.2.4 Conformance	13
4.3.3 Transmitter E-field requirements	13
4.3.3.1 Applicability.....	13
4.3.3.2 Description	13
4.3.3.3 Limits	13
4.3.3.4 Conformance	13
4.3.4 Transmitter spurious emissions.....	13
4.3.4.1 Applicability.....	13
4.3.4.2 Description	13
4.3.4.3 Limits	15
4.3.4.4 Conformance	15
4.3.5 Transmitter out of band (OOB) emissions	15
4.3.5.1 Applicability.....	15
4.3.5.2 Description	15
4.3.5.3 Limits	15
4.3.5.4 Conformance	15
4.4 Receiver Conformance requirements	16
4.4.1 Introduction.....	16
4.4.2 Receiver spurious emissions	16
4.4.2.1 Applicability.....	16
4.4.2.2 Description	16
4.4.2.3 Limits	16
4.4.2.4 Conformance	16
4.4.3 Receiver blocking	16
4.4.3.1 Applicability.....	16
4.4.3.2 Description	16

4.4.3.3	Limits	17
4.4.3.4	Conformance	17
5	Testing for compliance with technical requirements.....	17
5.1	Environmental conditions for testing	17
5.2	General conditions for testing	18
5.2.1	Product information	18
5.3	Normal and extreme test conditions	18
5.4	Test sites and general arrangements for radiated measurements	18
5.5	Measuring receiver	18
5.6	Measurement uncertainty	18
5.7	Interpretation of the measurement results	18
6	Conformance methods of measurement for transmitters and receivers	19
6.1	General	19
6.2	Transmitter conformance methods	20
6.2.1	OFR	20
6.2.2	H-field.....	20
6.2.3	Transmitter unwanted emissions.....	21
6.2.4	Transmitter radiated E-field	21
6.3	Receiver conformance methods	21
6.3.1	Receiver spurious emissions	21
6.3.2	Receiver blocking	21
Annex A (informative):	Relationship between the present document and the essential requirements of Directive 2014/53/EU.....	24
Annex B (informative):	Guidance for testing receiver blocking	25
B.1	Introduction	25
B.2	H-field pattern	25
B.3	EUT and target positioning	26
B.4	Chamber considerations	27
B.5	Supporting structures.....	27
B.6	Field verification	27
Annex C (informative):	Change history	29
History	30	

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Harmonised European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.6] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.3].

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive, and associated EFTA regulations.

National transposition dates	
Date of adoption of this EN:	18 December 2017
Date of latest announcement of this EN (doa):	31 March 2018
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 September 2018
Date of withdrawal of any conflicting National Standard (dow):	30 September 2019

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

Introduction

The present document covers metal and object detection sensors in the frequency range 1 kHz to 148,5 kHz.

The present document is structured as follows:

- Clauses 1 through 3 provide a general description on the types of equipment covered by the present document and the definitions, symbols and abbreviations used.
- Clause 4 provides the technical requirements specifications, limits and conformance relative to transmitter and receiver.
- Clause 5 specifies the conditions for testing of the equipment and interpretation of the measurement results with the maximum measurement uncertainty values.
- Clause 6 specifies the required measurement methods.
- Annex A (informative) provides the relationship between the present document and the essential requirements of Directive 2014/53/EU [i.3].

1 Scope

The present document specifies technical characteristics and methods of measurements for metal and object detection sensors in the frequency range 1 kHz to 148,5 kHz.

The present document covers the essential requirements of article 3.2 of Directive 2014/53/EU [i.3] under the conditions identified in annex A.

The size for the inductive loops covered by the present document is limited to 3 m².

The present document does not cover other devices using the frequency range below 148,5 kHz, e.g. ETSI EN 303 348 [i.7] (Inductive loop for hearing impaired in 0 kHz to 20 kHz), ETSI EN 303 447 [i.8] (Inductive robotic mowers).

These radio equipment types are capable of operating in all or part of the frequency bands given in table 1.

Table 1: Permitted range of operation

Permitted range of operation	
Transmit	1 kHz to 148,5 kHz
Receive	1 kHz to 148,5 kHz

NOTE: It should be noted that the frequency range between 9 kHz and 148,5 kHz is EU wide harmonised for inductive Short Range Devices according to Decision 2017/1483 [i.2].

2 References

2.1 Normative references

References are specific, identified by date of publication and/or edition number or version number. Only the cited version applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI EN 300 330 (V2.1.1) (02-2017): "Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] CEPT/ERC Recommendation 70-03: "Relating to the use of Short Range Devices (SRD)".

- [i.2] Commission Implementing Decision (EU) 2017/1483 of 8 August 2017 amending Decision 2006/771/EC on harmonisation of the radio spectrum for use by short-range devices and repealing Decision 2006/804.
- [i.3] Directive 2014/53/EU of the European Parliament and of the Council of 16 April 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC.
- [i.4] CEPT/ERC/REC 74-01: "Unwanted emissions in the spurious domain".
- [i.5] ETSI EG 203 336: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Guide for the selection of technical parameters for the production of Harmonised Standards covering article 3.1(b) and article 3.2 of Directive 2014/53/EU".
- [i.6] Commission Implementing Decision C(2015) 5376 final of 4.8.2015 on a standardisation request to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards radio equipment in support of Directive 2014/53/EU of the European Parliament and of the Council.
- [i.7] ETSI EN 303 348: "Induction loop systems intended to assist the hearing impaired in the frequency range 10 Hz to 9 kHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU".
- [i.8] ETSI EN 303 447: "Short Range Devices (SRD); Inductive loop systems for robotic mowers in the frequency range 0 Hz to 148,5 kHz; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU".

koniec náhľadu – text d'alej pokračuje v platenej verzii STN