

<b>STN</b>	<b>Plynomery Prepočítavacie zariadenia Časť 1: Prepočet objemu</b>	<b>STN EN 12405-1</b>
		25 7865

Gas meters - Conversion devices - Part 1: Volume conversion

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola označená vo Vestníku ÚNMS SR č. 04/19

Obsahuje: EN 12405-1:2018

Oznámením tejto normy sa ruší  
STN EN 12405-1+A2 (25 7865) zo septembra 2011

**128313**

EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**EN 12405-1**

October 2018

ICS 91.140.40

Supersedes EN 12405-1:2005+A2:2010

English Version

**Gas meters - Conversion devices - Part 1: Volume  
conversion**

Compteurs de gaz - Dispositifs de conversion - Partie 1:  
Conversion de volume

Gaszähler - Umwerter - Teil 1: Volumenumwertung

This European Standard was approved by CEN on 2 June 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

## Contents

	Page
<b>European foreword.....</b>	<b>10</b>
<b>1 Scope .....</b>	<b>11</b>
<b>2 Normative references.....</b>	<b>11</b>
<b>3 Terms, definitions, symbols and classification .....</b>	<b>13</b>
<b>3.1 Terms and definitions .....</b>	<b>13</b>
<b>3.2 Symbols.....</b>	<b>17</b>
<b>3.3 Classification.....</b>	<b>18</b>
<b>3.3.1 Mechanical classes.....</b>	<b>18</b>
<b>3.3.2 Electromagnetic environmental classes.....</b>	<b>18</b>
<b>4 Principle of measurement .....</b>	<b>19</b>
<b>4.1 Conversion as a function of temperature .....</b>	<b>19</b>
<b>4.2 Conversion as a function of pressure and temperature.....</b>	<b>19</b>
<b>4.3 Conversion as a function of pressure, temperature and deviation from the ideal gas law.....</b>	<b>20</b>
<b>4.4 Correction of the volume at measurement conditions.....</b>	<b>20</b>
<b>5 Rated operating conditions .....</b>	<b>21</b>
<b>5.1 Specified field of measurement.....</b>	<b>21</b>
<b>5.1.1 General.....</b>	<b>21</b>
<b>5.1.2 Specified measurement range for gas pressure.....</b>	<b>21</b>
<b>5.1.3 Specified measurement range for gas temperature.....</b>	<b>21</b>
<b>5.1.4 Gas characteristics.....</b>	<b>21</b>
<b>5.1.5 Base conditions.....</b>	<b>21</b>
<b>5.2 Environmental conditions .....</b>	<b>21</b>
<b>5.2.1 Ambient temperature range .....</b>	<b>21</b>
<b>5.2.2 Humidity range .....</b>	<b>21</b>
<b>5.2.3 Mechanical environment.....</b>	<b>22</b>
<b>5.2.4 Electromagnetic environment.....</b>	<b>22</b>
<b>5.3 Power supply .....</b>	<b>22</b>
<b>6 Construction requirements.....</b>	<b>22</b>
<b>6.1 General.....</b>	<b>22</b>
<b>6.2 Casings .....</b>	<b>23</b>
<b>6.3 Indications .....</b>	<b>23</b>
<b>6.3.1 General.....</b>	<b>23</b>
<b>6.3.2 Electronic indicating device .....</b>	<b>25</b>
<b>6.4 Inputs for volume conversion.....</b>	<b>25</b>
<b>6.5 Battery powered conversion device .....</b>	<b>25</b>
<b>6.6 Security devices and alarms.....</b>	<b>26</b>
<b>7 Installation requirements.....</b>	<b>27</b>
<b>7.1 General.....</b>	<b>27</b>
<b>7.2 Temperature transducer.....</b>	<b>27</b>
<b>7.3 Pressure transducer.....</b>	<b>27</b>
<b>8 Performance .....</b>	<b>28</b>
<b>8.1 Reference conditions .....</b>	<b>28</b>

<b>8.2</b>	<b>Rated operating conditions.....</b>	<b>28</b>
<b>8.3</b>	<b>Maximum permissible errors .....</b>	<b>28</b>
<b>8.3.1</b>	<b>Conversion devices type 1 .....</b>	<b>28</b>
<b>8.3.2</b>	<b>Conversion devices type 2 .....</b>	<b>29</b>
<b>8.3.3</b>	<b>Error of conversion .....</b>	<b>29</b>
<b>8.3.4</b>	<b>Specific errors for a gas-volume conversion device, type 2 .....</b>	<b>29</b>
<b>8.4</b>	<b>Conditions of matching the constituent elements of a conversion device type 2 .....</b>	<b>30</b>
<b>8.5</b>	<b>Influence factors .....</b>	<b>30</b>
<b>8.6</b>	<b>Disturbances.....</b>	<b>31</b>
<b>8.7</b>	<b>Durability .....</b>	<b>31</b>
<b>8.8</b>	<b>Repeatability .....</b>	<b>31</b>
<b>8.9</b>	<b>Reliability .....</b>	<b>31</b>
<b>9</b>	<b>Tests of conformity .....</b>	<b>31</b>
<b>9.1</b>	<b>Verification of the construction requirements.....</b>	<b>31</b>
<b>9.2</b>	<b>Verification of the performance requirements .....</b>	<b>31</b>
<b>9.2.1</b>	<b>Test conditions .....</b>	<b>31</b>
<b>9.2.2</b>	<b>Samples of gas volume conversion device type 1 required for testing.....</b>	<b>32</b>
<b>9.2.3</b>	<b>Samples of gas volume conversion devices type 2 required for testing.....</b>	<b>35</b>
<b>9.3</b>	<b>Test report .....</b>	<b>36</b>
<b>10</b>	<b>Marking.....</b>	<b>36</b>
<b>11</b>	<b>Installation and operating instructions .....</b>	<b>37</b>
<b>Annex A (normative) Type test .....</b>	<b>38</b>	
<b>A.1</b>	<b>General conditions .....</b>	<b>38</b>
<b>A.1.1</b>	<b>General .....</b>	<b>38</b>
<b>A.1.2</b>	<b>Additional conditions specific to gas volume conversion devices type 1.....</b>	<b>38</b>
<b>A.1.3</b>	<b>Additional conditions specific to gas-volume conversion devices type 2 .....</b>	<b>38</b>
<b>A.1.4</b>	<b>Test procedures .....</b>	<b>39</b>
<b>A.1.5</b>	<b>Verification of the construction requirements.....</b>	<b>40</b>
<b>A.2</b>	<b>Accuracy tests under reference conditions.....</b>	<b>40</b>
<b>A.2.1</b>	<b>Objective .....</b>	<b>40</b>
<b>A.2.2</b>	<b>Reference to documents.....</b>	<b>41</b>
<b>A.2.3</b>	<b>Procedure .....</b>	<b>41</b>
<b>A.2.4</b>	<b>Acceptance criteria .....</b>	<b>41</b>
<b>A.3</b>	<b>Effect of ambient temperature.....</b>	<b>41</b>
<b>A.3.1</b>	<b>Objective .....</b>	<b>41</b>
<b>A.3.2</b>	<b>Reference to documents.....</b>	<b>41</b>
<b>A.3.3</b>	<b>Procedure .....</b>	<b>41</b>
<b>A.3.4</b>	<b>Acceptance criteria .....</b>	<b>41</b>
<b>A.4</b>	<b>Effect of damp heat, steady-state test.....</b>	<b>41</b>
<b>A.4.1</b>	<b>Objective .....</b>	<b>41</b>
<b>A.4.2</b>	<b>Reference to documents.....</b>	<b>41</b>
<b>A.4.3</b>	<b>Procedure .....</b>	<b>42</b>
<b>A.4.4</b>	<b>Acceptance criteria .....</b>	<b>42</b>
<b>A.5</b>	<b>Effect of damp heat, cyclic test .....</b>	<b>42</b>
<b>A.5.1</b>	<b>Objective .....</b>	<b>42</b>
<b>A.5.2</b>	<b>Reference to documents.....</b>	<b>42</b>
<b>A.5.3</b>	<b>Procedure .....</b>	<b>42</b>
<b>A.5.4</b>	<b>Acceptance criteria .....</b>	<b>42</b>
<b>A.6</b>	<b>Electrical power variation.....</b>	<b>43</b>
<b>A.6.1</b>	<b>Objective .....</b>	<b>43</b>
<b>A.6.2</b>	<b>Reference to documents.....</b>	<b>43</b>
<b>A.6.3</b>	<b>Procedure .....</b>	<b>43</b>

**EN 12405-1:2018 (E)**

<b>A.6.4</b>	<b>Acceptance criteria.....</b>	<b>43</b>
<b>A.7</b>	<b>Short time power reductions.....</b>	<b>43</b>
<b>A.7.1</b>	<b>Objective.....</b>	<b>43</b>
<b>A.7.2</b>	<b>Reference to documents .....</b>	<b>43</b>
<b>A.7.3</b>	<b>Procedure.....</b>	<b>43</b>
<b>A.7.4</b>	<b>Acceptance criteria.....</b>	<b>44</b>
<b>A.8</b>	<b>Electrical bursts.....</b>	<b>44</b>
<b>A.8.1</b>	<b>Objective.....</b>	<b>44</b>
<b>A.8.2</b>	<b>Reference to documents .....</b>	<b>44</b>
<b>A.8.3</b>	<b>Procedure.....</b>	<b>44</b>
<b>A.8.4</b>	<b>Acceptance criteria.....</b>	<b>44</b>
<b>A.9</b>	<b>Electromagnetic susceptibility.....</b>	<b>44</b>
<b>A.9.1</b>	<b>Objective.....</b>	<b>44</b>
<b>A.9.2</b>	<b>Reference to documents .....</b>	<b>44</b>
<b>A.9.3</b>	<b>Procedure.....</b>	<b>44</b>
<b>A.9.4</b>	<b>Acceptance criteria.....</b>	<b>45</b>
<b>A.10</b>	<b>Electrostatic discharges.....</b>	<b>45</b>
<b>A.10.1</b>	<b>Objective.....</b>	<b>45</b>
<b>A.10.2</b>	<b>Reference to documents .....</b>	<b>45</b>
<b>A.10.3</b>	<b>Procedure.....</b>	<b>45</b>
<b>A.10.4</b>	<b>Acceptance criteria.....</b>	<b>45</b>
<b>A.11</b>	<b>Overload of pressure (only for type 1 and pressure transducers) .....</b>	<b>45</b>
<b>A.11.1</b>	<b>Objective.....</b>	<b>45</b>
<b>A.11.2</b>	<b>Reference to documents .....</b>	<b>45</b>
<b>A.11.3</b>	<b>Procedure.....</b>	<b>45</b>
<b>A.11.4</b>	<b>Acceptance criteria.....</b>	<b>46</b>
<b>A.12</b>	<b>Effect of vibrations.....</b>	<b>46</b>
<b>A.12.1</b>	<b>Objective.....</b>	<b>46</b>
<b>A.12.2</b>	<b>Reference to documents .....</b>	<b>46</b>
<b>A.12.3</b>	<b>Procedure.....</b>	<b>46</b>
<b>A.12.4</b>	<b>Acceptance criteria.....</b>	<b>46</b>
<b>A.13</b>	<b>Effect of shocks.....</b>	<b>46</b>
<b>A.13.1</b>	<b>Objective.....</b>	<b>46</b>
<b>A.13.2</b>	<b>Reference to documents .....</b>	<b>46</b>
<b>A.13.3</b>	<b>Procedure.....</b>	<b>46</b>
<b>A.13.4</b>	<b>Acceptance criteria.....</b>	<b>47</b>
<b>A.14</b>	<b>Overload of pressure (mechanical) .....</b>	<b>47</b>
<b>A.14.1</b>	<b>Objective.....</b>	<b>47</b>
<b>A.14.2</b>	<b>Reference to documents .....</b>	<b>47</b>
<b>A.14.3</b>	<b>Procedure.....</b>	<b>47</b>
<b>A.14.4</b>	<b>Acceptance criteria.....</b>	<b>47</b>
<b>A.15</b>	<b>Durability.....</b>	<b>47</b>
<b>A.15.1</b>	<b>Objective.....</b>	<b>47</b>
<b>A.15.2</b>	<b>Reference to documents .....</b>	<b>47</b>
<b>A.15.3</b>	<b>Procedure.....</b>	<b>48</b>
<b>A.15.4</b>	<b>Acceptance criteria.....</b>	<b>48</b>
<b>A.16</b>	<b>Alarms operation .....</b>	<b>48</b>
<b>A.16.1</b>	<b>Objective.....</b>	<b>48</b>
<b>A.16.2</b>	<b>Reference to documents .....</b>	<b>48</b>
<b>A.16.3</b>	<b>Procedure.....</b>	<b>48</b>
<b>A.16.4</b>	<b>Acceptance criteria.....</b>	<b>48</b>
<b>A.17</b>	<b>Repeatability.....</b>	<b>49</b>
<b>A.17.1</b>	<b>Objective.....</b>	<b>49</b>
<b>A.17.2</b>	<b>Reference to standards .....</b>	<b>49</b>

A.17.3 Procedure .....	49
A.17.4 Acceptance criteria .....	49
A.18 Short time DC power variations .....	49
A.18.1 Objective .....	49
A.18.2 Reference to standards.....	49
A.18.3 Procedure .....	49
A.18.4 Acceptance criteria .....	49
A.19 Surges on supply lines and/or signal lines.....	50
A.19.1 Objective .....	50
A.19.2 Reference to standards.....	50
A.19.3 Procedure .....	50
A.19.4 Acceptance criteria .....	50
A.20 Power frequency magnetic field .....	50
A.20.1 Objective .....	50
A.20.2 Reference to standards.....	50
A.20.3 Procedure .....	50
A.20.4 Acceptance criteria .....	50
Annex B (normative) Pressure transducers .....	51
B.1 Scope .....	51
B.2 Rated operating conditions.....	51
B.2.1 Specified measurement range for pressure.....	51
B.2.2 Environmental class .....	51
B.2.3 Power supply.....	51
B.3 Construction requirements.....	51
B.3.1 General .....	51
B.3.2 Casings.....	51
B.3.3 Indications .....	51
B.4 Performances.....	52
B.4.1 Reference conditions.....	52
B.4.2 Rated operating conditions.....	52
B.4.3 Maximum permissible errors .....	52
B.4.4 Influence factors .....	52
B.4.5 Disturbances.....	52
B.4.6 Durability .....	52
B.5 Tests of conformity .....	53
B.5.1 Test conditions .....	53
B.5.2 Tests .....	53
B.5.3 Sample of pressure transducers required for testing .....	53
B.6 Marking .....	53
Annex C (normative) Platinum resistance thermometer sensors .....	54
C.1 Scope .....	54
C.2 Operating rated conditions.....	54
C.2.1 Specified measurement range for temperature.....	54
C.2.2 Environmental class .....	54
C.3 Construction requirements.....	54
C.4 Performances .....	54
C.5 Marking .....	55
C.5.1 Required markings .....	55
C.5.2 Verification mark.....	55
C.6 Metrological verifications.....	55
C.6.1 Type approval.....	55
C.6.2 Initial verification.....	56
C.7 Verification procedure .....	56

**EN 12405-1:2018 (E)**

<b>C.7.1</b>	<b>Visual inspection .....</b>	<b>56</b>
<b>C.7.2</b>	<b>Type testing (type approval) .....</b>	<b>56</b>
<b>C.7.3</b>	<b>Samples of PRT required for testing .....</b>	<b>56</b>
<b>C.7.4</b>	<b>Initial verification .....</b>	<b>56</b>
<b>Annex D (normative) Temperature transducers.....</b>		<b>58</b>
<b>D.1</b>	<b>Scope .....</b>	<b>58</b>
<b>D.2</b>	<b>Rated operating conditions .....</b>	<b>58</b>
<b>D.2.1</b>	<b>Specified measurement range for temperature .....</b>	<b>58</b>
<b>D.2.2</b>	<b>Environmental class.....</b>	<b>58</b>
<b>D.2.3</b>	<b>Power supply .....</b>	<b>58</b>
<b>D.3</b>	<b>Construction requirements .....</b>	<b>58</b>
<b>D.3.1</b>	<b>General.....</b>	<b>58</b>
<b>D.3.2</b>	<b>Casings .....</b>	<b>58</b>
<b>D.3.3</b>	<b>Indications.....</b>	<b>58</b>
<b>D.4</b>	<b>Performances .....</b>	<b>59</b>
<b>D.4.1</b>	<b>Reference conditions .....</b>	<b>59</b>
<b>D.4.2</b>	<b>Rated operating conditions .....</b>	<b>59</b>
<b>D.4.3</b>	<b>Maximum permissible errors .....</b>	<b>59</b>
<b>D.4.4</b>	<b>Influence factors.....</b>	<b>59</b>
<b>D.4.5</b>	<b>Disturbances .....</b>	<b>59</b>
<b>D.4.6</b>	<b>Durability .....</b>	<b>59</b>
<b>D.5</b>	<b>Tests of conformity.....</b>	<b>60</b>
<b>D.5.1</b>	<b>Test conditions.....</b>	<b>60</b>
<b>D.5.2</b>	<b>Tests .....</b>	<b>60</b>
<b>D.5.3</b>	<b>Sample of temperature transducers required for testing.....</b>	<b>60</b>
<b>D.6</b>	<b>Marking.....</b>	<b>60</b>
<b>Annex E (informative) Model type test report for conversion devices.....</b>		<b>61</b>
<b>E.1</b>	<b>General.....</b>	<b>61</b>
<b>E.1.1</b>	<b>General remarks.....</b>	<b>61</b>
<b>E.1.2</b>	<b>Number of pages.....</b>	<b>61</b>
<b>E.1.3</b>	<b>Laboratory's identification.....</b>	<b>61</b>
<b>E.1.4</b>	<b>Applicant .....</b>	<b>61</b>
<b>E.1.5</b>	<b>Identification of device(s) submitted for testing.....</b>	<b>61</b>
<b>E.2</b>	<b>Accuracy tests under reference conditions .....</b>	<b>61</b>
<b>E.2.1</b>	<b>Ambient temperature during the test .....</b>	<b>61</b>
<b>E.2.2</b>	<b>Test equipment used.....</b>	<b>62</b>
<b>E.2.3</b>	<b>Test results .....</b>	<b>62</b>
<b>E.3</b>	<b>Ambient temperature.....</b>	<b>63</b>
<b>E.3.1</b>	<b>Effect of dry heat.....</b>	<b>63</b>
<b>E.3.2</b>	<b>Effect of cold .....</b>	<b>64</b>
<b>E.4</b>	<b>Effect of damp heat, steady-state test .....</b>	<b>65</b>
<b>E.4.1</b>	<b>Ambient temperature during the test .....</b>	<b>65</b>
<b>E.4.2</b>	<b>Test equipment used.....</b>	<b>65</b>
<b>E.4.3</b>	<b>Test results .....</b>	<b>66</b>
<b>E.5</b>	<b>Effect of damp heat, cyclic test.....</b>	<b>67</b>
<b>E.5.1</b>	<b>Ambient temperature during the test .....</b>	<b>67</b>
<b>E.5.2</b>	<b>Test equipment used.....</b>	<b>67</b>
<b>E.5.3</b>	<b>Test results .....</b>	<b>68</b>
<b>E.6</b>	<b>Electrical power variation .....</b>	<b>68</b>
<b>E.6.1</b>	<b>AC power supply.....</b>	<b>68</b>
<b>E.6.2</b>	<b>DC power supply or battery supply .....</b>	<b>70</b>
<b>E.7</b>	<b>Short time power reductions .....</b>	<b>71</b>
<b>E.7.1</b>	<b>Test equipment used.....</b>	<b>71</b>

E.7.2	Test results.....	72
E.8	Electrical bursts .....	72
E.8.1	Test equipment used.....	72
E.8.2	Test results.....	72
E.9	Electromagnetic immunity.....	73
E.9.1	Test equipment used.....	73
E.9.2	Test results.....	74
E.10	Electrostatic discharges .....	74
E.10.1	Test equipment used.....	74
E.10.2	Test results.....	75
E.11	Effect of an overload of static pressure.....	75
E.11.1	Ambient temperature during the test.....	75
E.11.2	Test equipment used.....	75
E.11.3	Test results.....	76
E.12	Effect of vibrations .....	76
E.12.1	Ambient temperature during the test.....	76
E.12.2	Test equipment used.....	77
E.12.3	Test results.....	77
E.13	Effect of shocks .....	78
E.13.1	Ambient temperature during the test.....	78
E.13.2	Test equipment used.....	78
E.13.3	Test results.....	78
E.14	Mechanical resistance to overload of static pressure .....	78
E.14.1	Ambient temperature during the test.....	78
E.14.2	Test equipment used.....	78
E.14.3	Test results.....	79
E.15	Durability .....	79
E.15.1	Ambient temperature during the test.....	79
E.15.2	Test equipment used.....	79
E.15.3	Test equipment used.....	79
E.16	Alarms operation.....	82
E.16.1	Ambient temperature during the test.....	82
E.16.2	Test equipment used.....	82
E.16.3	Test results.....	82
E.17	Repeatability .....	82
E.18	Short time DC power variations .....	83
E.18.1	Test equipment used.....	83
E.18.2	Test results.....	83
E.19	Surges on supply lines and/or signal lines.....	83
E.19.1	Test equipment used.....	83
E.19.2	Test results.....	84
E.20	Power frequency magnetic field .....	84
E.20.1	Test equipment used.....	84
E.20.2	Test results.....	84
	<b>Annex F (informative) Model type test report for associated transducers .....</b>	<b>86</b>
F.1	General .....	86
F.1.1	General remarks .....	86
F.1.2	Number of pages .....	86
F.1.3	Laboratory's identification .....	86
F.1.4	Applicant.....	86
F.1.5	Identification of device(s) submitted for testing .....	86
F.2	Accuracy tests under reference conditions.....	86
F.2.1	Ambient temperature during the test.....	86
F.2.2	Test equipment used.....	87

**EN 12405-1:2018 (E)**

<b>F.2.3</b>	<b>Test results .....</b>	<b>87</b>
<b>F.3</b>	<b>Ambient temperature.....</b>	<b>87</b>
<b>F.3.1</b>	<b>Effect of dry heat.....</b>	<b>87</b>
<b>F.3.2</b>	<b>Effect of cold .....</b>	<b>88</b>
<b>F.4</b>	<b>Effect of damp heat, steady-state test .....</b>	<b>89</b>
<b>F.4.1</b>	<b>Ambient temperature during the test .....</b>	<b>89</b>
<b>F.4.2</b>	<b>Test equipment used.....</b>	<b>89</b>
<b>F.4.3</b>	<b>Test results .....</b>	<b>89</b>
<b>F.5</b>	<b>Effect of damp heat, cyclic test.....</b>	<b>90</b>
<b>F.5.1</b>	<b>Ambient temperature during the test .....</b>	<b>90</b>
<b>F.5.2</b>	<b>Test equipment used.....</b>	<b>90</b>
<b>F.5.3</b>	<b>Test results .....</b>	<b>90</b>
<b>F.6</b>	<b>Electrical power variation .....</b>	<b>91</b>
<b>F.6.1</b>	<b>AC power supply.....</b>	<b>91</b>
<b>F.6.2</b>	<b>DC power supply or battery supply .....</b>	<b>92</b>
<b>F.7</b>	<b>Short time power reductions .....</b>	<b>92</b>
<b>F.7.1</b>	<b>Ambient temperature during the test .....</b>	<b>92</b>
<b>F.7.2</b>	<b>Test equipment used.....</b>	<b>93</b>
<b>F.7.3</b>	<b>Test results .....</b>	<b>93</b>
<b>F.8</b>	<b>Electrical bursts .....</b>	<b>93</b>
<b>F.8.1</b>	<b>Ambient temperature during the test .....</b>	<b>93</b>
<b>F.8.2</b>	<b>Test equipment used.....</b>	<b>93</b>
<b>F.8.3</b>	<b>Test results .....</b>	<b>93</b>
<b>F.9</b>	<b>Electromagnetic immunity .....</b>	<b>94</b>
<b>F.9.1</b>	<b>Ambient temperature during the test .....</b>	<b>94</b>
<b>F.9.2</b>	<b>Test equipment used.....</b>	<b>94</b>
<b>F.9.3</b>	<b>Test results .....</b>	<b>95</b>
<b>F.10</b>	<b>Electrostatic discharges.....</b>	<b>95</b>
<b>F.10.1</b>	<b>Ambient temperature during the test .....</b>	<b>95</b>
<b>F.10.2</b>	<b>Test equipment used.....</b>	<b>95</b>
<b>F.10.3</b>	<b>Test results .....</b>	<b>95</b>
<b>F.11</b>	<b>Effect of an overload of static pressure .....</b>	<b>96</b>
<b>F.11.1</b>	<b>General.....</b>	<b>96</b>
<b>F.11.2</b>	<b>Ambient temperature during the test .....</b>	<b>96</b>
<b>F.11.3</b>	<b>Test equipment used.....</b>	<b>96</b>
<b>F.11.4</b>	<b>Test results .....</b>	<b>96</b>
<b>F.12</b>	<b>Effect of vibrations.....</b>	<b>97</b>
<b>F.12.1</b>	<b>Ambient temperature during the test .....</b>	<b>97</b>
<b>F.12.2</b>	<b>Test equipment used.....</b>	<b>97</b>
<b>F.12.3</b>	<b>Test results .....</b>	<b>97</b>
<b>F.13</b>	<b>Effect of shocks.....</b>	<b>98</b>
<b>F.13.1</b>	<b>Ambient temperature during the test .....</b>	<b>98</b>
<b>F.13.2</b>	<b>Test equipment used.....</b>	<b>98</b>
<b>F.13.3</b>	<b>Test results .....</b>	<b>98</b>
<b>F.14</b>	<b>Mechanical resistance to overload of static pressure .....</b>	<b>98</b>
<b>F.14.1</b>	<b>General.....</b>	<b>98</b>
<b>F.14.2</b>	<b>Ambient temperature during the test .....</b>	<b>98</b>
<b>F.14.3</b>	<b>Test equipment used.....</b>	<b>98</b>
<b>F.14.4</b>	<b>Test results .....</b>	<b>99</b>
<b>F.15</b>	<b>Durability .....</b>	<b>99</b>
<b>F.15.1</b>	<b>Ambient temperature during the test .....</b>	<b>99</b>
<b>F.15.2</b>	<b>Test equipment used.....</b>	<b>99</b>
<b>F.15.3</b>	<b>Test results .....</b>	<b>99</b>
<b>F.16</b>	<b>Repeatability.....</b>	<b>100</b>

<b>Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2014/32/EU Measuring Instruments Directive .....</b>	<b>101</b>
<b>Bibliography .....</b>	<b>106</b>

**EN 12405-1:2018 (E)**

## European foreword

This document (EN 12405-1:2018) has been prepared by Technical Committee CEN/TC 237 "Gas meters", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2019, and conflicting national standards shall be withdrawn at the latest by April 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12405-1:2005+A2:2010.

This document has been prepared under the mandate M/541 given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive 2014/32/EU Measuring Instruments Directive (MID).

For relationship with EU Directive 2014/32/EU, see informative Annex ZA, which is an integral part of this document.

EN 12405 consists of the following parts:

- Part 1: Volume conversion (this European Standard),
- Part 2: Energy conversion,
- Part 3: Flow computer.

In the preparation of this European Standard, the content of OIML Publication, "International Document 11", and "International Recommendations 140" and the content of member bodies' national standards on gas-volume electronic conversion devices have been taken into account.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## 1 Scope

This European Standard specifies the requirements and tests for the construction, performance, safety and conformity of gas-volume electronic conversion devices associated to gas meters, used to measure volumes of fuel gases of the 1st and 2nd families according to EN 437.

This European Standard is intended for type testing, the detailed relevant provisions of which are given in Annex A.

Only three kinds of conversion are treated in this European Standard:

- conversion as a function of temperature only (called T conversion);
- conversion as a function of the pressure and of the temperature with constant compression factor (called PT conversion);
- conversion as a function of the pressure, the temperature and taking into account the compression factor (called PTZ conversion).

This document is not relevant to temperature conversion integrated into gas meters which only indicate the converted volume.

EN 12405-2 applies for energy conversion.

Gas-volume conversion devices consist of a calculator and a temperature transducer or a calculator, a temperature transducer and a pressure transducer locally installed.

For application of this European Standard, a conversion device may be, as a choice of the manufacturer, considered as a complete instrument (Type 1) or made of separate elements (Type 2), according to the definitions given in 3.1.18.1 and 3.1.18.2.

In this last case, the provisions concerning pressure transducers, temperature sensors and temperature transducers are given in Annexes B, C and D respectively.

Any conversion device can provide an error curve correction for a gas meter.

**NOTE** When rendering an account to an end user the readings from the conversion device can be used in conjunction with the readings from a gas meter conforming to EN 1359, EN 12480, or EN 12261, as appropriate, or to any other appropriate and relevant international or national standard for gas meters, without prejudice of national regulations.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 437, *Test gases — Test pressures — Appliance categories*

EN 1776, *Gas infrastructure - Gas measuring systems - Functional requirements*

EN 55011, *Industrial, scientific and medical equipment - Radio-frequency disturbance characteristics - Limits and methods of measurement (CISPR 11)*

EN 60068-2-1, *Environmental testing - Part 2-1: Tests - Test A: Cold*

EN 60068-2-2, *Environmental testing - Part 2-2: Tests - Test B: Dry heat*

**EN 12405-1:2018 (E)**

EN 60068-2-30, *Environmental testing - Part 2-30: Tests - Test Db: Damp heat, cyclic (12 h + 12 h cycle)*

EN 60068-2-31, *Environmental testing - Part 2-31: Tests - Test Ec: Rough handling shocks, primarily for equipment-type specimens*

EN 60068-2-64, *Environmental testing - Part 2-64: Tests - Test Fh: Vibration, broadband random and guidance*

EN 60068-2-78, *Environmental testing - Part 2-78: Tests - Test Cab: Damp heat, steady state*

EN 60068-3-1, *Environmental testing - Part 3-1: Supporting documentation and guidance - Cold and dry heat tests*

EN 60079-0, *Explosive atmospheres - Part 0: Equipment - General requirements*

EN 60079-1, *Explosive atmospheres - Part 1: Equipment protection by flameproof enclosures "d"*

EN 60079-2, *Explosive atmospheres - Part 2: Equipment protection by pressurized enclosure "p" (IEC 60079-2)*

EN 60079-5, *Explosive atmospheres — Part 5: Equipment protection by powder filling "q" (IEC 60079-5)*

EN 60079-6, *Explosive atmospheres — Part 6: Equipment protection by liquid immersion "o" (IEC 60079-6)*

EN 60079-7, *Explosive atmospheres - Part 7: Equipment protection by increased safety "e" (IEC 60079-7)*

EN 60079-11, *Explosive atmospheres — Part 11: Equipment protection by intrinsic safety "i" (IEC 60079-11)*

EN 60079-25, *Explosive atmospheres - Part 25: Intrinsically safe electrical systems*

EN 60529, *Degrees of protection provided by enclosures (IP Code)*

EN 60730-1:2016, *Automatic electrical controls for household and similar use — Part 1: General requirements (IEC 60730-1:2013)*

EN 60751, *Industrial platinum resistance thermometers and platinum temperature sensors*

EN 60950-1, *Information technology equipment - Safety - Part 1: General requirements*

EN 61000-4-2, *Electromagnetic compatibility (EMC) - Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test*

EN 61000-4-3, *Electromagnetic compatibility (EMC) - Part 4-3: Testing and measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test*

EN 61000-4-4, *Electromagnetic compatibility (EMC) - Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test*

EN 61000-4-5, *Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test*

EN 61000-4-6, *Electromagnetic compatibility (EMC) - Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields*

EN 61000-4-8, *Electromagnetic compatibility (EMC) - Part 4-8: Testing and measurement techniques - Power frequency magnetic field immunity test*

EN 61000-4-11, *Electromagnetic compatibility (EMC) - Part 4-11: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests*

EN 61000-4-29, *Electromagnetic compatibility (EMC) - Part 4-29: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations on d.c. input power port immunity tests*

EN ISO 12213-2:2009, *Natural gas - Calculation of compression factor - Part 2: Calculation using molar-composition analysis (ISO 12213-2:2006)*

EN ISO 12213-3:2009, *Natural gas - Calculation of compression factor - Part 3: Calculation using physical properties (ISO 12213-3:2006)*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN