

STN	Kvalita vody Stanovenie obsahu ortofosforečnanov a celkového obsahu fosforu prietokovou analýzou (FIA a CFA) Časť 2: Metóda kontinuálnej prietokovej analýzy (CFA) (ISO 15681-2: 2018)	STN EN ISO 15681-2 75 7481
------------	---	--

Water quality - Determination of orthophosphate and total phosphorus contents by flow analysis (FIA and CFA) - Part 2: Method by continuous flow analysis (CFA) (ISO 15681-2:2018)

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 04/19

Obsahuje: EN ISO 15681-2:2018, ISO 15681-2:2018

Oznámením tejto normy sa ruší
STN EN ISO 15681-2 (75 7481) z decembra 2005

128363

EUROPEAN STANDARD

EN ISO 15681-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2018

ICS 13.060.50

Supersedes EN ISO 15681-2:2004

English Version

Water quality - Determination of orthophosphate and total phosphorus contents by flow analysis (FIA and CFA) - Part 2: Method by continuous flow analysis (CFA) (ISO 15681-2:2018)

Qualité de l'eau - Dosage des orthophosphates et du phosphore total par analyse en flux (FIA et CFA) - Partie 2: Méthode par analyse en flux continu (CFA) (ISO 15681-2:2018)

Wasserbeschaffenheit - Bestimmung von Orthophosphat und Gesamtposphor mittels Fließanalytik (FIA und CFA) - Teil 2: Verfahren mittels kontinuierlicher Durchflussanalyse (CFA) (ISO 15681-2:2018)

This European Standard was approved by CEN on 10 August 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 15681-2:2018 (E)

Contents	Page
European foreword.....	3

European foreword

This document (EN ISO 15681-2:2018) has been prepared by Technical Committee ISO/TC 147 "Water quality" in collaboration with Technical Committee CEN/TC 230 "Water analysis" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2019, and conflicting national standards shall be withdrawn at the latest by June 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 15681-2:2004.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 15681-2:2018 has been approved by CEN as EN ISO 15681-2:2018 without any modification.

**INTERNATIONAL
STANDARD**

**ISO
15681-2**

Second edition
2018-10

**Water quality — Determination
of orthophosphate and total
phosphorus contents by flow analysis
(FIA and CFA) —**

**Part 2:
Method by continuous flow analysis
(CFA)**

*Qualité de l'eau — Dosage des orthophosphates et du phosphore total
par analyse en flux (FIA et CFA) —*

Partie 2: Méthode par analyse en flux continu (CFA)



Reference number
ISO 15681-2:2018(E)

© ISO 2018

ISO 15681-2:2018(E)**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Interferences	2
4.1 General interferences.....	2
4.2 Interferences in the determination of total-P.....	2
5 Principle	3
5.1 Determination of orthophosphate.....	3
5.2 Total phosphorus with manual digestion.....	3
5.3 Total phosphorus with integral UV digestion and hydrolysis.....	3
6 Reagents	3
7 Apparatus	7
8 Sampling and sample preparation	9
9 Procedure	9
9.1 Preparation for analysis.....	9
9.2 Instrument performance check.....	9
9.3 Reagent blank check.....	9
9.4 Calibration.....	10
9.5 Check of UV digestion and hydrolysis for total P determination (Figures A.2 and A.3).....	10
9.6 Measurement.....	10
9.7 Closing down the system.....	10
10 Calculation of results	11
11 Expression of results	11
12 Test report	11
Annex A (informative) Examples of a CFA system	12
Annex B (informative) Performance data	15
Annex C (informative) Determination of orthophosphate-P and total-P by CFA and tin(II) chloride reduction	17
Bibliography	18

ISO 15681-2:2018(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 147, *Water quality*, Subcommittee SC 2, *Physical, chemical and biochemical methods*.

This second edition cancels and replaces the first edition (ISO 15681-2:2003), which has been technically revised. The main changes compared to the previous edition are as follows:

- a) the reagents have been adjusted to decrease the pH to enhance the colour reaction;
- b) the figures in [Annex A](#) have been revised.

A list of all parts in the ISO 15681 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Methods of determining water quality using flow analysis automated wet chemical procedures are particularly suitable for the processing of many analytes in water in large sample series at a high analysis frequency.

Analysis can be performed by flow injection analysis (FIA)^{[6][8]} or continuous flow analysis (CFA)^[9]. Both methods share the feature of an automatic dosage of the sample into a flow system (manifold) where the analyte in the sample reacts with the reagent solutions on its way through the manifold. The sample preparation may be integrated in the manifold. The amount of reaction product is measured in a flow detector (e.g. flow photometer). This document describes the CFA method.

The user should be aware that particular problems could require the specification of additional marginal conditions.

Water quality — Determination of orthophosphate and total phosphorus contents by flow analysis (FIA and CFA) —

Part 2: Method by continuous flow analysis (CFA)

WARNING — Persons using this document should be familiar with normal laboratory practice. This document does not purport to address all of the safety problems, if any, associated with its use. It is the responsibility of the user to establish appropriate safety and health practices.

IMPORTANT — It is absolutely essential that tests conducted in accordance with this document be carried out by suitably qualified staff.

1 Scope

This document specifies continuous flow analysis (CFA) methods for the determination of orthophosphate in the mass concentration range from 0,01 mg/l to 1,00 mg/l P, and total phosphorus in the mass concentration range from 0,10 mg/l to 10,0 mg/l P. The method includes the digestion of organic phosphorus compounds and the hydrolysis of inorganic polyphosphate compounds, performed either manually, as described in ISO 6878 and in References [4], [5] and [7], or with an integrated ultraviolet (UV) digestion and hydrolysis unit.

This document is applicable to various types of water, such as ground, drinking, surface, leachate and waste water. The range of application can be changed by varying the operating conditions.

This method is also applicable to the analysis of seawater, but with changes in sensitivity by adapting the carrier and calibration solutions to the salinity of the samples.

It is also applicable to analysis using 10 mm to 50 mm cuvettes depending on the desired range. For extreme sensitivity, 250 mm and 500 mm long way capillary flow cells (LCFCs) can be used. However, the method is not validated for these two uses. Changes in sensitivity and calibration solutions could be required.

[Annex A](#) provides examples of a CFA system. [Annex B](#) gives performance data from interlaboratory trials. [Annex C](#) gives information of determining orthophosphate-P and total-P by CFA and tin(II) chloride reduction.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3696, *Water for analytical laboratory use — Specification and test methods*

ISO 5667-1, *Water quality — Sampling — Part 1: Guidance on the design of sampling programmes and sampling techniques*

ISO 5667-3:2018, *Water quality — Sampling — Part 3: Preservation and handling of water samples*

ISO 6878:2004, *Water quality — Determination of phosphorus — Ammonium molybdate spectrometric method*

ISO 15681-2:2018(E)

ISO 8466-1, *Water quality — Calibration and evaluation of analytical methods and estimation of performance characteristics — Part 1: Statistical evaluation of the linear calibration function*

ISO 8466-2, *Water quality — Calibration and evaluation of analytical methods and estimation of performance characteristics — Part 2: Calibration strategy for non-linear second-order calibration functions*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN