

<b>STN</b>	<b>Priemyselné komunikačné siete Profily Časť 5-2: Inštalácia prevádzkových zberníc Inštaláčny profily pre rad komunikačných profilov CPF 2</b>	<b>STN EN IEC 61784-5-2</b>  18 4020
------------	---	--

Industrial communication networks - Profiles - Part 5-2: Installation of fieldbuses - Installation profiles for CPF 2

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 04/19

Obsahuje: EN IEC 61784-5-2:2018, IEC 61784-5-2:2018

Oznámením tejto normy sa od 04.10.2021 ruší  
STN EN 61784-5-2 (18 4020) z júla 2014

**128385**

EUROPEAN STANDARD

**EN IEC 61784-5-2**

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2018

ICS 25.040.40; 35.100.40

Supersedes EN 61784-5-2:2013

English Version

**Industrial communication networks - Profiles - Part 5-2:  
Installation of fieldbuses - Installation profiles for CPF 2  
(IEC 61784-5-2:2018)**

Réseaux de communication industriels - Profils - Partie 5-2 :  
Installation des bus de terrain - Profils d'installation pour  
CPF 2  
(IEC 61784-5-2:2018)

Industrielle Kommunikationsnetze - Profile - Teil 5-2:  
Feldbusinstallation - Installationsprofile für die  
Kommunikationsprofilfamilie 2  
(IEC 61784-5-2:2018)

This European Standard was approved by CENELEC on 2018-10-04. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

**EN IEC 61784-5-2:2018 (E)****European foreword**

The text of document 65C/924/FDIS, future edition 4 of IEC 61784-5-2, prepared by SC 65C "Industrial networks" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61784-5-2:2018.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2019-07-04
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2021-10-04

This document supersedes EN 61784-5-2:2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

**Endorsement notice**

The text of the International Standard IEC 61784-5-2:2018 was approved by CENELEC as a European Standard without any modification.

## **Annex ZA** (normative)

### **Normative references to international publications with their corresponding European publications**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61918	2018	Industrial communication networks - Installation of communication networks in industrial premises	EN IEC 61918	2018

The normative references of EN IEC 61918:2018, Clause 2, apply.

NOTE For profile specific normative references, see Clauses A.2, B.2, and C2.



IEC 61784-5-2

Edition 4.0 2018-08

# INTERNATIONAL STANDARD



---

**Industrial communication networks – Profiles –  
Part 5-2: Installation of fieldbuses – Installation profiles for CPF 2**



**THIS PUBLICATION IS COPYRIGHT PROTECTED****Copyright © 2018 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

**About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

**About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

**IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)**

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

**IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

**IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

**Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

**IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)**

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

**IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).



IEC 61784-5-2

Edition 4.0 2018-08

# INTERNATIONAL STANDARD



---

## Industrial communication networks – Profiles – Part 5-2: Installation of fieldbuses – Installation profiles for CPF 2

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 25.040.40; 35.100.40

ISBN 978-2-8322-5938-2

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	10
INTRODUCTION.....	12
1 Scope.....	13
2 Normative references .....	13
3 Terms, definitions and abbreviated terms .....	13
4 CPF 2: Overview of installation profiles .....	13
5 Installation profile conventions .....	14
6 Conformance to installation profiles.....	15
Annex A (normative) CP 2/1 (ControlNet™) specific installation profile .....	16
A.1 Installation profile scope.....	16
A.2 Normative references .....	16
A.3 Installation profile terms, definitions, and abbreviated terms .....	16
A.3.1 Terms and definitions.....	16
A.3.2 Abbreviated terms.....	16
A.3.3 Conventions for installation profiles .....	16
A.4 Installation planning .....	17
A.4.1 General.....	17
A.4.2 Planning requirements .....	18
A.4.3 Network capabilities.....	19
A.4.4 Selection and use of cabling components .....	25
A.4.5 Cabling planning documentation .....	43
A.4.6 Verification of cabling planning specification .....	43
A.5 Installation implementation .....	43
A.5.1 General requirements .....	43
A.5.2 Cable installation .....	43
A.5.3 Connector installation .....	45
A.5.4 Terminator installation .....	54
A.5.5 Device installation.....	54
A.5.6 Coding and labelling .....	56
A.5.7 Earthing and bonding of equipment and devices and shield cabling .....	57
A.5.8 As-implemented cabling documentation .....	58
A.6 Installation verification and installation acceptance test.....	58
A.6.1 General.....	58
A.6.2 Installation verification .....	58
A.6.3 Installation acceptance test.....	61
A.7 Installation administration.....	63
A.8 Installation maintenance and installation troubleshooting.....	63
A.8.1 General.....	63
A.8.2 Maintenance .....	63
A.8.3 Troubleshooting .....	63
A.8.4 Specific requirements for maintenance and troubleshooting.....	68
Annex B (normative) CP 2/2 (EtherNet/IP™) specific installation profile.....	69
B.1 Installation profile scope.....	69



B.2	Normative references .....	69
B.3	Installation profile terms, definitions, and abbreviated terms .....	69
B.3.1	Terms and definitions.....	69
B.3.2	Abbreviated terms.....	69
B.3.3	Conventions for installation profiles .....	70
B.4	Installation planning .....	70
B.4.1	General.....	70
B.4.2	Planning requirements .....	71
B.4.3	Network capabilities.....	71
B.4.4	Selection and use of cabling components .....	76
B.4.5	Cabling planning documentation .....	92
B.4.6	Verification of cabling planning specification .....	92
B.5	Installation implementation .....	92
B.5.1	General requirements .....	92
B.5.2	Cable installation .....	92
B.5.3	Connector installation .....	93
B.5.4	Terminator installation .....	94
B.5.5	Device installation.....	94
B.5.6	Coding and labelling .....	94
B.5.7	Earthing and bonding of equipment and devices and shield cabling .....	94
B.5.8	As-implemented cabling documentation .....	96
B.6	Installation verification and installation acceptance test.....	96
B.6.1	General.....	96
B.6.2	Installation verification .....	96
B.6.3	Installation acceptance test.....	98
B.7	Installation administration.....	99
B.8	Installation maintenance and installation troubleshooting.....	99
Annex C (normative)	CP 2/3 (DeviceNet™) specific installation profile.....	100
C.1	Installation profile scope.....	100
C.2	Normative references .....	100
C.3	Installation profile terms, definitions, and abbreviated terms .....	100
C.3.1	Terms and definitions.....	100
C.3.2	Abbreviated terms.....	100
C.3.3	Conventions for installation profiles .....	100
C.4	Installation planning .....	101
C.4.1	General.....	101
C.4.2	Planning requirements .....	102
C.4.3	Network capabilities.....	103
C.4.4	Selection and use of cabling components .....	119
C.4.5	Cabling planning documentation .....	129
C.4.6	Verification of cabling planning specification .....	129
C.5	Installation implementation .....	129
C.5.1	General requirements .....	129
C.5.2	Cable installation .....	129
C.5.3	Connector installation .....	131

C.5.4	Terminator installation .....	144
C.5.5	Device installation.....	146
C.5.6	Coding and labelling .....	150
C.5.7	Earthing and bonding of equipment and devices and shield cabling .....	150
C.5.8	As-implemented cabling documentation .....	151
C.6	Installation verification and installation acceptance test.....	151
C.6.1	General.....	151
C.6.2	Installation verification .....	151
C.6.3	Installation acceptance test.....	154
C.7	Installation administration.....	155
C.8	Installation maintenance and installation troubleshooting.....	155
C.8.1	General.....	155
C.8.2	Maintenance .....	155
C.8.3	Troubleshooting .....	155
C.8.4	Specific requirements for maintenance and troubleshooting.....	155
Annex D (informative)	Additional information .....	159
D.1	Network validation check sheet for CP 2/3 (DeviceNet) .....	159
	Bibliography.....	163
	Figure 1 – Standards relationships.....	12
	Figure A.1 – Interconnection of CPF 2 networks .....	17
	Figure A.2 – Overview of CPF 2/1 networks.....	18
	Figure A.3 – Drop cable requirements.....	20
	Figure A.4 – Placement of BNC/TNC plugs .....	20
	Figure A.5 – Placement of terminators .....	21
	Figure A.6 – Extending a network using repeaters .....	21
	Figure A.7 – Extending a network using active star topology.....	21
	Figure A.8 – Links.....	22
	Figure A.9 – Extending the network beyond 99 nodes.....	22
	Figure A.10 – Maximum allowable taps per segment.....	31
	Figure A.11 – Example of repeaters in star configuration .....	32
	Figure A.12 – Repeater in parallel.....	33
	Figure A.13 – Repeater in combination series and parallel.....	34
	Figure A.14 – Ring repeater.....	34
	Figure A.15 – Installing bulkheads .....	35
	Figure A.16 – Coaxial BNC and TNC terminators .....	36
	Figure A.17 – Terminator placement in a segment .....	36
	Figure A.18 – RC Shield Termination in Active Devices .....	38
	Figure A.19 – Redundant network icons.....	39
	Figure A.20 – Redundant coax media .....	39
	Figure A.21 – Redundant fibre media.....	39
	Figure A.22 – Repeater in series versus length difference for coax media.....	40
	Figure A.23 – Repeater in series versus length difference for fibre media .....	41
	Figure A.24 – Example of redundant coax network with repeaters.....	41
	Figure A.25 – Example of improper redundant node connection.....	42

Figure A.26 – Example tool kit for installing BNC connectors .....	46
Figure A.27 – Calibration of coaxial stripper.....	46
Figure A.28 – Coax PVC strip length detail (informative).....	47
Figure A.29 – Memory cartridge and blade.....	48
Figure A.30 – Cable position.....	48
Figure A.31 – Locking the cable.....	48
Figure A.32 – Stripping the cable .....	49
Figure A.33 – Install the crimp ferrule .....	49
Figure A.34 – Cable preparation for PVC type cables (informative).....	50
Figure A.35 – Cable preparation for FEP type cables (informative) .....	50
Figure A.36 – Strip guides .....	50
Figure A.37 – Using the flare tool.....	51
Figure A.38 – Expanding the shields.....	51
Figure A.39 – Install the centre pin .....	51
Figure A.40 – Crimping the centre pin.....	52
Figure A.41 – Installing the connector body .....	52
Figure A.42 – Installing the ferrule .....	52
Figure A.43 – Crimp tool .....	53
Figure A.44 – Sealed IP65/67 cable .....	54
Figure A.45 – Terminator placement .....	54
Figure A.46 – Mounting the taps .....	55
Figure A.47 – Mounting the tap assembly using the universal mounting bracket .....	56
Figure A.48 – Mounting the tap using tie wraps or screws.....	56
Figure A.49 – Redundant network icons.....	57
Figure A.50 – Network test tool.....	59
Figure A.51 – Shorting the cable to test for continuity .....	60
Figure A.52 – Testing fibre segments.....	62
Figure A.53 – Multi-fibre backbone cable housing .....	64
Figure A.54 – Repeater adapter module.....	64
Figure A.55 – Short and medium distance fibre module LEDs .....	66
Figure A.56 – Long and extra long repeater module LEDs .....	67
Figure B.1 – Interconnection of CPF 2 networks .....	70
Figure B.2 – Redundant linear bus.....	72
Figure B.3 – Peer-to-peer connections.....	72
Figure B.4 – Mated connections.....	75
Figure B.5 – The 8-way modular sealed jack & plug (plastic housing) .....	82
Figure B.6 – The 8-way modular sealed jack & plug (metal housing).....	82
Figure B.7 – M12-4 connectors .....	83
Figure B.8 – Example of a metallic shell M12-8 X-coding connectors .....	84
Figure B.9 – Simplex LC connector .....	85
Figure B.10 – Duplex LC connector .....	85
Figure B.11 – IP65/67 sealed duplex LC connector.....	85
Figure B.12 – IP65/67 sealed duplex SC-RJ connector .....	86

Figure B.13 – M12-4 to 8-way modular bulkhead .....	88
Figure B.14 – The 8-way modular sealed jack & plug (plastic housing) .....	93
Figure B.15 – The 8-way modular sealed jack & plug (metal housing) .....	93
Figure B.16 – M12-4 connectors .....	94
Figure B.17 – Earthing of cable shield .....	96
Figure C.1 – Interconnection of CPF 2 networks .....	101
Figure C.2 – Connection to generic cabling .....	102
Figure C.3 – DeviceNet cable system uses a trunk/drop line topology .....	104
Figure C.4 – Measuring the trunk length .....	106
Figure C.5 – Measuring the trunk and drop length .....	106
Figure C.6 – Measuring drop cable in a network with multiports .....	107
Figure C.7 – Removable device using open-style connectors .....	107
Figure C.8 – Fixed connection using open-style connector .....	108
Figure C.9 – Open-style connector pin out .....	108
Figure C.10 – Open-style connector pin out 10 position .....	108
Figure C.11 – Power Bus Current derate as a function of temperature differential .....	111
Figure C.12 – Power supply sizing example .....	112
Figure C.13 – Current limit for thick cable for one power supply .....	113
Figure C.14 – Example of a continuous power bus .....	114
Figure C.15 – Current limit for thick cable and two power supplies common V+ .....	115
Figure C.16 – Worst-case scenario .....	116
Figure C.17 – Example using the lookup method .....	116
Figure C.18 – One power supply end connected .....	118
Figure C.19 – Segmenting power in the power bus .....	119
Figure C.20 – Segmenting the power bus using power taps .....	119
Figure C.21 – Thick cable construction .....	130
Figure C.22 – Cable Type I construction .....	130
Figure C.23 – Thin cable construction .....	131
Figure C.24 – Flat cable construction .....	131
Figure C.25 – Cable preparation .....	132
Figure C.26 – Connector assembly .....	132
Figure C.28 – M12 connector pin assignment .....	133
Figure C.29 – Mini connector pin assignment .....	133
Figure C.30 – Preparation of cable end .....	134
Figure C.31 – Shrink wrap installation .....	134
Figure C.32 – Wire preparation .....	134
Figure C.33 – Open-style connector (female) .....	135
Figure C.34 – Open-style (male plug) .....	135
Figure C.35 – Flat cable .....	136
Figure C.36 – Aligning the cable .....	136
Figure C.37 – Closing the assembly .....	137
Figure C.38 – Proper orientation of cable .....	137
Figure C.39 – Locking the assembly .....	137

Figure C.40 – Driving the IDC contacts in to the cable .....	138
Figure C.41 – End cap placement .....	138
Figure C.42 – End cap seated.....	139
Figure C.43 – End cap installation on alternate side of cable .....	139
Figure C.44 – Flat cable IDC connectors.....	140
Figure C.45 – Installing the connectors .....	140
Figure C.46 – Cable wiring to open-style terminals .....	141
Figure C.47 – Auxiliary power cable profile .....	141
Figure C.48 – Pin out auxiliary power connectors.....	142
Figure C.49 – Power supply cable length versus wire size .....	143
Figure C.50 – Sealed terminator .....	145
Figure C.51 – Open-style terminator .....	145
Figure C.52 – Open-style IDC terminator .....	145
Figure C.53 – Sealed terminator IDC cable .....	146
Figure C.54 – Direct connection to the trunk .....	147
Figure C.55 – Wiring of open-style connector.....	147
Figure C.56 – Wiring of open-style 10-position connector .....	147
Figure C.57 – Diagnostic temporary connections .....	148
Figure C.58 – Thick cable preterminated cables (cord sets).....	149
Figure C.59 – Thin cable preterminated cables (cord sets).....	149
Table A.1 – Basic network characteristics for balanced cabling not based on Ethernet .....	23
Table A.2 – Network characteristics for optical fibre cabling.....	24
Table A.3 – RG6 coaxial electrical properties.....	26
Table A.4 – RG6 coaxial physical parameters .....	26
Table A.5 – Cable type selection.....	27
Table A.6 – Information relevant to optical fibre cables .....	28
Table A.7 – Copper connectors for ControlNet.....	29
Table A.8 – Optical fibre connecting hardware .....	29
Table A.9 – Relationship between FOC and fibre types (CP 2/1).....	30
Table A.10 – Parameters for coaxial RG6 cables .....	44
Table A.11 – Bend radius for coaxial cables outside conduit.....	44
Table A.12 – Parameters for silica optical fibre cables .....	44
Table A.13 – Parameters for hard clad silica optical fibre.....	45
Table A.14 – Test matrix for BNC/TNC connectors.....	60
Table A.15 – Wavelength and fibre types .....	63
Table A.16 – LED status table.....	65
Table A.17 – Repeater adapter and module diagnostic .....	65
Table A.18 – Repeater adapter indicator diagnostic .....	65
Table A.19 – Repeater module indicator .....	66
Table A.20 – Short and medium distance troubleshooting chart .....	67
Table A.21 – Long and extra long troubleshooting chart.....	68
Table B.1 – Network characteristics for balanced cabling based on Ethernet .....	73

Table B.2 – Network characteristics for optical fibre cabling.....	74
Table B.3 – Fibre lengths for 1 mm POF A4a.2 POF 0.5 NA .....	74
Table B.4 – Fibre lengths for 1 mm POF A4d POF 0.3 NA .....	75
Table B.5 – Recognized fibre types.....	76
Table B.6 – Recognized fibre PMDs.....	76
Table B.7 – Information relevant to copper cable: fixed cables 10/100 MHz .....	77
Table B.8 – Information relevant to copper cable: fixed cables 1 000 MHz .....	77
Table B.9 – Information relevant to copper cable: cords 10/100 MHz .....	78
Table B.10 – TCL limits for unshielded twisted-pair cabling serving 10/100 Mb/s .....	79
Table B.11 – TCL limits for unshielded twisted-pair cabling serving 1 000 Mb/s .....	79
Table B.12 – ELTCTL limits for unshielded twisted-pair cabling serving 10/100 Mb/s .....	79
Table B.13 – ELTCTL limits for unshielded twisted-pair cabling serving 1 000 Mb/s .....	79
Table B.14 – Coupling attenuation limits for screened twisted-pair cabling.....	80
Table B.15 – Information relevant to optical fibre cables .....	80
Table B.16 – Connectors for balanced cabling CPs based on Ethernet .....	81
Table B.17 – TCL limits for connectors based on Ethernet serving 1 000 Mb/s.....	81
Table B.18 – Industrial EtherNet/IP 8-way modular connector parameters .....	82
Table B.19 – Industrial EtherNet/IP M12-4 D-coding connector parameters .....	82
Table B.20 – Industrial EtherNet/IP M12-8 X-coding connector parameters.....	83
Table B.21 – Optical fibre connecting hardware .....	84
Table B.22 – Relationship between FOC and fibre types (CP2/2).....	86
Table B.23 – Connector insertion loss.....	86
Table B.24 – Parameters for balanced cables .....	92
Table B.25 – Parameters for silica optical fibre cables .....	92
Table B.26 – Parameters for POF optical fibre cables .....	93
Table C.1 – Basic network characteristics for copper cabling not based on Ethernet.....	104
Table C.2 – Cable trunk and drop lengths for CP 2/3 .....	105
Table C.3 – Summary of available current for trunk cables (CP 2/3).....	109
Table C.4 – Permissible current for thin cable drop lines of various lengths .....	110
Table C.5 – Power supply specification for DeviceNet.....	110
Table C.6 – Power supply tolerance stack up for DeviceNet.....	111
Table C.7 – Current versus cable length for one power supply thick cable .....	114
Table C.8 – Current versus length for two power supplies.....	115
Table C.9 – Definition of equation variables .....	117
Table C.10 – Information relevant to copper cable: fixed cables.....	120
Table C.11 – Information relevant to copper cable: cords.....	120
Table C.12 – DeviceNet cables and connector support cross reference .....	121
Table C.13 – DeviceNet cable profiles .....	122
Table C.14 – Copper connectors for non-Ethernet based fieldbus .....	124
Table C.15 – Additional connectors for CP 2/3 (DeviceNet) .....	124
Table C.16 – Parameters for balanced cables.....	129
Table C.17 – Wire colour code and function.....	135
Table C.18 – Auxiliary power cable colour code.....	141

Table C.19 – Auxiliary power supply requirements .....	142
Table C.20 – Signal wire verification .....	152
Table C.21 – Shield to earth .....	152
Table C.22 – Connector pin out .....	154

# INTERNATIONAL ELECTROTECHNICAL COMMISSION

## INDUSTRIAL COMMUNICATION NETWORKS – PROFILES –

### Part 5-2: Installation of fieldbuses – Installation profiles for CPF 2

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61784-5-2 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This fourth edition cancels and replaces the third edition published in 2013. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) references to ISO/IEC 24702 have been replaced with references to ISO/IEC 11801-3 in Table B.1;
- b) errors have been corrected;
- c) Tables B11 and B13 have been added in support of 1,000 Mb/s 4 Pair Ethernet;



## d) Clarification of dual power supplies for Annex C.

This standard is to be used in conjunction with IEC 61918:2018.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
65C/924/FDIS	65C/925/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 61784-5 series, under the general title *Industrial communication networks – Profiles – Installation of fieldbuses*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

This International Standard is one of a series produced to facilitate the use of communication networks in industrial control systems.

IEC 61918:2018 provides the common requirements for the installation of communication networks in industrial control systems. This installation profile standard provides the installation profiles of the communication profiles (CP) of a specific communication profile family (CPF) by stating which requirements of IEC 61918 fully apply and, where necessary, by supplementing, modifying, or replacing the other requirements (see Figure 1).

For general background on fieldbuses, their profiles, and relationship between the installation profiles specified in this document, see IEC 61158-1.

Each CP installation profile is specified in a separate annex of this document. Each annex is structured exactly as the reference standard IEC 61918 for the benefit of the persons representing the roles in the fieldbus installation process as defined in IEC 61918 (planner, installer, verification personnel, validation personnel, maintenance personnel, administration personnel). By reading the installation profile in conjunction with IEC 61918, these persons immediately know which requirements are common for the installation of all CPs and which are modified or replaced. The conventions used to draft this document are defined in Clause 5.

The provision of the installation profiles in one standard for each CPF (for example IEC 61784-5-2 for CPF 2) allows readers to work with standards of a convenient size.




Figure 1 – Standards relationships

## INDUSTRIAL COMMUNICATION NETWORKS – PROFILES –

### Part 5-2: Installation of fieldbuses – Installation profiles for CPF 2

#### 1 Scope

This part of IEC 61784-5 specifies the installation profiles for CPF 2 (CIP™ 1).

The installation profiles are specified in the annexes. These annexes are read in conjunction with IEC 61918:2018.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61918:2018, *Industrial communication networks – Installation of communication networks in industrial premises*

The normative references of IEC 61918:2018, Clause 2, apply.

NOTE For profile specific normative references, see Clauses A.2, B.2, and C.2.

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**