STN	Elektroakustické zariadenia Akustické merania na výstupe	STN EN IEC 60268-21
PIM		36 8305

Sound system equipment - Part 21: Acoustical (output-based) measurements

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 04/19

Obsahuje: EN IEC 60268-21:2018, IEC 60268-21:2018

128403

STN EN IEC 60268-21: 2019

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN IEC 60268-21

December 2018

ICS 33.160.01

English Version

Sound system equipment - Part 21: Acoustical (output-based) measurements (IEC 60268-21:2018)

Équipements pour systèmes électroacoustiques - Partie 21 : Mesures acoustiques (en sortie) (IEC 60268-21:2018) Elektroakustische Geräte - Teil 21: Akustische(Ausgabebasierte) Messungen (IEC 60268-21:2018)

This European Standard was approved by CENELEC on 2018-12-12. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 60268-21:2018 (E)

European foreword

The text of document 100/2957/CDV, future edition 1 of IEC 60268-21, prepared by IEC/TC 100 "Audio, video and multimedia systems and equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60268-21:2018.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2019-09-12 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2021-12-12

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60268-21:2018 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60268-7:2010 NOTE Harmonized as EN 60268-7:2011 (not modified)

IEC 62777 NOTE Harmonized as EN 62777

EN IEC 60268-21:2018 (E)

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60263	-	Scales and sizes for plotting frequency characteristics and polar diagrams	-	-
IEC 60268-1	-	Sound system equipment. Part 1: General	HD 483.1 S2	-
IEC 60268-2	1987	Sound system equipment. Part 2: Explanation of general terms and calculation methods	HD 483.2 S2	1993
IEC 61094-4	-	Measurement microphones - Part 4: Specifications for working standard microphones	EN 61094-4	-
IEC 61260-1	-	Electroacoustics - Octave-band and fractional-octave- band filters - Part 1: Specifications	EN 61260-1	-
ISO 3	-	Preferred numbers - Series of preferred numbers	-	-
ISO 3741	2010	Acoustics - Determination of sound power levels and sound energy levels of noise sources using sound pressure - Precision methods for reverberation test rooms	EN ISO 3741	2010
ISO 3744	-	Acoustics - Determination of sound power levels and sound energy levels of noise sources using sound pressure - Engineering methods for an essentially free field over a reflecting plane	EN ISO 3744	-
ISO 3745	-	Acoustics - Determination of sound power levels and sound energy levels of noise sources using sound pressure - Precision methods for anechoic rooms and hemi-anechoic rooms	EN ISO 3745	-
CTA 2034-A	-	Standard Method of Measurement for In-Home Loudspeakers, Consumer Technology Association (Formerly CEA)	-	-
CTA 2010-B	-	Standard Method of Measurement for Powered Subwoofers, standard by Consumer Technology Association (Formerly CEA)	-	-



IEC 60268-21

Edition 1.0 2018-11

INTERNATIONAL STANDARD



Sound system equipment -

Part 21: Acoustical (output-based) measurements





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2018 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Tel.: +41 22 919 02 11

info@iec.ch www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - webstore. iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.



IEC 60268-21

Edition 1.0 2018-11

INTERNATIONAL STANDARD



Sound system equipment -

Part 21: Acoustical (output-based) measurements

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 33.160.01 ISBN 978-2-8322-6176-7

Warning! Make sure that you obtained this publication from an authorized distributor.

– 2 –

IEC 60268-21:2018 © IEC 2018

CONTENTS

F	OREWO	ORD	8
IN	ITRODU	UCTION	10
1	Scop	pe	11
2	Norm	mative references	11
3		ns, definitions and abbreviated terms	
•	3.1	Terms and definitions	
	3.1	Abbreviated terms	
4		e description	
5		sical characteristics	
5	•		
	5.1	Marking of terminals and controls	
	5.2	Dimensions	
	5.3 5.4	Connectors and cable assemblies	
6	• • •	ign data	
	•		
7		ditions	
	7.1	Rated conditions	
	7.2	Climatic conditions	
_	7.3	Normal measuring conditions	
8		t signals	
	8.1	General	
	8.2	Sinusoidal chirp	
	8.3	Steady-state single-tone signal	
	8.4	Steady-state two-tone signal	
	8.5	Sparse multi-tone complex	
	8.6	Broadband noise signal	
	8.7	Narrow-band noise signal	
	8.8	Hann-burst signal	
	8.9	Impulsive signal	
9	Acou	ustical environment	17
	9.1	General	
	9.2	Free-field conditions	
	9.3	Half-space, free-field conditions	
	9.4	Simulated free-field conditions	
	9.5	Half-space simulated free-field conditions	
	9.6	Diffuse sound field conditions	
	9.7	Target application conditions	
10) Posit	itioning of the DUT	
	10.1	Rated geometrical conditions	
	10.1.		
	10.1.	•	
	10.1.	•	
	10.1.		
	10.1.		
	10.1.	•	
	10.1.	.7 Evaluation distance	19

- 3 -

	10.2 Mea	asuring distance between DUT and microphone	20
	10.2.1	Far-field conditions	20
	10.2.2	Near-field conditions	20
	10.2.3	Diffuse field conditions	20
	10.2.4	Target application condition	21
11	Measure	ment equipment and test results	21
12	Accuracy	of the acoustical measurement	21
	•	neral	
		asurement uncertainty	
13		of the DUT	
	•	unting and acoustic loading of drive units	
		unting and acoustic loading of an electro-acoustic system	
14		tioningtioning	
		bient conditions	
15			
		nperature ranges	
	15.1.1	Performance limited temperature range	
	15.1.2	Damage limited temperature range	
		nidity ranges	
	15.2.1	Relative humidity range	
	15.2.2	Damage limited humidity range	
16		quency range	
17	Input sigi	nal	23
	17.1 Rat	ed maximum input value	23
	17.1.1	Condition to be specified	23
	17.1.2	Direct measurement	24
	17.1.3	Indirect measurement based on $SPL_{\mbox{max}}$	25
	17.2 Max	kimum input level	25
18	Sound-pr	essure output	26
	18.1 Rat	ed maximum sound pressure	26
	18.1.1	Conditions to be specified	26
	18.1.2	Direct measurement	26
	18.1.3	Indirect measurement based on maximum input value	27
	18.2 Rat	ed maximum sound-pressure level	27
	18.3 Sho	ort term maximum sound pressure level	27
	18.3.1	Conditions to be specified	27
	18.3.2	Method of measurement	28
	18.4 Lon	g term maximum sound pressure level	28
	18.4.1	Conditions to be specified	28
	18.4.2	Method of measurement	29
	18.5 Sou	ınd pressure in a stated frequency band	29
	18.5.1	Condition to be specified	
	18.5.2	Method of measurement	29
	18.6 Sou	ınd-pressure level in a stated frequency band	30
	18.7 Mea	an sound-pressure in a stated frequency range	30
	18.7.1	Condition to be specified	30
	18.7.2	Method of measurement	30
	18.8 Mea	an sound-pressure level in a stated frequency range	30

_	1	

19 Frequ	uency response of the fundamental component	30
19.1	Transfer function	30
19.1.	1 Conditions to be specified	30
19.1.2	2 Method of measurements	30
19.2	SPL frequency response	32
19.2.	1 Conditions to be specified	32
19.2.2	2 Method of measurement	32
19.3	Time-varying amplitude compression of the fundamental component	33
19.3.	1 General	33
19.3.2	2 Method of measurement	33
19.4	Amplitude compression at maximum input	33
19.4.	1 Short term amplitude compression	33
19.4.2	2 Method of measurement	33
19.4.3	3 Long-term amplitude compression	34
19.4.4	4 Method of measurement	34
19.5	Corrections based on a free-field reference measurement	34
19.5.	1 General	34
19.5.2	Correction of the measured sound pressure signal	34
19.5.3	3 Correction of the amplitude response	35
19.6	Effective frequency range	36
19.6.	1 Conditions to be specified	36
19.6.2	2 Method of measurement	36
19.7	Internal latency	36
19.7.	1 Conditions to be specified	36
19.7.2	2 Methods of measurement	36
20 Direc	tional characteristics	37
20.1	General	37
20.2	Direct sound field in 3D space	37
20.2.	1 Directional transfer function	37
20.2.2	2 Extrapolated far-field data	37
20.2.3	Parameters of the holographic sound field expansion	38
20.2.4	4 Extrapolated near-field data	39
20.3	Directional far field characteristics	39
20.3.	1 Directional factor	39
20.3.2	ŭ	
20.3.3	3 Directivity factor	41
20.3.4		
20.4	Acoustic output power	
20.4.	•	
20.4.2		
	Sound power level	
	Mean acoustic output power in a frequency band	
20.6.	•	
20.6.2		
	Radiation angle	
20.7.	•	
20.7.2	2 Method of measurement	44

	20.8	Coverage angle or angles	45
	20.8.1	Conditions to be specified	45
	20.8.2	Method of measurement	45
	20.9	Mean sound pressure level in an acoustical zone	45
	20.9.1	General	45
	20.9.2		
21	Harmo	onic distortion	46
	21.1 (General	46
		N^{th} -order harmonic component	
	21.2.1	•	
	21.2.2	•	
		Total harmonic components	
	21.3.1	·	
	21.3.1	·	
		Total harmonic distortion	
	21.4.1		
	21.4.1	·	
		Higher-order harmonic distortion	
	21.5.1	-	
	21.5.1	·	
		Maximum sound pressure level limited by total harmonic distortion	
	21.6.1		
	21.6.1	·	
		N th -order equivalent input harmonic distortion component	
	21.7.1		
	21.7.1	·	
	21.8 E	Equivalent input total harmonic distortion	
	21.8.1	-	
22		one distortion	
22			
		Variation of excitation frequencies	
		Modulation distortion	
	22.2.1		
	22.2.2		
		Amplitude modulation distortion	
	22.3.1	•	
	22.3.2		
23	Multi-t	tone distortion	54
	23.1	Conditions to be specified	54
	23.2	Method of measurement	55
24	Impuls	sive distortion	55
	24.1 I	Impulsive distortion level	55
	24.1.1	·	
	24.1.2	•	
	24.2	Maximum impulsive distortion ratio	
	24.2.1		
	24.2.2	·	56

24.3 Mean impulsive distortion level	57
24.3.1 Conditions to be specified	57
24.3.2 Method of measurement	
24.4 Crest factor of impulsive distortion	57
24.4.1 Conditions to be specified	
24.4.2 Method of measurement	57
25 Stray magnetic fields	58
25.1 General	58
25.2 Static component	
25.2.1 Characteristic to be specified	58
25.2.2 Method of measurement	58
25.3 Dynamic components	
25.3.1 Characteristics to be specified	
25.3.2 Method of measurement	
Annex A (informative) Uncertainty analysis	60
Annex B (normative) Transducer mounting	62
B.1 Standard baffle	62
B.2 Standard measuring enclosures	64
B.2.1 General	64
B.2.2 Type A	64
B.2.3 Type B	64
Annex C (normative) Simulated programme signal	66
Annex D (informative) Rating the maximum input and output values	68
Annex E (informative) Spherical wave expansion	70
E.1 Coefficients of spherical wave expansion	70
E.2 Directional factor	
E.3 Directivity factor	71
E.4 Acoustic output power	71
Annex F (informative) Non-linearity	72
F.1 Equivalent harmonic input distortion	72
F.2 Two-tone intermodulation	72
F.3 Signal distortion generated in audio systems	73
Annex G (informative) Stray magnetic field	75
Bibliography	76
Figure 1 – Rated conditions used to describe the position of the DUT in the coordinate	
system	18
Figure 2 – Recommended position and orientation of the DUT	19
Figure 3 – Valid region of expansion of the sound pressure $p(\mathbf{r})$ at the observation point \mathbf{r} at the distance $r>a$	39
Figure 4 – Measurement of the distortion generated by a multi-tone stimulus	55
Figure 5 – Measurement of impulsive distortion	56
Figure A.1 – Relationship between tolerance limits, corresponding acceptance	00
intervals and the maximum permitted uncertainty of measurement, $U_{\mbox{MAX}}$	
Figure B.1 – Standard baffle, dimensions	
Figure B.2 – Standard baffle with chamfer	63
Figure B.3 – Standard baffle with sub-baffle	63

-7-

Figure B.4 – Standard measuring enclosure type A (net volume is about 600 l)	64
Figure B.5 – Standard measuring enclosure type B (net volume is about 450 l)	65
Figure C.1 – Block diagram of test setup for generating the simulated noise signal used for testing passive loudspeaker systems comprising a network filter	66
Figure F.1 – Signal flow chart of the electro-acoustical system	72
Figure F.2 – Variation of the frequencies of the two-tone stimulus in the intermodulation measurement	73
Figure F.3 – Generation of the signal distortion in audio systems	73
Figure G.1 – Measuring apparatus for stray magnetic field	75
Table A.1 – Example uncertainty budget – acoustical loudspeaker evaluation	61
Table C.1 – Power spectrum of simulated programme signal in 1/3 octave bandsrated	67

- 8 -

IEC 60268-21:2018 © IEC 2018

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SOUND SYSTEM EQUIPMENT -

Part 21: Acoustical (output-based) measurements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60268-21 has been prepared by IEC technical committee 100: Audio, video and multimedia systems and equipment.

The text of this standard is based on the following documents:

CDV	Report on voting
100/2957/CDV	100/3019/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60628, published under the general title *Sound system equipment*, can be found on the IEC website.

-9-

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- · reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

- 10 -

IEC 60268-21:2018 © IEC 2018

INTRODUCTION

Loudspeakers, headphones and other actuators have become more versatile and, as a result, new measurement techniques are required to evaluate these systems. The following is a list of examples where new measurement techniques are required:

Limited access to the electrical terminals of the transducer

The higher integration of electrical, acoustical and mechanical elements limit the access to the electrical terminals of the transducer.

Analogue or digital audio input signals

Audio inputs can accept analogue or digital signals in various formats.

Latency and other kinds of distortion associated with digital signal processing

Digital signal processing is used to correct the transfer behaviour of the passive system and to generate a desired sound output and as a result, latency and other kinds of distortion not found in analogue equipment can be generated.

Excessive equalization

Excessive equalization can force the transducer to operate in the large signal domain causing thermal and nonlinear effects.

Active protection

Active protection attenuates the input signal to prevent a mechanical and thermal overload of the transducer and other components.

• Other transducer principles

Although most loudspeaker systems use a moving coil in an electro-dynamical transducer, there is a need to expand the application to electro-static, electro-magnetic or any other transduction principles.

Other mechanical and acoustical elements

To improve sound radiation, vented enclosures, sealed enclosures, passive radiators, horns, wave guides, flat panels, and other mechanical and acoustical elements are implemented.

Impulsive distortions

Defects in manufacturing (e.g. voice coil rubbing) or operating under overload conditions can create impulsive distortions, which have a high impact on perceived sound quality but cannot be detected by conventional measurements (e.g. total harmonic distortion).

Directional characteristics and complex near field properties

The comprehensive evaluation of professional equipment, including directional characteristics, can be realized by considering the complex near-field properties as a supplement to the existing far-field measurement techniques. In addition, devices intended for use in the near field, such as hand-held personal audio devices (e.g. laptops, tablets, smart phones) and other portable sound systems, need to be evaluated in a manner appropriate to their intended use.

- 11 -

SOUND SYSTEM EQUIPMENT -

Part 21: Acoustical (output-based) measurements

1 Scope

This part of IEC 60268 specifies an acoustical measurement method that applies to electro-acoustical transducers and passive and active sound systems, such as loudspeakers, TV-sets, multi-media devices, personal portable audio devices, automotive sound systems and professional equipment. The device under test (DUT) can be comprised of electrical components performing analogue and digital signal processing prior to the passive actuators performing a transduction of the electrical input into an acoustical output signal. This document describes only physical measurements that assess the transfer behaviour of the DUT between an arbitrary analogue or digital input signal and the acoustical output at any point in the near and far field of the system. This includes operating the DUT in both the small and large signal domains. The influence of the acoustical boundary conditions of the target application (e.g. car interior) can also be considered in the physical evaluation of the sound system. This document does not assess the perception and cognitive evaluation of the reproduced sound and the impact of perceived sound quality.

NOTE Some measurement methods defined in this document can be applied to headphones, headsets, earphones and earsets in accordance with [1] 1. This document does not apply to microphones and other sensors. This document does not require access to the state variables (voltage, current) at the electrical terminals of the transducer. Sensitivity, electric input power and other characteristics based on the electrical impedance will be described in a separate future standard document, IEC 60268-22, dedicated to electrical and mechanical measurements.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60263, Scales and sizes for plotting frequency characteristics and polar diagrams

IEC 60268-1, Sound system equipment – Part 1: General

IEC 60268-2:1987, Sound system equipment – Part 2: Explanation of general terms and calculation methods

IEC 61094-4, Measurement microphones – Part 4: Specifications for working standard microphones

IEC 61260-1, Electroacoustics – Octave-band and fractional-octave-band filters – Part 1: Specifications

ISO 3, Preferred numbers – Series of preferred numbers

ISO 3741:2010, Acoustics – Determination of sound power levels and sound energy levels of noise sources using sound pressure – Precision methods for reverberation test rooms

¹ Numbers in square brackets refer to the Bibliogaphy.

- 12 -

IEC 60268-21:2018 © IEC 2018

ISO 3744, Acoustics – Determination of sound power levels and sound energy levels of noise sources using sound pressure – Engineering methods for an essentially free field over a reflecting plane

ISO 3745, Acoustics – Determination of sound power levels and sound energy levels of noise sources using sound pressure – Precision methods for anechoic rooms and hemi-anechoic rooms

CTA 2034-A, Standard Method of Measurement for In-Home Loudspeakers, Consumer Technology Association (Formerly CEA), 02/01/2015

CTA 2010-B, Standard Method of Measurement for Powered Subwoofers, standard by Consumer Technology Association (Formerly CEA), 11/28/2014

koniec náhľadu – text ďalej pokračuje v platenej verzii STN