Regulátory tlaku medicinálnych plynov Časť 3: Regulátory tlaku vo ventiloch fliaš na plyny (ISO 10524-3: 2019) STN EN ISO 10524-3 85 2750

Pressure regulators for use with medical gases - Part 3: Pressure regulators integrated with cylinder valves (VIPRs) (ISO 10524-3:2019)

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 06/19

Obsahuje: EN ISO 10524-3:2019, ISO 10524-3:2019

Oznámením tejto normy sa ruší STN EN ISO 10524-3 (85 2750) z októbra 2006

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 10524-3

January 2019

ICS 11.040.10

Supersedes EN ISO 10524-3:2006

English Version

Pressure regulators for use with medical gases - Part 3: Pressure regulators integrated with cylinder valves (VIPRs) (ISO 10524-3:2019)

Détendeurs pour l'utilisation avec les gaz médicaux -Partie 3: Détendeurs intégrés dans les robinets des bouteilles de gaz (VIPR) (ISO 10524-3:2019) Druckminderer zur Verwendung mit medizinischen Gasen - Teil 3: Druckminderer in Flaschenventilen (ISO 10524-3:2019)

This European Standard was approved by CEN on 3 October 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	3

European foreword

This document (EN ISO 10524-3:2019) has been prepared by Technical Committee ISO/TC 121 "Anaesthetic and respiratory equipment" in collaboration with Technical Committee CEN/TC 215 "Respiratory and anaesthetic equipment" the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2019, and conflicting national standards shall be withdrawn at the latest by July 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 10524-3:2006.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 10524-3:2019 has been approved by CEN as EN ISO 10524-3:2019 without any modification.

INTERNATIONAL STANDARD

ISO 10524-3

Second edition 2019-01

Pressure regulators for use with medical gases —

Part 3:

Pressure regulators integrated with cylinder valves (VIPRs)

Détendeurs pour l'utilisation avec les gaz médicaux —

Partie 3: Détendeurs intégrés dans les robinets des bouteilles à gaz (VIPR)



STN EN ISO 10524-3: 2019

ISO 10524-3:2019(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents			Page		
Fore	word		vi		
Intro	oductio	n	viii		
1	*Sco	pe	1		
_	•				
2		native references			
3	Term	s and definitions	2		
4	Nome	enclature	4		
5	General requirements				
	5.1	Safety			
	5.2	Usability	5		
	5.3	Materials			
	5.4	Alternative construction	6		
6	Desig	n requirements			
	6.1	*General	6		
	6.2	Integrated electronic device			
	6.3	FILLING PORT			
	6.4	Connections			
		6.4.1 VALVE INLET CONNECTION 6.4.2 Outlet connectors			
	6.5	*Requirements for outlet pressure			
	0.5	6.5.1 Pressure outlet			
		6.5.2 FLOW OUTLET			
	6.6	Cylinder pressure or cylinder CONTENT INDICATOR			
		6.6.1 Pressure gauges and cylinder content indicators			
	6.7	FLOW SELECTOR			
	6.8	Filtration			
	6.9	MAIN SHUT-OFF			
	6.10	RESIDUAL PRESSURE DEVICE			
	6.11 6.12	*PRESSURE-RELIEF DEVICE			
	6.12	LeakageMechanical strength			
	0.13	6.13.1 Resistance of the high-pressure side			
		6.13.2 Resistance of the low-pressure side to excessive pressure			
		6.13.3 Resistance of the low-pressure side to P_1			
		6.13.4 Impact and drop tests			
	6.14	*Resistance to ignition			
	6.15	Requirements for VIPR fitted with fixed orifices			
		6.15.1 Stability and ACCURACY OF FLOW			
		6.15.2 *Flow setting torque			
		6.15.3 Removal of a fixed orifice 6.15.4 Legibility			
	6.16	Endurance			
	0.10	6.16.1 FLOW SELECTOR			
		6.16.2 Non-return valve fitted to the filling port			
		6.16.3 Pressure regulator			
7	Cons	truction requirements			
,	7.1 *Cleanliness				
	7.2	Lubricants			
	7.3	Loosening torques			
8	Test	methods for non-gas specific type tests	15		
	8.1	General conditions			
		8 1 1 Amhient conditions	15		

		8.1.2	Test gas	15
		8.1.3	Reference conditions	15
	8.2	Test scl	nedule	15
	8.3	Test me	ethods for outlet pressure	17
		8.3.1	Purpose	17
		8.3.2	Test equipment	
		8.3.3	Test methods for determining OUTLET PRESSURE limits for VIPRs fitted	
			with a pressure outlet	18
		8.3.4	Test method for determining OUTLET PRESSURE limits for a VIPR fitted	
			with a flow outlet	19
	8.4	Test me	ethod for pressure-relief device	
		8.4.1	Purpose	
		8.4.2	Test procedure	19
	8.5	Test me	ethods for leakage	
		8.5.1	Purpose	
		8.5.2	Test procedure	
	8.6	Test me	ethod for mechanical strength	
		8.6.1	Purpose	
		8.6.2	Test procedure	
	8.7	Test me	ethod for resistance to ignition	
		8.7.1	Purpose	
		8.7.2	General	
		8.7.3	Test procedure	
	8.8		ethods for the stability and ACCURACY OF FLOW of VIPRs fitted with fixed orifices	. 23
	0.0	8.8.1	Purpose	
		8.8.2	Test procedure	
	8.9		ethod for flow setting and loosening torques	
	0.7	8.9.1	Purpose	
		8.9.2	Test procedure	
	8.10		r integrity of the FILLING PORT NON-RETURN VALVE under high flow condition	
	0.10	8.10.1	Purpose	
		8.10.2	Test procedure	
	8.11		ethod for durability of markings and colour coding	
	0.11	8.11.1	Purpose	
		8.11.2	Test procedure	
	8.12	_	SELECTOR endurance test	
	0.12		Purpose	
			Test procedure	
	8.13		G PORT NON-RETURN VALVE endurance test	
	0.13	8.13.1	Purpose	
		8.13.2	Test procedure	
	8.14		JRE REGULATOR endurance test	
	0.17	8.14.1	Purpose	
		8.14.2	Test procedure	
			-	
9			type tests	
	9.1		e	
	9.2		tus	
	9.3	Genera	l test conditions	29
		9.3.1	Test conditions	
	9.4	Test pr	ocedure	30
		9.4.1	Test method for determining OUTLET PRESSURE limits for a VIPR fitted	
			with a pressure outlet	30
		9.4.2	Test method for stability and ACCURACY OF FLOW of a VIPR fitted with	
			FIXED ORIFICES	30
		9.4.3	Test method for residual pressure device	31
10	Mosl	ing colo	our coding and packaging	21
10			gg	
	10.1	ividi Kill	<u> 5</u>	ט 1

10.3 Packaging		10.2	Colour coding	32
11 *Information to be supplied by the manufacturer 33 Annex A (informative) Example of VIPRs 35 Annex B (informative) Rationale 36 Annex C (informative) Reported regional and national deviations of colour coding and nomenclature for medical gases 39				
Annex B (informative) Rationale	11			
Annex C (informative) Reported regional and national deviations of colour coding and nomenclature for medical gases 39	Annex	A (info	rmative) Example of VIPRs	35
nomenclature for medical gases 39	Annex	B (info	rmative) Rationale	36
_	Annex			
Bibliography 41		nome	nclature for medical gases	39
	Biblio	graphy		41

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 121, *Anaesthetic and respiratory equipment*, SC 6, *Medical gas systems*.

This second edition cancels and replaces the first edition (ISO 10524-3:2005), which has been technically revised. It also incorporates the Amendment ISO 10524-3:2005/Amd 1:2013.

The main changes compared to the previous edition are as follows:

- a) introduction of the acronym VIPR for designating the valve with integrated pressure regulator as in ISO 10297 and ISO 22435[9];
- b) extension of the scope to include VIPRs with a nominal inlet pressure up to 30 000 kPa (300 bar);
- c) restructuring of the document to the new ISO template and associated renumbering;
- d) removal of the requirements for VIPRs fitted with flow-metering devices, flow gauges and adjustable pressure regulators;
- e) alignment with the common requirements of ISO 10524-1 and ISO 10524-2;
- f) addition of cross-reference to ISO 10297 for all requirements concerning the MAIN SHUT-OFF;
- g) rationalization of impact test requirements to comply with ISO 10297 and requirements for drop testing in alignment with ISO 11117;
- h) introduction of endurance testing on the flow selector, non-return valve and PRESSURE REGULATOR;
- i) introduction of type testing with the intended gas:
- j) introduction of a complete test schedule;
- k) review of all type tests;
- l) reference to ISO 15996 for residual pressure device (RPD);

- m) introduction of requirements for usability;
- n) consideration of avoidance of stainless steel for parts in contact with oxygen.

A list of all parts in the ISO 10524 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

VALVES WITH INTEGRATED PRESSURE REGULATORS (VIPRs) are used to reduce high cylinder pressure to a lower pressure suitable for use with medical equipment or for delivery of gas to a patient.

These functions cover a range of inlet and outlet pressures and flows which require specific design characteristics. It is important that the operating characteristics of VIPRs are specified and tested in a defined manner.

A VIPR is normally coupled to a device which controls the gas flow, such as a flow control device or a fixed orifice.

This document pays particular attention to:

- use of suitable materials;
- safety (mechanical strength, leakage, safe relief of excess pressure and resistance to ignition);
- gas-specificity;
- cleanliness:
- type testing;
- marking;
- information supplied by the manufacturer.

This document should be read in conjunction with ISO 10524-1, ISO 10524-2 and ISO 10524-4.

In this document, the following print types are used.

- Requirements and definitions: Roman type.
- Informative material appearing outside of tables, such as notes, examples and references: smaller type.
 Normative text of tables are also in a smaller type.
- Test specifications: italic type.
- TERMS DEFINED IN <u>CLAUSE 3</u> OR AS NOTED: SMALL CAPITALS TYPE.

In this document, the conjunctive "or" is used as an "inclusive or" so a statement is true if any combination of the conditions is true.

The verbal forms used in this document conform to usage described in ISO/IEC Directives, Part 2:2016, Annex H. For the purposes of this document, the auxiliary verb:

- "shall" means that compliance with a requirement or a test is mandatory for compliance with this document;
- "should" means that compliance with a requirement or a test is recommended but is not mandatory for compliance with this document;
- "may" is used to describe a permissible way to achieve compliance with a requirement or test.

An asterisk (*) as the first character of a title or at the beginning of a paragraph or table title indicates that there is guidance or rationale related to that item in Annex B. Annex B contains rationale statements for some of the requirements of this document. It provides additional insight into the reasoning that led to the requirements and recommendations that have been incorporated into this document. It is considered that knowledge of the reasons for the requirements will not only facilitate the proper application of this document, but will expedite any subsequent revisions.

Pressure regulators for use with medical gases —

Part 3:

Pressure regulators integrated with cylinder valves (VIPRs)

1 *Scope

This document specifies design, type testing, and marking requirements for cylinder valves with integrated PRESSURE REGULATORS [as defined in 3.26 and referred to hereafter as VALVES WITH INTEGRATED PRESSURE REGULATORS (VIPRs)] intended for the administration of medical gases in the treatment, management, diagnostic evaluation and care of patients or for gases used for driving surgical tools.

Examples of gases include oxygen, medical air and oxygen/nitrous oxide mixtures.

This document applies to VIPRs mounted on refillable cylinders with a WORKING PRESSURE up to 30 000 kPa (300 bar) intended to be filled in cylinder filling facilities or on self-filling systems as used in homecare applications.

VIPRs covered by this document are pressure pre-set and provided with a PRESSURE OUTLET and/or pre-set FLOW OUTLET(s).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 32, Gas cylinders for medical use — Marking for identification of content

ISO 5145, Gas cylinders — Cylinder valve outlets for gases and gas mixtures — Selection and dimensioning

ISO/TR 7470, Valve outlets for gas cylinders — List of provisions which are either standardized or in use

ISO 9170-1, Terminal units for medical gas pipeline systems — Part 1: Terminal units for use with compressed medical gases and vacuum

ISO 10297:2014, Gas cylinders — Cylinder valves — Specification and type testing

ISO 10297:2014/Amd1:2017, Pressure drums and tubes

ISO 11117, Gas cylinders — Valve protection caps and valve quards — Design, construction and tests

ISO 11363-1, Gas cylinders — 17E and 25E taper threads for connection of valves to gas cylinders — Part 1: Specifications

ISO 13341, Gas cylinders — Fitting of valves to gas cylinders

ISO 14971, Medical devices — Application of risk management to medical devices

ISO 15001, Anaesthetic and respiratory equipment — Compatibility with oxygen

ISO 15245-1, Gas cylinders — Parallel threads for connection of valves to gas cylinders — Part 1: Specification

ISO 15996, Gas cylinders — Residual pressure valves — Specification and type testing of cylinder valves incorporating residual pressure devices

EN 837-1, Pressure gauges — Part 1: Bourdon tube pressure gauges — Dimensions, metrology, requirements and testing

EN 13544-2:2002+ A1:2009, Respiratory therapy equipment — Part 2: Tubing and connectors

IEC 60601-1+ A1:2012, Medical electrical equipment — Part 1: General requirements for safety

koniec náhľadu – text ďalej pokračuje v platenej verzii STN