

STN	Molekulárno-diagnostické vyšetrenia in vitro Špecifikácie postupov pred vyšetrením formalínom fixovaného a parafrínom zaliateho (FFPE) tkaniva Časť 3: Izolovaná DNA (ISO 20166-3: 2018)	STN EN ISO 20166-3 85 6574
------------	---	--

Molecular in vitro diagnostic examinations - Specifications for pre-examination processes for formalin-fixed and paraffin-embedded (FFPE) tissue - Part 3: Isolated DNA (ISO 20166-3:2018)

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 06/19

Obsahuje: EN ISO 20166-3:2019, ISO 20166-3:2018

Oznámením tejto normy sa ruší
STN P CEN/TS 16827-3 (85 6574) z januára 2016

128630

EUROPEAN STANDARD

EN ISO 20166-3

NORME EUROPÉENNE

EUROPÄISCHE NORM

January 2019

ICS 11.100.10

Supersedes CEN/TS 16827-3:2015

English Version

Molecular in vitro diagnostic examinations - Specifications
for pre-examination processes for formalin-fixed and
paraffin-embedded (FFPE) tissue - Part 3: Isolated DNA
(ISO 20166-3:2018)

Analyses de diagnostic moléculaire in vitro -
Spécifications relatives aux processus préanalytiques
pour les tissus fixés au formol et inclus en paraffine
(FFPE) - Partie 3: ADN extrait (ISO 20166-3:2018)

Molekularanalytische in-vitro-diagnostische Verfahren
- Spezifikationen für präanalytische Prozesse für
formalinfixierte und paraffineingebettete (FFPE)-
Gewebeproben - Teil 3: Isolierte DNS (ISO 20166-
3:2018)

This European Standard was approved by CEN on 21 December 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 20166-3:2019 (E)

Contents	Page
European foreword.....	3

European foreword

This document (EN ISO 20166-3:2019) has been prepared by Technical Committee ISO/TC 212 "Clinical laboratory testing and in vitro diagnostic test systems" in collaboration with Technical Committee CEN/TC 140 "In vitro diagnostic medical devices" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2019, and conflicting national standards shall be withdrawn at the latest by January 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes CEN/TS 16827-3:2015.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 20166-3:2018 has been approved by CEN as EN ISO 20166-3:2019 without any modification.

INTERNATIONAL
STANDARD

ISO
20166-3

First edition
2018-12

**Molecular in vitro diagnostic
examinations — Specifications for pre-
examination processes for formalin-
fixed and paraffin-embedded (FFPE)
tissue —**

**Part 3:
Isolated DNA**

*Analyses de diagnostic moléculaire in vitro — Spécifications relatives
aux processus préanalytiques pour les tissus fixés au formol et inclus
en paraffine (FFPE) —*

Partie 3: ADN extrait



Reference number
ISO 20166-3:2018(E)

© ISO 2018

ISO 20166-3:2018(E)**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 General considerations	4
5 Outside the laboratory	5
5.1 Specimen collection.....	5
5.1.1 General.....	5
5.1.2 Information about the specimen donor/patient.....	5
5.1.3 Information about the specimen.....	5
5.1.4 Specimen processing.....	6
5.2 Transport requirements.....	6
6 Inside the laboratory	7
6.1 Information about the reception of the specimen.....	7
6.2 Formalin fixation of the specimen or sample(s).....	7
6.3 Evaluation of the pathology of the specimen and selection of the sample(s).....	8
6.4 Post-fixation of frozen samples.....	9
6.5 Decalcification.....	9
6.6 Processing and paraffin embedding.....	9
6.7 Storage requirements.....	10
6.8 Isolation of DNA.....	10
6.8.1 General.....	10
6.8.2 General information for DNA isolation procedures.....	10
6.8.3 Using commercial kits.....	11
6.8.4 Using the laboratories' own protocols.....	11
6.9 Quantity and quality assessment of isolated DNA.....	12
6.10 Storage of isolated DNA.....	12
Annex A (informative) Impact of the storage temperature on DNA Integrity in FFPE blocks of tissue	14
Bibliography	16

ISO 20166-3:2018(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical ISO/TC 212, *Clinical laboratory testing and in vitro diagnostic test systems*.

A list of all parts in the ISO 20166 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Molecular in vitro diagnostics, including molecular pathology, has enabled significant progress in medicine. Further progress is expected with new technologies analysing nucleic acids, proteins, and metabolites in human tissues and body fluids. However, the profiles and/or integrity of these molecules can change drastically during specimen collection, transport, storage and processing, thus making the outcome from diagnostics or research unreliable or even impossible because the subsequent examination assay will not determine the situation in the patient but an artificial molecular pattern generated during the pre-examination process. Studies have been undertaken to determine the influencing factors for the DNA examination from formalin-fixed and paraffin-embedded (FFPE) tissue. These studies demonstrated that a standardization of the entire process from specimen collection to the DNA examination is needed. This document draws upon such work to codify and standardize the steps for FFPE tissue with regard to DNA examination in what is referred to as the pre-examination phase.

DNA integrity in tissues can change before, during and after formalin fixation, processing and storage. Chemical modifications introduced into DNA during tissue fixation might lead to fragmentation and sequence alterations, changes in the methylation status or even structural changes which can lead to, for instance, spurious copy number changes in array-CGH profiles. These modifications of the DNA molecules can impact the validity and reliability of the examination test results. Therefore, it is essential to take special measures to minimize the described DNA changes and modifications for subsequent examination.

In this document, the following verbal forms are used:

- "shall" indicates a requirement;
- "should" indicates a recommendation;
- "may" indicates a permission;
- "can" indicates a possibility or a capability.

Molecular in vitro diagnostic examinations — Specifications for pre-examination processes for formalin- fixed and paraffin-embedded (FFPE) tissue —

Part 3: Isolated DNA

1 Scope

This document gives guidelines on the handling, documentation, storage and processing of formalin-fixed and paraffin-embedded (FFPE) tissue specimens intended for DNA examination during the pre-examination phase before a molecular assay is performed.

This document is applicable to molecular in vitro diagnostic examinations including laboratory developed tests performed by medical laboratories and molecular pathology laboratories. It is also intended to be used by laboratory customers, in vitro diagnostics developers and manufacturers, biobanks, institutions and commercial organizations performing biomedical research, and regulatory authorities.

NOTE International, national or regional regulations or requirements can also apply to specific topics covered in this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 15189:2012, *Medical laboratories — Requirements for quality and competence*

ISO 15190, *Medical laboratories — Requirements for safety*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN