

Sterilné injekčné striekačky na jednorazové použitie Časť 4: Striekačky s prvkami brániacimi opakovanému použitiu (ISO 7886-4: 2018)

STN EN ISO 7886-4

85 6170

Sterile hypodermic syringes for single use - Part 4: Syringes with re-use prevention feature (ISO 7886-4:2018)

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 06/19

Obsahuje: EN ISO 7886-4:2019, ISO 7886-4:2018

Oznámením tejto normy sa ruší STN EN ISO 7886-4 (85 6170) z januára 2010

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 7886-4

March 2019

ICS 11.040.25

Supersedes EN ISO 7886-4:2009

English Version

Sterile hypodermic syringes for single use - Part 4: Syringes with re-use prevention feature (ISO 7886-4:2018)

Seringues hypodermiques stériles, non réutilisables -Partie 4: Seringues avec dispositif empêchant la réutilisation (ISO 7886-4:2018) Sterile Injektionskanülen für den Einmalgebrauch -Teil 4: Spritzen mit Vorrichtung zur Verhinderung der Wiederverwendung (ISO 7886-4:2018)

This European Standard was approved by CEN on 1 March 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 7886-4:2019 (E)

Contents	Page
European foreword	3
Endorsement notice	3

European foreword

This document (EN ISO 7886-4:2019) has been prepared by Technical Committee ISO/TC 84 "Devices for administration of medicinal products and catheters" in collaboration with Technical Committee CEN/TC 205 "Non-active medical devices" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2019, and conflicting national standards shall be withdrawn at the latest by September 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 7886-4:2009.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 7886-4:2018 has been approved by CEN as EN ISO 7886-4:2019 without any modification.

INTERNATIONAL STANDARD

ISO 7886-4

Second edition 2018-11

Sterile hypodermic syringes for single use —

Part 4: **Syringes with re-use prevention feature**

Seringues hypodermiques stériles, non réutilisables — Partie 4: Seringues avec dispositif empêchant la réutilisation



STN EN ISO 7886-4: 2019

ISO 7886-4:2018(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Coı	ontents	Page
Fore	reword	v
Intr	roduction	vi
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Types of syringe	
	4.1 General	2
	4.2 Types of re-use prevention feature	
	4.3 Types of intended use/application	
5	Extraneous matter 5.1 General	
	5.2 Limits for acidity or alkalinity	
	5.3 Limits for extractable metals	
6	Lubricant	3
7	Tolerance on graduated capacity	3
8	Graduated scale	
Ü	8.1 Scale	
	8.2 Numbering of scale	
	8.3 Position of scale8.4 Overall length of scale to nominal capacity line	3
0		
9	Barrel 9.1 Dimensions	
	9.2 Barrel flanges	
10	Plunger stopper/plunger assembly	
	10.1 Design	3
	10.2 Fit of plunger stopper/plunger in the barrel	
	10.3 Fiducial line	
11	Syringe nozzle/needle 11.1 Syringe with integrated needle	
	11.1 Syringe with Integrated needle	
12	Performance	
12	12.1 Dead space	
	12.2 Freedom from air and liquid leakage	4
	12.3 Re-use prevention feature	
40	11 0	
13	Packaging	
	13.2 Multiple unit pack	5
	13.3 User packaging	
14	Information supplied by the manufacturer	
	14.1 General	
	14.2 Syringes	5 ¬
	14.2.2 Unit packaging	
	14.3 Multiple unit packs	6
	14.3.1 General	
	14.3.2 Multiple unit packs with self-contained syrin 14.4 User packaging	
	1 0 0	

ISO 7886-4:2018(E)

	14.4.1 General	6
	14.4.2 Storage container	6
14.5	Transport wrapping	
Annex A (nor	rmative) Method for preparation of extracts	7
Annex B (nor	rmative) Test method for testing re-use prevention feature	8
Bibliography	y	10

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 84, *Devices for administration of medicinal products and catheters*.

This second edition cancels and replaces the first edition (ISO 7886-4:2006), which has been technically revised. The main changes compared to the previous edition are as follows:

- terminology in Introduction is clarified;
- general reference update (Normative references, Bibliography and main body of the text);
- definitions for "active activation" and "auto-disable feature" added;
- test of syringes: Harmonized definitions with ISO 7886-3 and clarified text;
- Figure 1 is removed and substituted with a reference to the figure in ISO 7886-1;
- barrel dimension the additional 20 % capacity is removed;
- dimensions in design section are clarified;
- alignment with ISO 7886-1 and ISO 7886-3;
- subclause 15.5, Guidance on material, has been removed;
- Figure 3 (safety box) is removed;
- Annex C is deleted.

A list of all parts in the ISO 7886 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

ISO 7886-4:2018(E)

Introduction

The preparation of this document was recognized as a high priority requirement to prevent intentional (misuse) or accidental reuse of syringes. Re-use of injection equipment in the absence of sterilization has increasingly led to transmission of blood-borne pathogens. See Reference [5] in the Bibliography.

The World Health Organisation (WHO) had produced a specification for syringes that are rendered inactive after use [commonly referred to as "auto-disable" (AD) syringes] for both fixed dose immunization and syringes with re-use prevention features for general/curative purposes and the reconstitution of vaccines. For the purpose of this document, auto disabled is used for the feature of type 1 re-use prevention which operates automatically during or upon completion of the intended single use. Both the WHO and ISO agreed that additional parts of ISO 7886 would be required to cover syringes with re-use prevention features, while leaving in place ISO 7886-1 and ISO 7886-2 without modification, as a large number of devices in common use would not be intended to comply with the re-use prevention properties suggested.

This document is intended to cover syringes that are rendered inoperable, either during or upon completion or after delivery of the intended dose. These syringes are not covered by ISO 7886-1 and ISO 7886-3. ISO 7886-2 covers syringes used with power-driven pumps. Given the diversity of clinical applications, the most appropriate re-use prevention feature offering the highest level of re-use prevention is to be considered for each specific intended use.

It is recognized that syringes designed to reduce the risk of needle-stick injuries can also comply with this document with regard to their re-use prevention properties, but it is stressed that anti-needle-stick properties of syringes are not in themselves addressed in this document.

Guidance on transition periods for implementing the requirements of this document is given in ISO/TR 19244.

Sterile hypodermic syringes for single use —

Part 4:

Syringes with re-use prevention feature

1 Scope

This document specifies requirements for sterile single-use hypodermic syringes made of plastic and rubber materials with or without needle, and intended for the aspiration of fluids or for the injection of fluids immediately after filling and of design such that the syringe can be rendered unusable after use.

This document is not applicable to syringes made of glass [specified in ISO 595 (withdrawn)], autodisable syringes for fixed dose immunization (ISO 7886-3) and syringes designed to be pre-filled. It does not address compatibility with injection fluids. Other standards can be applicable when syringes are used for any other intended purpose than those specified in this document.

NOTE Syringes designed to reduce the risk of needle-stick injuries can also comply with this document with regard to their re-use prevention properties, but it is stressed that anti-needle-stick properties of syringes are not in themselves addressed in this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3696, Water for analytical laboratory use — Specification and test methods

ISO 7864:2016, Sterile hypodermic needles for single use — Requirements and test methods

ISO 7886-1:2017, Sterile hypodermic syringes for single use — Part 1: Syringes for manual use

ISO 8537:2016, Sterile single-use syringes, with or without needle, for insulin

ISO 9626, Stainless steel needle tubing for the manufacture of medical devices — Requirements and test methods

ASTM D999-01, Standard methods for vibration testing of shipping containers

ASTM D5276-98, Standard test method for drop test of loaded containers by free fall

koniec náhľadu – text ďalej pokračuje v platenej verzii STN