

STN	Železnice Brzdenie Protišmykové zariadenia	STN EN 15595
		28 4020

Railway applications - Braking - Wheel slide protection

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola označená vo Vestníku ÚNMS SR č. 05/19

Obsahuje: EN 15595:2018

Oznámením tejto normy sa ruší
STN EN 15595+A1 (28 4020) z novembra 2011

128789

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 15595

December 2018

ICS 45.040

Supersedes EN 15595:2009+A1:2011

English Version

Railway applications - Braking - Wheel slide protection

Applications ferroviaires - Freinage - Anti-enrayeur

Bahnanwendungen - Bremse - Gleitschutz

This European Standard was approved by CEN on 3 August 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

	Page
European foreword.....	6
Introduction	7
1 Scope.....	8
2 Normative references.....	8
3 Terms and definitions	9
4 Symbols and abbreviations	12
5 Requirements	12
5.1 Functional requirements.....	12
5.1.1 Objectives of wheel slide protection	12
5.1.2 General functional requirements.....	13
5.1.3 Control of the brake force	13
5.1.4 Wheel slide protection watchdog (safety timer)	14
5.1.5 Air supply.....	14
5.1.6 Wheel diameter differences	14
5.1.7 Wheel rotation monitoring (WRM)	14
5.1.8 Diagnostics	15
5.2 Design requirements	16
5.2.1 Environmental specification	16
5.2.2 Fire behaviour	16
5.2.3 RAMS	17
5.2.4 Mechanical construction	17
5.2.5 Power management	17
5.2.6 Software.....	18
5.2.7 Electronic control unit Input/Output (I/O)	18
5.2.8 Sensor - axle speed acquisition	18
5.2.9 Actuator - modification of brake force	18
5.3 Installation recommendations.....	19
5.3.1 General installation requirements	19
5.3.2 Air system	19
5.3.3 Power supply and electrical system	19
5.4 Performance requirements for WSP	20
5.4.1 Performance	20
5.4.2 Stopping distance and adhesion improvement.....	21
5.4.3 Wheelset slide limits.....	21
5.4.4 Track damage	22
5.4.5 Maximum deceleration	22
5.4.6 Air consumption	23
5.4.7 Output based on speed information provided by WSP	23
6 Range of tests.....	24
6.1 General.....	24
6.1.1 Test classifications.....	24
6.1.2 Assessor	24
6.2 Type Test.....	24
6.2.1 General.....	24

6.2.2	Test requirements.....	24
6.2.3	Individual component Type Test	24
6.3	Vehicle Implementation Test	25
6.3.1	General	25
6.3.2	Test requirements.....	26
6.3.3	Conformity of previous vehicle tests	26
6.4	List of tests	26
6.4.1	Standard tests	26
6.4.2	Drag tests.....	26
6.4.3	Test methods for speeds from 160 up to 200 km/h.....	27
6.4.4	Test methods for speeds > 200 km/h.....	27
6.4.5	Supplementary higher deceleration tests	27
6.4.6	Supplementary approval tests for WSP acting in vehicles with brakes that are independent of adhesion	27
6.4.7	Supplementary approval tests involving tractive units and trainsets having dynamic brakes	27
6.4.8	Testing of wheel rotation monitoring (WRM).....	28
6.5	Re-testing.....	34
6.5.1	General	34
6.5.2	Hardware	34
6.5.3	Software	35
7	Test methods	35
7.1	General	35
7.2	Measurement	36
7.3	Tests on vehicle	37
7.3.1	General	37
7.3.2	Generation of degraded adhesion	38
7.3.3	Environmental conditions.....	38
7.4	Test in simulation environment.....	39
7.4.1	General	39
7.4.2	Tests on simulation rig	39
7.4.3	Additional specific simulator tests.....	40
7.4.4	Optional tests	40
8	Evaluation of test	40
8.1	Correcting the stopping distances.....	40
8.2	Number and validity of dry tests.....	40
8.3	Evaluation of slide test.....	40
8.3.1	General	40
8.3.2	Evaluation of stopping performance	41
8.3.3	Evaluation of test validity	42
8.3.4	Evaluation of relative air consumption	51
9	Documentation of tests.....	52
9.1	Test Specification.....	52
9.2	Test report	53
10	Routine test and inspection	54
11	Designation, identification and marking	54
	Annex A (normative) Tables linking the WSP / WRM Requirements to Tests and Test Criteria.....	55
	Annex B (normative) Minimum requirements for a WSP simulator.....	75
B.1	General	75

EN 15595:2018 (E)

B.1.1	General.....	75
B.1.2	Use of the simulator model.....	75
B.2	Adhesion model	81
B.2.1	General.....	81
B.2.2	Constant adhesion condition	81
B.2.3	Variable adhesion condition.....	81
B.2.4	Adhesion conditioning factors	82
B.3	Test and performance model.....	82
B.3.1	General.....	82
B.3.2	Simulator performance.....	82
B.3.3	Test requirements	82
B.3.4	Stopping performance.....	82
B.3.5	Wheel damage	83
B.3.6	Air system	83
B.3.7	Pass/fail limits	83
B.3.8	Fault conditions	83
B.3.9	WSP outputs	84
B.4	Vehicle performance model	84
B.4.1	General.....	84
B.4.2	Friction material.....	84
B.4.3	Pneumatic actuator/brake demand	84
B.4.4	Body/Bogie/wheel dynamics	84
B.5	Vehicle functional model.....	85
B.5.1	General.....	85
B.5.2	Functional inputs	85
B.6	Simulator validation	85
B.6.1	General.....	85
B.6.2	Validation of test benches	85
B.6.3	Management.....	88
Annex C (informative)	Example of customer specific simulator tests	89
C.1	Naturally occurring variable adhesion tests	89
C.1.1	General.....	89
C.1.2	Sequence.....	89
C.1.3	Measurement and pass/fail criteria	91
C.2	Sustained low adhesion track condition (SLAC) Tests	92
C.2.1	Sequence.....	92
C.2.2	Measurement/pass fail criteria	93
C.2.3	WSP speed reference (v_{ref})	93
C.3	Operating speeds above 160 km/h.....	93
C.3.1	Criteria	93
C.3.2	Sequence.....	94
C.3.3	Measurement and pass/fail criteria	94
Annex D (informative)	Optional tests	95
D.1	Sander system tests — Criteria	95
D.2	Dynamic braking system tests — Criteria	96
D.3	Peripheral output tests — Criteria	96
Annex E (informative)	Typical diagram of a real WSP test	98
Annex F (informative)	In-service monitoring.....	100
Annex G (informative)	Braking configurations	101
G.1	Per bogie control	101

G.2 Per wagon control	101
Annex H (informative) Changes between Revision 1 and Revision 2 of EN 15595	102
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2008/57/EC aimed to be covered.....	103
Bibliography	105

EN 15595:2018 (E)**European foreword**

This document (EN 15595:2018) has been prepared by Technical Committee CEN/TC 256 "Railway applications", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2019, and conflicting national standards shall be withdrawn at the latest by June 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 15595:2009+A1:2011.

This document has been prepared under a standardization request given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive 2008/57/EC.

For relationship with EU Directive 2008/57/EC, see informative Annex ZA, which is an integral part of this document.

The rationale behind the changes between Revision 1 and this Revision of this standard is given in Annex H.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

A Wheel Slide Protection (WSP) system is designed to make the best use of available adhesion and to improve adhesion by a controlled reduction and restoration of the brake force to prevent wheel sets from locking and uncontrolled sliding due to low adhesion. Thus the braking performance is optimized and the occurrence of wheelset damage is minimized.

The Wheel Rotation Monitoring (WRM) system is designed to detect locked wheels and to give immediate information in this case.

Trains fitted with WSP systems may consist of single vehicles, locomotive and trailing vehicles or may be high speed trains, multiple units, commuter trains, Light Rail Vehicles (LRV) and Tram Trains of any track gauge, etc.

Such trains will be equipped with friction brakes and may also be equipped with additional braking systems, e.g. dynamic brakes, wheel/rail adhesion independent brakes, and may also be fitted with adhesion improving systems, e.g. sanding.

This European Standard is not intended to be used to determine the stopping performance of a WSP equipped train under all environmental conditions.

EN 15595:2018 (E)

1 Scope

This document specifies the criteria for system acceptance and type approval of a wheel slide protection (WSP) system. It also specifies criteria for the implementation of WSP to specific vehicle applications and specific operating conditions, as well as requirements for wheel rotation monitoring (WRM). This includes the design, testing and quality assessment of the WSP and WRM systems and their components.

This European Standard does not apply to vehicles on rubber tyred wheels or vehicles equipped with hydraulic brakes.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 14478:2017, *Railway applications - Braking - Generic vocabulary*

EN 15663, *Railway applications - Vehicle reference masses*

EN 16834:^{—1}, *Railway applications - Braking - Brake performance*

EN 45545 (all parts), *Railway applications - Fire protection on railway vehicles*

EN 50121-3-2, *Railway applications - Electromagnetic compatibility - Part 3-2: Rolling stock - Apparatus*

EN 50125-1, *Railway applications - Environmental conditions for equipment - Part 1: Rolling stock and on-board equipment*

EN 50126-1, *Railway Applications - The Specification and Demonstration of Reliability, Availability, Maintainability and Safety (RAMS) - Part 1: Generic RAMS Process*

EN 50128, *Railway applications - Communication, signalling and processing systems - Software for railway control and protection systems*

EN 50129, *Railway applications - Communication, signalling and processing systems - Safety related electronic systems for signalling*

EN 50155, *Railway applications - Rolling stock - Electronic equipment*

EN 60529, *Degrees of protection provided by enclosures (IP Code) (IEC 60529)*

EN 61373, *Railway applications - Rolling stock equipment - Shock and vibration tests (IEC 61373)*

EN ISO 228-2, *Pipe threads where pressure-tight joints are not made on the threads - Part 2: Verification by means of limit gauges (ISO 228-2)*

EN ISO/IEC 17025, *General requirements for the competence of testing and calibration laboratories (ISO/IEC 17025)*

¹ Under preparation. Stage at time of publication: FprEN 16834:2018.

ISO 8573-1, *Compressed air — Part 1: Contaminants and purity classes*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN