

<b>STN</b>	<b>Molekulárno-diagnostické vyšetrenia in vitro Špecifikácie postupov pred vyšetrením krvi Časť 1: Izolovaná bunková RNA (ISO 20186-1: 2019)</b>	<b>STN EN ISO 20186-1</b>  85 1023
------------	--	--

Molecular in vitro diagnostic examinations - Specifications for pre-examination processes for venous whole blood - Part 1: Isolated cellular RNA (ISO 20186-1:2019)

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 07/19

Obsahuje: EN ISO 20186-1:2019, ISO 20186-1:2019

Oznámením tejto normy sa od 31.03.2022 ruší  
STN P CEN/TS 16835-1 (85 1023) z novembra 2015

**128933**

EUROPEAN STANDARD

**EN ISO 20186-1**

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2019

ICS 11.100.10

Supersedes CEN/TS 16835-1:2015

English Version

## Molecular in vitro diagnostic examinations - Specifications for pre-examination processes for venous whole blood - Part 1: Isolated cellular RNA (ISO 20186-1:2019)

Analyses de diagnostic moléculaire in vitro -  
Spécifications relatives aux processus préanalytiques  
pour le sang total veineux - Partie 1: ARN cellulaire  
extrait (ISO 20186-1:2019)

Molekularanalytische in-vitro-diagnostische Verfahren  
- Spezifikationen für präanalytische Prozesse für  
venöse Vollblutproben - Teil 1: Isolierte zelluläre RNA  
(ISO 20186-1:2019)

This European Standard was approved by CEN on 2 February 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

**EN ISO 20186-1:2019 (E)**

<b>Contents</b>	<b>Page</b>
<b>European foreword.....</b>	<b>3</b>

## **European foreword**

This document (EN ISO 20186-1:2019) has been prepared by Technical Committee ISO/TC 212 "Clinical laboratory testing and in vitro diagnostic test systems" in collaboration with Technical Committee CEN/TC 140 "In vitro diagnostic medical devices" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2019, and conflicting national standards shall be withdrawn at the latest by March 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes CEN/TS 16835-1:2015.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## **Endorsement notice**

The text of ISO 20186-1:2019 has been approved by CEN as EN ISO 20186-1:2019 without any modification.

**INTERNATIONAL  
STANDARD**

**ISO  
20186-1**

First edition  
2019-02

---

---

**Molecular in vitro diagnostic  
examinations — Specifications for  
pre-examination processes for venous  
whole blood —**

**Part 1:  
Isolated cellular RNA**

*Analyses de diagnostic moléculaire in vitro — Spécifications relatives  
aux processus préanalytiques pour le sang total veineux —*

*Partie 1: ARN cellulaire extrait*



Reference number  
ISO 20186-1:2019(E)

© ISO 2019

**ISO 20186-1:2019(E)****COPYRIGHT PROTECTED DOCUMENT**

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Fax: +41 22 749 09 47  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

<b>Foreword</b> .....	<b>iv</b>
<b>Introduction</b> .....	<b>v</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 General considerations</b> .....	<b>5</b>
<b>5 Outside the laboratory</b> .....	<b>6</b>
5.1 Specimen collection.....	6
5.1.1 Information about the specimen donor/patient.....	6
5.1.2 Selection of the venous whole blood collection tube by the laboratory.....	6
5.1.3 Venous whole blood specimen collection from the donor/patient and stabilization procedures.....	6
5.1.4 Information about the specimen and storage requirements at the blood collection facility.....	7
5.2 Transport requirements.....	8
<b>6 Inside the laboratory</b> .....	<b>8</b>
6.1 Specimen reception.....	8
6.2 Storage requirements.....	8
6.3 Isolation of the cellular RNA.....	9
6.3.1 General.....	9
6.3.2 Using blood collection tubes with RNA profile stabilizers.....	9
6.3.3 Using blood collection tubes without RNA profile stabilizers.....	10
6.4 Quantity and quality assessment of isolated cellular RNA.....	10
6.5 Storage of isolated cellular RNA.....	11
6.5.1 General.....	11
6.5.2 Cellular RNA isolated with commercially available kits.....	11
6.5.3 Cellular RNA isolated with the laboratory's own protocols.....	11
<b>Annex A (informative) Impact of pre-examination process steps on venous whole blood cellular RNA profiles</b> .....	<b>12</b>
<b>Annex B (informative) Influence of blood storage temperature on blood cellular RNA profiles</b> .....	<b>16</b>
<b>Bibliography</b> .....	<b>19</b>

## ISO 20186-1:2019(E)

### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 212, *Clinical laboratory testing and in vitro diagnostic test systems*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

A list of all parts in the ISO 20186 series can be found on the ISO website.



## Introduction

Molecular in vitro diagnostics has enabled significant progress in medicine. Further progress is expected by new technologies analysing profiles of nucleic acids, proteins, and metabolites in human tissues and body fluids. However, the profiles of these molecules can change drastically during the pre-examination process, including the specimen collection, transport, storage, and processing. Consequently, this makes the outcome from diagnostics or research unreliable or even impossible, because the subsequent examination might not determine the real situation in the patient but an artificial profile generated during the pre-examination process.

Blood cellular RNA profiles can change significantly after blood collection. Therefore, special measures need to be taken to secure good quality blood samples for cellular RNA examination and storage.

Standardization of the entire workflow from specimen collection to the cellular RNA examination is needed. Studies have been undertaken to determine the important influencing factors. This document draws upon such work to codify and standardize the steps for venous whole blood cellular RNA examination in what is referred to as the pre-examination phase.

In this document, the following verbal forms are used:

- “shall” indicates a requirement;
- “should” indicates a recommendation;
- “may” indicates a permission;
- “can” indicates a possibility or a capability.

# Molecular in vitro diagnostic examinations — Specifications for pre-examination processes for venous whole blood —

## Part 1: Isolated cellular RNA

### 1 Scope

This document gives guidelines on the handling, storage, processing and documentation of venous whole blood specimens intended for cellular RNA examination during the pre-examination phase before a molecular examination is performed. This document covers specimens collected in venous whole blood collection tubes.

This document is applicable to any molecular in vitro diagnostic examination performed by medical laboratories. It is also intended to be used by laboratory customers, in vitro diagnostics developers and manufacturers, biobanks, institutions and commercial organizations performing biomedical research, and regulatory authorities.

Different dedicated measures are taken for stabilizing blood cell free circulating RNA and RNA in exosomes circulating in blood. These are not described in this document.

Different dedicated measures are taken for collecting, stabilizing, transporting and storing capillary blood as well as for collecting and storing blood by paper based technologies or other technologies generating dried blood. These are not described in this document.

This document does not cover the isolation of specific blood cells and subsequent isolation of cellular RNA therefrom.

RNA in pathogens present in blood is not covered by this document.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 15189:2012, *Medical laboratories — Requirements for quality and competence*

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**