

STN	Charakterizácia kalov Filtročné vlastnosti Časť 4: Stanovenie odvodniteľnosti flokulovaných kalov	STN EN 14701-4 75 7916
------------	--	--

Characterization of sludges - Filtration properties - Part 4: Determination of the drainability of flocculated sludge

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 07/19

Obsahuje: EN 14701-4:2018

Oznámením tejto normy sa ruší
STN EN 14701-4 (75 7916) z júla 2010

128952

EUROPEAN STANDARD

EN 14701-4

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2018

ICS 13.030.20

Supersedes EN 14701-4:2010

English Version

Characterization of sludges - Filtration properties - Part 4: Determination of the drainability of flocculated sludge

Caractérisation des boues - Propriétés de filtration -
Partie 4 : Détermination de l'aptitude à l'égouttage des
boues floculées

Charakterisierung von Schlämmen -
Filtrationseigenschaften - Teil 4: Bestimmung der
Entwässerbarkeit geflockter Schlämme

This European Standard was approved by CEN on 5 November 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN 14701-4:2018 (E)

Contents		Page
European foreword		3
Introduction		4
1	Scope	5
2	Normative references	5
3	Terms and definitions	5
4	Sludge conditioning	6
5	Principle	6
6	Apparatus	6
7	Procedure	6
8	Expression of results	7
9	Calculation of the drainability index	7
10	Test report	9
11	Precision	9
Annex A (informative) Typical gravity drainage cell		10
Annex B (informative) Quantity of sludge in a gravity belt filtration		11
Annex C (informative) Results of validation trials		12
Annex D (informative) Use of drainability index		16
Bibliography		18

European foreword

This document (EN 14701-4:2018) has been prepared by Technical Committee CEN/TC 308 “Characterization and management of sludge”, the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2019 and conflicting national standards shall be withdrawn at the latest by June 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 14701-4:2010.

EN 14701, *Characterization of sludges — Filtration properties* consists of the following parts:

- *Part 1: Capillary suction time (CST);*
- *Part 2: Determination of the specific resistance to filtration;*
- *Part 3: Determination of the compressibility;*
- *Part 4: Determination of the drainability of flocculated sludges.*

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

EN 14701-4:2018 (E)**Introduction**

The determination of drainability of flocculated sludge is an important parameter for evaluating their ability to be thickened by means of a draining process. It gives indications for the choice of flocculant or their dosage in view of the thickening of the sludge through a filtering medium. These easy and quick tests are the best means to narrow the number of products to be tested in full scale experiments and to adapt the pre-treatment to the sludge variability.

The results of measurements obtained are the mass of filtrate collected in a standard time or the time required to recover a given volume of filtrate (commonly 50 % of the water content of the sludge), the maximum volume of filtrate and the corresponding wet and dry mass of the sludge, the undissolved solids remaining in the filtrate and the best flocculant and its optimum dose in the case of comparative tests. In order to ease the comparison of products and their dosing, an adimensional number gathering the different information obtained during a drainage test: kinetics data of filtrate release, filtrate and thickened sludge quality can be used.

1 Scope

This document specifies a method for the determination of drainability of flocculated sludge. It is applicable to sludge and sludge suspensions from:

- storm water handling;
- urban wastewater collecting systems;
- urban wastewater treatment plants;
- treating industrial wastewater similar to urban wastewater (as defined in Directive 91/271/EEC);
- water supply treatment plants.

This method is also applicable to sludge suspensions from other origins.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 872, *Water quality — Determination of suspended solids — Method by filtration through glass fibre filters*

EN 14742, *Characterization of sludges — Laboratory chemical conditioning procedure*

EN 15934, *Sludge, treated biowaste, soil and waste — Calculation of dry matter fraction after determination of dry residue or water content*

EN 16323, *Glossary of wastewater engineering terms*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN