STN	Environmentálne inžinierstvo (EE) Rozhranie napájania na vstupe zariadení informačných a komunikačných technológií (ICT) Časť 1: Striedavý prúd (AC)	STN EN 300 132-1 V2.1.1
		87 0132

Environmental Engineering (EE); Power supply interface at the input to Information and Communication Technology (ICT) equipment; Part 1: Alternating Current (AC)

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 07/19

Obsahuje: EN 300 132-1 V2.1.1:2019

#### 128967

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2019 Slovenská technická norma a technická normalizačná informácia je chránená zákonom č. 60/2018 Z. z. o technickej normalizácii. STN EN 300 132-1 V2.1.1: 2019

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky

# ETSI EN 300 132-1 V2.1.1 (2019-03)



Environmental Engineering (EE); Power supply interface at the input to Information and Communication Technology (ICT) equipment; Part 1: Alternating Current (AC)

Reference REN/EE-0264

Keywords

environment, interface, power supply

#### ETSI

#### 650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

#### Important notice

The present document can be downloaded from: <u>http://www.etsi.org/standards-search</u>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at <a href="http://www.etsi.org/deliver">www.etsi.org/deliver</a>.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <u>https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx</u>

If you find errors in the present document, please send your comment to one of the following services: <u>https://portal.etsi.org/People/CommiteeSupportStaff.aspx</u>

#### **Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI. The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019. All rights reserved.

DECT<sup>™</sup>, PLUGTESTS<sup>™</sup>, UMTS<sup>™</sup> and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP**<sup>™</sup> and LTE<sup>™</sup> are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M**<sup>™</sup> logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

**GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

# Contents

Intelle	Intellectual Property Rights		
Forew	Foreword		
Moda	l verbs terminology		5
1	Scope		6
2 2.1 2.2	References Normative references Informative references		6
3 3.1 3.2 3.3	Terms Symbols	nbols and abbreviations	7 8
4	Power Interface A1		9
5 5.0 5.1 5.2 5.3 5.4	1 Nominal voltage at interface A1		10 11 11 12
6 6.0 6.1 6.2 6.3 6.4	Voltage variations		13 13 14 15
7	AC Supply protection of	on interface A1	16
8	Maximum steady state	current Im in the normal service voltage range at interface A1	17
9 9.1 9.2 9.3	Inrush current on interface A1		17 18
10	Earthing and Bonding		19
11	Electrical Safety requir	ements	19
12	EMC requirements at th	he input of ICT equipment	19
Anne	x A (informative):	ICT power supply configurations providing a unified power interface in the present document	20
Anne	x B (normative):	Identification of interface A1	22
Anne	x C (informative):	Calculation of the extreme AC voltage range at interface A1	23
Anne	x D (informative):	Dimensioning of over-current protective devices	24
Anne	x E (normative):	Test generator for voltage dips, short interruptions and voltage variations	25
Anne	x F (informative):	Details of the voltage surges measurement in the most common case of distribution and protective devices	26

ETSI EN 300 132-1 V2.1.1 (2019-03)

Annex G (informative):		Guide for measuring inrush current and for transferring the recorded pulses onto the limit chart	
G.1	Measurement		27
G.2	Pulse waveform transfo	ormation	27
Histor	ry		29

ETSI EN 300 132-1 V2.1.1 (2019-03)

# Intellectual Property Rights

#### **Essential patents**

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (https://ipr.etsi.org/).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

#### Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

### Foreword

This European Standard (EN) has been produced by ETSI Technical Committee Environmental Engineering (EE).

The present document is part 1 of a multi-part deliverable covering Environmental Engineering (EE); Power supply interface at the input to Information and Communication Technology (ICT) equipment, as identified below:

#### **Part 1:** "Alternating Current (AC)";

Part 2: "-48 V Direct Current (DC)";

Part 3: "Up to 400 V Direct Current (DC)";

National transposition dates	
Date of adoption of this EN:	8 March 2019
Date of latest announcement of this EN (doa):	30 June 2019
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 December 2019
Date of withdrawal of any conflicting National Standard (dow):	31 December 2019

### Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the <u>ETSI Drafting Rules</u> (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

ETSI EN 300 132-1 V2.1.1 (2019-03)

### 1 Scope

The present document contains requirements for:

- the output of the power supply feeding interface A1;
- the input of the ICT equipment connected to interface A1.

The voltage at interface A1 defined in the present document is single phase and three phase AC.

The following voltage range categories are covered:

- Narrow single phase  $A1_{n-1p}$  and narrow three phase  $A1_{n-3p}$  AC voltage range defined to comply with nominal European AC voltages [i.2].
- Wide single phase  $A1_{w-1p}$  and wide three phase  $A1_{w-3p}$  AC voltage range for worldwide nominal AC voltages.

The present document aims at providing compatibility between the power supply equipment and both the ICT equipment, and the different load units connected to the same interface A1 (e.g. control/monitoring, cooling system, etc.).

The purpose of the present document is:

- to identify a power supply system with the same characteristics for all ICT equipment defined in the area of application; the area of application may be any location where the interface A1 is used i.e. telecommunication centres, Radio Base Stations, datacentres and customer premises;
- to facilitate interworking of different (types of) loads;
- to facilitate the standardization of power supply systems for ICT equipment;
- to facilitate the installation, operation and maintenance in the same network of ICT equipment and systems from different origins. General requirements for safety and EMC are out of the scope of the present document series unless specific requirement not defined in existing safety or EMC standards.

The present document concerns the requirements for the interface between Information and Communication Technology (ICT) equipment and its power supply. It includes requirements relating to its stability and measurement. Various other references and detailed measurement and test arrangements are contained in informative annexes.

### 2 References

### 2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <a href="https://docbox.etsi.org/Reference/">https://docbox.etsi.org/Reference/</a>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] IEC 60947-2: "Low-voltage switchgear and controlgear Part 2: Circuit-breakers".
- [2] IEC 60269-1: "Low-voltage fuses Part 1: General requirements".
- [3] IEC 61000-4-5: "Electromagnetic compatibility (EMC) Part 4-5: Testing and measurement techniques Surge immunity test".

ETSI EN 300 132-1 V2.1.1 (2019-03)

[4] IEC 61000-4-11: "Electromagnetic compatibility (EMC) - Part 4-11: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests".

### 2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

[i.1]	ETSI ETS 300 132-1 (Edition 1): "Equipment Engineering (EE); Power supply interface at the input to telecommunications equipment; Part 1: Operated by alternating current (ac) derived from direct current (dc) sources".
[i.2]	IEC 60038: "IEC standard voltages".
[i.3]	IEC 60050-601: "International Electrotechnical Vocabulary. Chapter 601: Generation, transmission and distribution of electricity - General".
[i.4]	Void.
[i.5]	ETSI EN 300 386: "Telecommunication network equipment; ElectroMagnetic Compatibility (EMC) requirements; Harmonised Standard covering the essential requirements of the Directive 2014/30/EU".
[i.6]	Void.
[i.7]	CENELEC EN 62368-1 (Ed. 1.0): "Audio/Video, Information and Communication Technology Equipment - Part 1: Safety requirements".
[i.8]	IEC 60445: "Basic and safety principle for man-machine interface, marking and identification - Identification of equipment terminals, conductor terminations, and conductors".
[i.9]	IEC 60898-1:2015: "Electrical accessories - Circuit-breakers for overcurrent protection for household and similar installations - Part 1: Circuit-breakers for a.c. operation".
[i.10]	IEC 60898-2: "Electrical accessories - Circuit-breakers for overcurrent protection for household and similar installations - Part 2: Circuit-breakers for AC and DC operation".
[i.11]	IEC 60364 series: "Low-voltage electrical installations".
[i.12]	IEC 62040 series: "Uninterruptible power systems (UPS)".

# koniec náhľadu – text ďalej pokračuje v platenej verzii STN