

<b>STN</b>	<b>Cestné vozidlá</b> <b>Sieťové komunikačné rozhranie vo vozidlách</b> <b>Časť 5: Skúška zhody fyzickej vrstvy a vrstvy</b> <b>dátového spoja (ISO 15118-5: 2018)</b>	<b>STN</b> <b>EN ISO 15118-5</b>  30 0611
------------	---	--

Road vehicles - Vehicle to grid communication interface - Part 5: Physical layer and data link layer conformance test (ISO 15118-5:2018)

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 07/19

Obsahuje: EN ISO 15118-5:2019, ISO 15118-5:2018

**129037**

EUROPEAN STANDARD

**EN ISO 15118-5**

NORME EUROPÉENNE

EUROPÄISCHE NORM

February 2019

ICS 43.120

English Version

Road vehicles - Vehicle to grid communication interface -  
Part 5: Physical layer and data link layer conformance test  
(ISO 15118-5:2018)

Véhicules routiers - Interface de communication entre  
véhicule et réseau électrique - Partie 5: Essai de  
conformité relatif à la couche physique et à la couche  
liaison de données (ISO 15118-5:2018)

This European Standard was approved by CEN on 28 December 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

**EN ISO 15118-5:2019 (E)**

<b>Contents</b>	<b>Page</b>
<b>European foreword.....</b>	<b>3</b>

## **European foreword**

The text of ISO 15118-5:2018 has been prepared by Technical Committee ISO/TC 22 "Road vehicles" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 15118-5:2019 by Technical Committee CEN/TC 301 "Road vehicles" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2019, and conflicting national standards shall be withdrawn at the latest by August 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## **Endorsement notice**

The text of ISO 15118-5:2018 has been approved by CEN as EN ISO 15118-5:2019 without any modification.

# INTERNATIONAL STANDARD

# ISO 15118-5

First edition  
2018-02

Corrected version  
2018-05

---

---

## Road vehicles — Vehicle to grid communication interface —

### Part 5: Physical layer and data link layer conformance test

*Véhicules routiers — Interface de communication entre véhicule et  
réseau électrique —*

*Partie 5: Essai de conformité relatif à la couche physique et à la  
couche liaison de données*



Reference number  
ISO 15118-5:2018(E)

© ISO 2018

**ISO 15118-5:2018(E)****COPYRIGHT PROTECTED DOCUMENT**

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Fax: +41 22 749 09 47  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

## Contents

Foreword.....	vii
Introduction.....	viii
<b>1 Scope .....</b>	<b>1</b>
<b>2 Normative references .....</b>	<b>2</b>
<b>3 Terms and definitions.....</b>	<b>2</b>
<b>4 Symbols (and abbreviated terms) .....</b>	<b>7</b>
<b>5 Conventions .....</b>	<b>8</b>
<b>5.1 Requirement structure.....</b>	<b>8</b>
<b>5.2 Test system description .....</b>	<b>8</b>
<b>6 Test architecture reference model.....</b>	<b>8</b>
<b>6.1 General information .....</b>	<b>8</b>
<b>6.2 Platform adapter interface.....</b>	<b>9</b>
<b>6.3 SUT adapter interfaces .....</b>	<b>9</b>
<b>6.4 Codecs .....</b>	<b>10</b>
<b>7 Test suite conventions .....</b>	<b>10</b>
<b>7.1 General information .....</b>	<b>10</b>
<b>7.2 Test suite structure (TSS) .....</b>	<b>10</b>
<b>7.3 Test profiles.....</b>	<b>12</b>
<b>7.3.1 Test configurations .....</b>	<b>12</b>
<b>7.3.2 Components and ports.....</b>	<b>13</b>
<b>7.3.3 Protocol implementation conformance statement (PICS) definition.....</b>	<b>14</b>
<b>7.3.4 Protocol implementation extra information for testing (PIXIT) definition.....</b>	<b>15</b>
<b>7.3.5 Test control.....</b>	<b>17</b>
<b>Table 12 — SECC AC PICS/PIXIT configuration.....</b>	<b>17</b>
<b>Table 13 — SECC DC PICS/PIXIT configuration.....</b>	<b>18</b>
<b>Table 14 — EVCC AC PICS/PIXIT configuration .....</b>	<b>19</b>
<b>Table 15 — EVCC DC PICS/PIXIT configuration .....</b>	<b>20</b>
<b>7.4 Test suite identifiers.....</b>	<b>22</b>
<b>7.4.1 Module identifiers .....</b>	<b>22</b>
<b>7.4.2 Test case identifiers.....</b>	<b>22</b>
<b>7.4.3 Template identifiers .....</b>	<b>24</b>
<b>7.4.4 Function identifiers .....</b>	<b>25</b>
<b>7.4.5 Timer identifiers.....</b>	<b>26</b>
<b>7.4.6 PICS/PIXIT identifiers.....</b>	<b>26</b>
<b>7.4.7 Verdict identifiers .....</b>	<b>27</b>
<b>7.5 Test suite coverage .....</b>	<b>27</b>
<b>Table 29 — ATS coverage of requirements in ISO 15118-3 .....</b>	<b>28</b>
<b>Table 30 — Groups for a simplified TC Id representation (see Table 29) .....</b>	<b>46</b>
<b>7.6 Test case description.....</b>	<b>56</b>
<b>7.7 Test case specification .....</b>	<b>57</b>
<b>7.7.1 Data types.....</b>	<b>57</b>
<b>7.7.2 Templates.....</b>	<b>57</b>
<b>7.7.3 Timeouts and timers .....</b>	<b>58</b>
<b>7.7.4 Library functions .....</b>	<b>58</b>

**ISO 15118-5:2018(E)**

7.7.5	Test case modelling .....	58
7.7.6	SLAC Message handling for different SUT types.....	59
7.7.7	IEC 61851-1 PWM event handling and control.....	59
7.7.8	Data link status control functionality .....	61
7.7.9	EIM status control functionality .....	61
7.7.10	Transmission power limitation functionality.....	61
7.7.11	Attenuator injection functionality .....	61
8	Test case descriptions for ISO 15118-3 HPGP PLC signal measurement.....	62
8.1	General information.....	62
8.2	Test case for PLC signal measurement for ISO 15118-3 .....	62
8.3	SECC + PLC bridge test cases .....	62
8.3.1	SECC test cases for CmSlacParm.....	62
8.3.2	SECC test cases for AttenuationCharacterization .....	69
8.3.3	SECC test cases for CmValidate.....	79
8.3.4	SECC test cases for CmSlacMatch .....	86
8.3.5	SECC test cases for PLCLinkStatus.....	98
8.3.6	SECC test cases for CmAmpMap.....	110
8.4	EVCC + PLC bridge test cases .....	114
8.4.1	EVCC test cases for CmSlacParm .....	114
8.4.2	EVCC test cases for AttenuationCharacterization.....	122
8.4.3	EVCC test cases for CmValidate .....	130
8.4.4	EVCC test cases for CmValidateOrCmSlacMatch.....	142
8.4.5	EVCC test cases for CmSlacMatch.....	142
8.4.6	EVCC test cases for PLCLinkStatus .....	148
8.4.7	EVCC test cases for CmAmpMap .....	159
Annex A	(normative) Configuration specifications.....	164
A.1	Timer configuration .....	164
A.2	PICS configuration .....	165
A.3	PIXIT configuration .....	165
Annex B	(normative) Control part specification.....	167
B.1	SECC control parts.....	167
B.1.1	AC specific control parts.....	167
B.1.2	DC specific control parts.....	172
B.2	EVCC control parts .....	177
B.2.1	AC specific control parts .....	177
B.2.2	DC specific control parts.....	181
Annex C	(normative) Test-case specifications for 15118-3 .....	186
C.1	SECC + PLC bridge test cases .....	186
C.1.1	SECC test cases for CmSlacParm.....	186
C.1.2	SECC test cases for AttenuationCharacterization .....	190
C.1.3	SECC test cases for CmValidate.....	197
C.1.4	SECC test cases for CmSlacMatch .....	202
C.1.5	SECC test cases for PLCLinkStatus.....	209
C.1.6	SECC test cases for CmAmpMap.....	212
C.2	EVCC + PLC bridge test cases .....	214



<b>C.2.1</b>	<b>EVCC test cases for CmSlacParm</b> .....	<b>214</b>
<b>C.2.2</b>	<b>EVCC test cases for AttenuationCharacterization</b> .....	<b>219</b>
<b>C.2.3</b>	<b>EVCC test cases for CmValidate</b> .....	<b>224</b>
<b>C.2.4</b>	<b>EVCC test cases for CmValidateOrCmSlacMatch</b> .....	<b>232</b>
<b>C.2.5</b>	<b>EVCC test cases for CmSlacMatch</b> .....	<b>232</b>
<b>C.2.6</b>	<b>EVCC test cases for PLCLinkStatus</b> .....	<b>236</b>
<b>C.2.7</b>	<b>EVCC test cases for CmAmpMap</b> .....	<b>244</b>
<b>Annex D (normative)</b>	<b>Function specifications for supporting test execution</b> .....	<b>248</b>
<b>D.1</b>	<b>Configuration functions</b> .....	<b>248</b>
<b>D.2</b>	<b>Pre-condition functions</b> .....	<b>250</b>
<b>D.2.1</b>	<b>SECC + PLC bridge functions</b> .....	<b>250</b>
<b>D.2.2</b>	<b>EVCC + PLC bridge functions</b> .....	<b>253</b>
<b>D.3</b>	<b>Post-condition functions</b> .....	<b>256</b>
<b>D.3.1</b>	<b>SECC + PLC bridge functions</b> .....	<b>256</b>
<b>D.3.2</b>	<b>EVCC + PLC bridge functions</b> .....	<b>257</b>
<b>D.4</b>	<b>Library functions</b> .....	<b>257</b>
<b>Annex E (normative)</b>	<b>Function specifications for 15118-3</b> .....	<b>259</b>
<b>E.1</b>	<b>SECC + PLC bridge functions</b> .....	<b>259</b>
<b>E.1.1</b>	<b>SECC functions for CmSlacParm</b> .....	<b>259</b>
<b>E.1.2</b>	<b>SECC functions for AttenuationCharacterization</b> .....	<b>266</b>
<b>E.1.3</b>	<b>SECC functions for CmValidate</b> .....	<b>281</b>
<b>E.1.4</b>	<b>SECC functions for CmSlacMatch</b> .....	<b>298</b>
<b>E.1.5</b>	<b>SECC functions for CmSetKey</b> .....	<b>303</b>
<b>E.1.6</b>	<b>SECC functions for PLCLinkStatus</b> .....	<b>304</b>
<b>E.1.7</b>	<b>SECC functions for CmAmpMap</b> .....	<b>313</b>
<b>E.2</b>	<b>EVCC + PLC bridge functions</b> .....	<b>318</b>
<b>E.2.1</b>	<b>EVCC functions for CmSlacParm</b> .....	<b>319</b>
<b>E.2.2</b>	<b>EVCC functions for AttenuationCharacterization</b> .....	<b>324</b>
<b>E.2.3</b>	<b>EVCC functions for CmValidate</b> .....	<b>346</b>
<b>E.2.4</b>	<b>EVCC functions for CmValidateOrCmSlacMatch</b> .....	<b>367</b>
<b>E.2.5</b>	<b>EVCC functions for CmSlacMatch</b> .....	<b>370</b>
<b>E.2.6</b>	<b>EVCC functions for CmSetKey</b> .....	<b>373</b>
<b>E.2.7</b>	<b>EVCC functions for PLCLinkStatus</b> .....	<b>373</b>
<b>E.2.8</b>	<b>EVCC functions for CmAmpMap</b> .....	<b>379</b>
<b>Annex F (normative)</b>	<b>Template specifications for 15118-3</b> .....	<b>385</b>
<b>F.1</b>	<b>Common + PLC bridge templates</b> .....	<b>385</b>
<b>F.1.1</b>	<b>CMN templates for CmSlacParm</b> .....	<b>386</b>
<b>F.1.2</b>	<b>CMN templates for CmStartAttenCharInd</b> .....	<b>387</b>

**ISO 15118-5:2018(E)**

<b>F.1.3</b>	<b>CMN templates for CmMnbcSoundInd</b> .....	<b>387</b>
<b>F.1.4</b>	<b>CMN templates for CmAttenCharRsp</b> .....	<b>387</b>
<b>F.1.5</b>	<b>CMN templates for CmValidate</b> .....	<b>388</b>
<b>F.1.6</b>	<b>CMN templates for CmSlacMatch</b> .....	<b>389</b>
<b>F.1.7</b>	<b>CMN templates for CmSetKey</b> .....	<b>390</b>
<b>F.1.8</b>	<b>CMN templates for CmAmpMap</b> .....	<b>391</b>
<b>F.1.9</b>	<b>CMN templates for CmNwStats</b> .....	<b>394</b>
<b>F.2</b>	<b>SECC + PLC bridge templates</b> .....	<b>394</b>
<b>F.2.1</b>	<b>SECC templates for CmAttenCharInd</b> .....	<b>395</b>
<b>F.3</b>	<b>EVCC + PLC bridge templates</b> .....	<b>395</b>
<b>F.3.1</b>	<b>EVCC templates for CmAttenProfileInd</b> .....	<b>395</b>
<b>F.3.2</b>	<b>EVCC templates for CmAttenCharInd</b> .....	<b>395</b>
<b>Annex G (normative)</b>	<b>Data type definitions</b> .....	<b>397</b>
<b>G.1</b>	<b>Data types for PICS</b> .....	<b>397</b>
<b>G.2</b>	<b>Data types for PIXIT</b> .....	<b>397</b>
<b>G.3</b>	<b>Data types for SLAC</b> .....	<b>398</b>
<b>Bibliography</b>	.....	<b>403</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html)

This document was prepared jointly by Technical Committee ISO/TC 22, *Road vehicles*, Subcommittee SC 31, *Data communication*, and Technical Committee IEC/TC 69, *Electric road vehicles and electric industrial trucks*. The draft was circulated for voting to the national bodies of both ISO and IEC.

A list of all parts in the ISO 15118 series can be found on the ISO website.

This corrected version of ISO 18541-6:2018 incorporates the following corrections:

- the foreword has been revised to indicate joint development with IEC/TC 69, *Electric road vehicles and electric industrial trucks*.

**ISO 15118-5:2018(E)****Introduction**

The first two parts of ISO 15118 describe the use cases and the technical specification of the Vehicle-to-Grid Communication Interface which is intended for the optimized use of energy resources so that electric road vehicles can recharge in the most economic or most energy efficient way. It is furthermore required to develop efficient and convenient billing systems in order to cover micro-payments resulting from charging processes. The necessary communication channel may serve in the future to contribute to the stabilization of the electrical grid, as well as to support additional information services required to operate electric vehicles efficiently and economically.

Resulting from the physical and data link layer requirements defined in the third part of the standard, a corresponding set of test cases are required in order to verify conformance of implementations. This document therefore defines a conformance test suite for the physical and data link layer protocols in order to derive a common and agreed basis for conformance tests. The resulting test suite is a necessary prerequisite for downstream interoperability tests. Since interoperability furthermore involves the actual application logic of an implementation, those tests are beyond the scope of this document. Hence this document focuses on the interface aspects and the corresponding requirements given in part three only.

# Road vehicles — Vehicle to grid communication interface — Part 5: Physical and data link layer conformance tests

## 1 Scope

This document specifies conformance tests in the form of an Abstract Test Suite (ATS) for a System Under Test (SUT) implementing an Electric Vehicle or Supply Equipment Communication Controller (EVCC or SECC) with support for PLC-based High Level Communication (HLC) and Basic Signaling according to ISO 15118-3. These conformance tests specify the testing of capabilities and behaviors of an SUT, as well as checking what is observed against the conformance requirements specified in ISO 15118-3 and against what the implementer states the SUT implementation's capabilities are.

The capability tests within the ATS check that the observable capabilities of the SUT are in accordance with the static conformance requirements defined in ISO 15118-3. The behavior tests of the ATS examine an implementation as thoroughly as is practical over the full range of dynamic conformance requirements defined in ISO 15118-3 and within the capabilities of the SUT (see NOTE 1).

A test architecture is described in correspondence to the ATS. The conformance test cases in this part of the standard are described leveraging this test architecture and are specified in TTCN-3 Core Language for the ISO/OSI Physical and Data Link Layers (Layers 1 and 2). The conformance test cases for the ISO/OSI Network Layer (Layer 3) and above are described in ISO 15118-4.

In terms of coverage, this document only covers normative sections and requirements in ISO 15118-3. This document can additionally include specific tests for requirements of referenced standards (e.g. IEEE, or industry consortia standards) as long as they are relevant in terms of conformance for implementations according to ISO 15118-3. However, it is explicitly not intended to widen the scope of this conformance specification to such external standards, if it is not technically necessary for the purpose of conformance testing for ISO 15118-3. Furthermore, the conformance tests specified in this document do not include the assessment of performance nor robustness or reliability of an implementation. They cannot provide judgments on the physical realization of abstract service primitives, how a system is implemented, how it provides any requested service, nor the environment of the protocol implementation. Furthermore, the test cases defined in this document only consider the communication protocol and the system's behavior defined ISO 15118-3. Power flow between the EVSE and the EV is not considered.

**NOTE 1** Practical limitations make it impossible to define an exhaustive test suite, and economic considerations can restrict testing even further. Hence, the purpose of this document is to increase the probability that different implementations are able to interwork. This is achieved by verifying them by means of a protocol test suite, thereby increasing the confidence that each implementation conforms to the protocol specification. However, the specified protocol test suite cannot guarantee conformance to the specification since it detects errors rather than their absence. Thus conformance to a test suite alone cannot guarantee interworking. What it does do is give confidence that an implementation has the required capabilities and that its behavior conforms consistently in representative instances of communication.

**NOTE 2** This document has some interdependencies to the conformance tests defined in ISO 15118-4 which result from ISO/OSI cross layer dependencies in the underlying protocol specification (e.g. for sleep mode)

**ISO 15118-5:2018(E)****2 Normative references**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61851-1:2017, *Electric vehicle conductive charging system — Part 1: General requirements (Ed 3.0, 2017)*

ISO 15118-1:2013, *Road vehicles — Vehicle to grid communication interface — Part 1: General information and use-case definition*

ISO 15118-2:2014, *Road vehicles — Vehicle-to-Grid Communication Interface — Part 2: Network and application protocol requirements*

ISO 15118-3:2015, *Road vehicles — Vehicle to grid communication interface — Part 3: Physical and data link layer requirements*

ETSI ES 201 873-5 V4.6.1, *TTCN-3: TTCN-3 Runtime Interface (June 2014)*

ETSI ES 201 873-6 V4.6.1, *TTCN-3: TTCN-3 Control Interface (June 2014)*

HomePlug Green PHY Specification, release version 1.1.1, July 4, 2013

NOTE 1 Even though ISO 15118-3:2015, which is the baseline for this conformance test document, explicitly references IEC 61851-1:2011, this document references IEC 61851-1:2017 because of applicability on the market.

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**