

STN	Letectvo a kozmonautika Skrutky so závitmi MJ, zo žiaruvzdornej zliatiny na báze niklu NI-PH2601 (Inconel 718), pasivované Trieda: 1 550 MPa (pri teplote okolia)/650 °C Technická špecifikácia	STN EN 3833 31 3107
------------	--	---

Aerospace series - Bolts, MJ threads, in heat resisting nickel base alloy NI-PH2601 (Inconel 718), passivated - Classification: 1 550 MPa (at ambient temperature) / 650 C - Technical specification

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 09/19

Obsahuje: EN 3833:2019

Oznámením tejto normy sa ruší
STN EN 3833 (31 3107) z mája 2005

129066

EUROPEAN STANDARD

EN 3833

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 2019

ICS 49.030.20

Supersedes EN 3833:2004

English Version

**Aerospace series - Bolts, MJ threads, in heat resisting
nickel base alloy NI-PH2601 (Inconel 718), passivated -
Classification: 1 550 MPa (at ambient temperature) / 650
°C - Technical specification**

Série aérospatiale - Vis à filetage MJ, en alliage résistant
à chaud à base de nickel NI-PH2601 (Inconel 718),
passivées - Classification : 1 550 MPa (à température
ambiante) / 650 °C - Spécification technique

Luft- und Raumfahrt - Schrauben, MJ-Gewinde, aus
hochwarmfester Nickelbasislegierung NI-PH2601
(Inconel 718), passiviert - Klasse: 1 550 MPa (bei
Raumtemperatur)/650 °C - Technische
Lieferbedingungen

This European Standard was approved by CEN on 5 November 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

	Page
European foreword.....	3
1 Scope.....	4
2 Normative references.....	4
3 Terms and definitions.....	4
4 Quality assurance.....	6
5 Requirements.....	7
Annex A (normative) Passivation treatment for bolts.....	23
Annex B (informative) Tensile, creep test and tension fatigue – Areas and loads formulae.....	24
Annex C (informative) Standard evolution form.....	26

European foreword

This document (EN 3833:2019) has been prepared by the Aerospace and Defence Industries Association of Europe - Standardization (ASD-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this Standard has received the approval of the National Associations and the Official Services of the member countries of ASD, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2019, and conflicting national standards shall be withdrawn at the latest by October 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 3833:2004.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

EN 3833:2019 (E)**1 Scope**

This European standard specifies the characteristics, qualification and acceptance requirements for bolts with MJ threads in NI-PH2601, passivated, for aerospace applications.

Classification: 1 550 MPa¹/650 °C².

It is applicable whenever referenced.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN ISO 3452-1, *Non-destructive testing — Penetrant testing — Part 1: General principles*

EN ISO 4288, *Geometrical Product Specifications (GPS) — Surface texture: Profile method — Rules and procedures for the assessment of surface texture*

EN ISO 6508-1, *Metallic materials — Rockwell hardness test — Part 1: Test method*

EN ISO 6892-1, *Metallic materials — Tensile testing — Part 1: Method of test at room temperature*

EN ISO 6892-2, *Metallic materials — Tensile testing — Part 2: Method of test at elevated temperature*

EN ISO 9227, *Corrosion tests in artificial atmospheres — Salt spray tests*

ISO 2859-1, *Sampling procedures for inspection by attributes — Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection*

ISO 5855-2, *Aerospace — MJ threads — Part 2: Limit dimensions for bolts and nuts*

ISO 7961, *Aerospace — Bolts — Test methods*

ASTM E112-13, *Standard Test Methods for Determining Average Grain Size*³

koniec náhľadu – text ďalej pokračuje v platenej verzii STN

¹ Minimum tensile strength of the material at ambient temperature.

² Maximum test temperature of the parts.

³ Published by: ASTM National (US) American Society for Testing and Materials <http://www.astm.org>.