

STN	Náterové látky Posudzovanie emisií látok z náterov do vnútorného ovzdušia Odber vzoriek, kondicionovanie a skúšanie	STN EN 16402 67 3044
------------	--	--

Paints and varnishes - Assessment of emissions of substances from coatings into indoor air - Sampling, conditioning and testing

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 07/19

Obsahuje: EN 16402:2019

Oznámením tejto normy sa ruší
STN EN 16402 (67 3044) z mája 2014

129096

EUROPEAN STANDARD

EN 16402

NORME EUROPÉENNE

EUROPÄISCHE NORM

February 2019

ICS 13.040.20; 87.040

Supersedes EN 16402:2013

English Version

Paints and varnishes - Assessment of emissions of substances from coatings into indoor air - Sampling, conditioning and testing

Peintures et vernis - Évaluation des émissions de substances émanant des revêtements dans l'air intérieur - Échantillonnage, conditionnement et essais

Beschichtungsstoffe - Bestimmung der Emissionen regulierter gefährlicher Stoffe von Beschichtungen in die Innenraumluft - Probenahme, Probenvorbereitung und Prüfung

This European Standard was approved by CEN on 14 December 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN 16402:2019 (E)**Contents**

Page

European foreword.....	4
Introduction	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	7
3.1 Terms relating to sampling and product.....	7
3.2 Terms relating to emissions into indoor air and associated laboratory testing.....	8
3.3 Terms relating to determination of emitted substances	10
3.4 Abbreviations	12
4 Principle	12
5 Product categories.....	13
6 Relevant substances emitted from coatings.....	14
7 Intended conditions of use, Emission scenarios and European reference room.....	14
7.1 Intended conditions of use and emission scenario.....	14
7.2 Reference room and emission scenario.....	14
7.3 Ventilation in the reference room.....	16
7.4 Climate conditions of the reference room.....	16
7.5 Time schedule of emission determination	16
8 Product sampling and transport	16
8.1 Population of the product to be considered for testing	16
8.2 Sampling.....	16
8.3 Transport.....	17
8.4 Chain of custody.....	17
8.5 Dispatch of samples, time schedule.....	18
9 Handling of product samples in the laboratory	18
9.1 Storage	18
9.2 Preparation of test specimen: Coatings	18
9.3 Preparation of test specimen: coating systems.....	22
9.4 Preconditioning	22
10 Test chamber conditions	23
10.1 Principle	23
10.2 Dimensions of test specimen	23
10.3 Loading factor.....	23
10.4 Ventilation	24
10.5 Air velocity.....	24
10.6 Cleanliness of test chamber.....	24
10.7 Testing climate (temperature, relative humidity of supply air).....	24
10.8 Storage of test specimen.....	24
10.9 Large products or inhomogeneous products.....	25
10.10 Volume of test chamber	25
10.11 Placement of test specimen in test chamber.....	25
11 Determination of vapour-phase organic compounds in test chamber air	25

11.1	Common requirements.....	25
11.2	Determination of VOCs and SVOCs in test chamber air	26
11.3	Determination of formaldehyde and some other volatile and very volatile carbonyl compounds in test chamber air	34
11.4	Other general aspects of quality control.....	35
12	Calculation of specific emission rates and expression of results at the reference room	36
13	Test report	39
13.1	General	39
13.2	Sampling	39
13.3	Handling of samples in the laboratory, preparation of test specimen.....	39
13.4	Test chamber conditions	40
13.5	Determination of vapour-phase organic compounds in test chamber air.....	40
13.6	Calculation of specific emission rates and expression of results in terms of air concentration in the reference room	40
14	"Indirect" methods.....	41
	Annex A (informative) Repeatability and reproducibility.....	42
A.1	Repeatability	42
A.2	Reproducibility.....	42
	Annex B (informative) Examples of indirect methods (also called simplified, screening, secondary, derived or alternative methods)	44
B.1	General	44
B.2	Indirect methods-emissions testing	44
B.3	Indirect methods specifying alternative procedures	45
B.4	Other secondary methods — Prediction of results at specified time	45
	Annex C (informative) Information on very volatile organic compound (VVOC) testing.....	46
	Annex D (informative) Example of a form for the sampling report	47
	Annex E (informative) Example of a form for a chain of custody report	48
	Annex F (informative) Benzene artefact generation on Tenax TA	49
	Annex G (normative) List of non-carcinogenic VOCs	50
	Annex H (informative) List of carcinogenic VOCs	58
	Annex I (informative) Overview of test procedure.....	60
	Bibliography	61

EN 16402:2019 (E)**European foreword**

This document (EN 16402:2019) has been prepared by Technical Committee CEN/TC 139 “Paints and varnishes”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2019, and conflicting national standards shall be withdrawn at the latest by August 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 16402:2013.

The main changes compared to the previous version are as follows:

- alignment with horizontal standard EN 16516:2017 (especially Clauses 10 to 14);
- terms and definitions updated;
- new product category “Reactive coatings for fire protection of metallic substrates” added;
- new Clause 7.1 “Intended conditions of use and emission scenario” added;
- new Clause 7.2 “Reference room and emission scenario” added;
- Clause 9.2 “Preparation of test specimen: Coatings” revised;
- new Table 4 “Preconditioning of Reactive coatings for fire protection of metallic substrates” added;
- new informative Annex A “Repeatability and reproducibility” added;
- annex on simplified, screening, secondary, derived or alternative methods revised;
- standard editorially revised.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This document aligns with the horizontal method (see EN 16516:2017) for emission testing of construction products (developed in according to the Mandate M/366) and specifies the product specific details for architectural coatings (and their relevant product categories) and reactive coatings for fire protection of metallic substrates, as described in Clause 5. Clauses 10 to 12, 13.6, Clause 14, Annexes B, and D to H are adopted from EN 16516:2017 without modifications.

Architectural/decorative coatings are not included in the Construction Products Regulation (CPR).

The determination of emission into indoor air is to be made under the conditions of use during the service life. The determination of emissions specified in this document is associated with an emission scenario which specifies the climate and ventilation conditions of the air surrounding the product in a reference room. It is not applicable for the determination of emissions during the application.

A reference room is needed since it is not possible to evaluate emissions by testing in all possible use situations. The reference room dimensions and the resulting loading factors, the climate and ventilation conditions are the reference representing the general indoor air conditions. Based on the huge amount of available European experience, it was possible to identify one emission scenario and one reference room including a set of loading factors to be used.

This method is using a test chamber in which emissions are generated under conditions maintained constant during the test. These conditions are selected so that the results could be expressed either as emission rates or converted to concentrations in the reference room by calculations within the ranges where such calculations are valid.

This document also addresses separately (see Clause 14 and informative Annex B) the simplified test methods, indirect test methods, secondary/alternative test methods that provide within their specific field of application a result comparable or correlated to the result of the reference method. Such methods can be easier to apply and/or cheaper. They can be used especially for Factory Production Control testing (FPC).

The aim of this document is not to develop a new testing method but to combine by normative references the use of existing standards complemented, when necessary, with additional and/or modified requirements so that architectural coatings for fire protection or metallic substrates can be evaluated under comparable conditions with regard to emission into indoor air.

In particular, the horizontal test methods for emission testing of construction products (see EN 16516:2017) as developed regarding to Mandate M/366 have been considered and will be taken into account for further revisions of this document to ensure that comparable methods are applied for construction products as defined in Mandate M/366 and coatings covered by the horizontal standard EN 16516:2017.

EN 16402:2019 (E)**1 Scope**

This document specifies a reference method for the determination of emissions from coatings into indoor air. This method is applicable to volatile organic compounds, semi-volatile organic compounds and volatile aldehydes.

NOTE 1 This document is aimed at describing the overall procedure and makes use of existing standards mainly by normative reference complemented when necessary with additional or modified normative requirements.

This document is mainly aimed at determining emission data in indoor air for the purpose of meeting national legislation requirements, and for the voluntary labelling of products.

NOTE 2 Harmonized product standards for coatings falling under the CPR can refer to this standard for the intended conditions of use.

This document applies to coatings for indoor use as listed in Clause 5.

It is not applicable for:

- coatings that are applied off site or coatings that are applied on site, prior to the structure being permanently weatherproof except for the product type category 7 as listed in Clause 5;
- tinting pastes that are not ready for use as coating;
- non film-forming products like e.g. waxes and impregnations.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 13300, *Paints and varnishes — Water-borne coating materials and coating systems for interior walls and ceilings — Classification*

EN 15824, *Specifications for external renders and internal plasters based on organic binders*

EN 16623, *Paints and varnishes — Reactive coatings for fire protection of metallic substrates — Definitions, requirements, characteristics and marking*

EN ISO 13137, *Workplace atmospheres — Pumps for personal sampling of chemical and biological agents — Requirements and test methods (ISO 13137)*

EN ISO 16000-9:2006, *Indoor air — Part 9: Determination of the emission of volatile organic compounds from building products and furnishing — Emission test chamber method (ISO 16000-9:2006)*

EN ISO 16000-11:2006, *Indoor air — Part 11: Determination of the emission of volatile organic compounds from building products and furnishing — Sampling, storage of samples and preparation of test specimens (ISO 16000-11:2006)*

EN ISO 16017-1, *Indoor, ambient and workplace air — Sampling and analysis of volatile organic compounds by sorbent tube/thermal desorption/capillary gas chromatography — Part 1: Pumped sampling (ISO 16017-1)*

ISO 554, *Standard atmospheres for conditioning and/or testing — Specifications*

ISO 16000-3, *Indoor air — Part 3: Determination of formaldehyde and other carbonyl compounds in indoor air and test chamber air — Active sampling method*

ISO 16000-6, *Indoor air — Part 6: Determination of volatile organic compounds in indoor and test chamber air by active sampling on Tenax TA sorbent, thermal desorption and gas chromatography using MS or MS-FID*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN