TNI	Energetická hospodárnosť budov Vetranie budov Časť 2: Interpretácia požiadaviek v EN 16798-1 Vstupné údaje o vnútornom prostredí budov na navrhovanie a hodnotenie energetickej hospodárnosti budov – kvalita vzduchu, tepelný	TNI CEN/TR 16798-2
	stav prostredia, osvetlenie a akustika (Modul M1-6)	12 7015

Energy performance of buildings - Ventilation for buildings - Part 2: Interpretation of the requirements in EN 16798-1 - Indoor environmental input parameters for design and assessment of energy performance of buildings addressing indoor air quality, thermal environment, lighting and acoustics (Module M1-6)

Táto technická normalizačná informácia obsahuje anglickú verziu CEN/TR 16798-2:2019. This Technical standard information includes the English version of CEN/TR 16798-2:2019.

Táto technická normalizačná informácia bola oznámená vo Vestníku ÚNMS SR č. 10/19

129427

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2019 Slovenská technická norma a technická normalizačná informácia je chránená zákonom č. 60/2018 Z. z. o technickej normalizácii.

TECHNICAL REPORT RAPPORT TECHNIQUE TECHNISCHER BERICHT

CEN/TR 16798-2

May 2019

ICS 91.120.10; 91.140.01

English Version

Energy performance of buildings - Ventilation for buildings
Part 2: Interpretation of the requirements in EN 16798-1
Indoor environmental input parameters for design and assessment of energy performance of buildings addressing indoor air quality, thermal environment, lighting and acoustics (Module M1-6)

Performance énergétique des bâtiments - Ventilation des bâtiments - Partie 2 : Interprétation des exigences de l'EN 16798-1 - Données d'entrées d'ambiance intérieure pour la conception et l'évaluation de la performance énergétique des bâtiments couvrant la qualité de l'air intérieur, l'ambiance thermique, l'éclairage et l'acoustique (Module M1-6) Energetische Bewertung von Gebäuden - Lüftung von Gebäuden - Teil 2: Interpretation der Anforderungen der EN 16798-1 - Eingangsparameter für das Innenraumklima zur Auslegung und Bewertung der Energieeffizienz von Gebäuden bezüglich Raumluftqualität, Temperatur, Licht und Akustik (Module M1-6)

This Technical Report was approved by CEN on 8 February 2019. It has been drawn up by the Technical Committee CEN/TC 156.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Ref. No. CEN/TR 16798-2:2019 E

Contents

Page

Europe	European foreword5		
Introd	Introduction9		
1	Scope	10	
2	Normative references	10	
3	Terms and definitions	11	
4	Symbols and abbreviations	11	
4.1	Symbols		
4.2	Abbreviations	12	
5	Interactions with other standards and use of categories	12	
6	How to establish design input criteria for dimensioning of buildings, heating	0.	
	cooling, ventilation and lighting systems		
6.1	Introduction		
6.2	Thermal environment		
6.2.1	General		
6.2.2 6.2.3	Mechanically heated and/or cooled buildings		
6.2.3 6.2.4	Buildings without mechanical cooling Increased air velocity		
6.3	Design for indoor air quality (ventilation rates)		
6.3.1	General		
6.3.2	Methods		
6.3.3	Non-residential buildings		
6.3.4	Residential buildings		
6.3.5	Access to operable windows		
6.3.6	Filtration and air cleaning		
6.4	Humidity		
6.5	Lighting	21	
6.5.1	General	21	
6.5.2	Non-residential buildings	21	
6.5.3	Residential buildings	21	
6.6	Noise	22	
7	Indoor environment parameters for energy calculation	22	
7.1	General		
7.2	Thermal environment		
7.2.1	General	22	
7.2.2	Seasonal and monthly calculations	22	
7.2.3	Hourly calculations or dynamic building simulation	22	
7.3	Indoor air quality and ventilation	23	
7.3.1	Generals		
7.3.2	Non-residential buildings		
7.3.3	Residential buildings		
7.4	Humidity		
7.5	Lighting	23	
8	Evaluation of the indoor environment and long term indicators	23	
8.1	General		
8.2	Design indicators	23	
8.3	Calculated indicators of indoor environment		
8.3.1	General	24	

8.3.2	Simple indicator	24
8.3.3	Hourly criteria	24
8.3.4	Degree hours criteria	24
8.3.5	Overall thermal comfort criteria (weighted PMV criteria)	24
8.4	Measured indicators	
8.4.1	General	
8.4.2	Thermal environment	24
8.4.3	Indoor air quality and ventilation	25
8.4.4	Lighting	25
8.4.5	Noise	
8.5	Subjective evaluations	26
9	Inspections and measurement of the indoor environment in existing buildings	26
9.1	General	
9.1 9.2	Measurements	
9.2.1	General	
9.2.2	Thermal environment	
9.2.3	Indoor air quality	
9.2.4	Indoor light quality measurements based on illuminance	
10	Classification and certification of the indoor environment	
10.1	General	
10.2	Detailed classification and certification	28
10.3	Recommended overall evaluation of the indoor environment and certification	28
	A (informative) Information about national annexes	
A	D (information) Default ariteria for the indeer continence out	20
Annex	B (informative) Default criteria for the indoor environment	30
Annex B.1	General	30
	General Default criteria for the thermal environment	30 30
B.1 B.2 B.2.1	General Default criteria for the thermal environment Default categories for design of mechanically heated and cooled building	30 30
B.1 B.2 B.2.1	General Default criteria for the thermal environment Default categories for design of mechanically heated and cooled building Default acceptable indoor temperatures for design of buildings without	30 30 30
B.1 B.2 B.2.1 B.2.2	General Default criteria for the thermal environment Default categories for design of mechanically heated and cooled building Default acceptable indoor temperatures for design of buildings without mechanical cooling systems	30 30 30 30
 B.1 B.2 B.2.1 B.2.2 B.2.3 	General Default criteria for the thermal environment Default categories for design of mechanically heated and cooled building Default acceptable indoor temperatures for design of buildings without mechanical cooling systems Increased air velocity	30 30 30 33 34
B.1 B.2 B.2.1 B.2.2 B.2.3 B.2.4	General Default criteria for the thermal environment Default categories for design of mechanically heated and cooled building Default acceptable indoor temperatures for design of buildings without mechanical cooling systems Increased air velocity Recommended indoor temperatures for energy calculations	30 30 30 33 34 34
B.1 B.2 B.2.1 B.2.2 B.2.3 B.2.4 B.3	General Default criteria for the thermal environment Default categories for design of mechanically heated and cooled building Default acceptable indoor temperatures for design of buildings without mechanical cooling systems Increased air velocity Recommended indoor temperatures for energy calculations Basis for the criteria for indoor air quality and ventilation rates	30 30 30 33 34 34 35
B.1 B.2 B.2.1 B.2.2 B.2.3 B.2.4 B.3 B.3.1	General Default criteria for the thermal environment Default categories for design of mechanically heated and cooled building Default acceptable indoor temperatures for design of buildings without mechanical cooling systems Increased air velocity Recommended indoor temperatures for energy calculations Basis for the criteria for indoor air quality and ventilation rates Default design ventilation air flow rates for non-residential buildings	30 30 30 33 34 34 35 35
B.1 B.2 B.2.1 B.2.2 B.2.3 B.2.4 B.3 B.3.1 B.3.2	General Default criteria for the thermal environment Default categories for design of mechanically heated and cooled building Default acceptable indoor temperatures for design of buildings without mechanical cooling systems Increased air velocity Recommended indoor temperatures for energy calculations Basis for the criteria for indoor air quality and ventilation rates Default design ventilation air flow rates for residential buildings	30 30 30 33 34 34 35 35
B.1 B.2 B.2.1 B.2.2 B.2.3 B.2.4 B.3 B.3.1	General Default criteria for the thermal environment Default categories for design of mechanically heated and cooled building Default acceptable indoor temperatures for design of buildings without mechanical cooling systems Increased air velocity Recommended indoor temperatures for energy calculations Basis for the criteria for indoor air quality and ventilation rates Default design ventilation air flow rates for non-residential buildings Default design ventilation air flow rates for residential buildings Recommended criteria for dimensioning of humidification and de-	30 30 30 33 34 34 35 35 41
B.1 B.2 B.2.1 B.2.2 B.2.3 B.2.4 B.3 B.3.1 B.3.2 B.3.3	General Default criteria for the thermal environment Default categories for design of mechanically heated and cooled building Default acceptable indoor temperatures for design of buildings without mechanical cooling systems Increased air velocity Recommended indoor temperatures for energy calculations Basis for the criteria for indoor air quality and ventilation rates Default design ventilation air flow rates for non-residential buildings Default design ventilation air flow rates for residential buildings Recommended criteria for dimensioning of humidification and de- humidification	30 30 30 33 34 34 35 35 41
B.1 B.2 B.2.1 B.2.2 B.2.3 B.2.4 B.3 B.3.1 B.3.2 B.3.3 B.4	General Default criteria for the thermal environment Default categories for design of mechanically heated and cooled building Default acceptable indoor temperatures for design of buildings without mechanical cooling systems Increased air velocity Recommended indoor temperatures for energy calculations Basis for the criteria for indoor air quality and ventilation rates Default design ventilation air flow rates for non-residential buildings Default design ventilation air flow rates for residential buildings Recommended criteria for dimensioning of humidification and de- humidification Example on how to define low and very low polluting buildings	30 30 30 33 34 34 35 35 41 53 53
B.1 B.2 B.2.1 B.2.2 B.2.3 B.2.4 B.3 B.3.1 B.3.2 B.3.3 B.4 B.5	General Default criteria for the thermal environment Default categories for design of mechanically heated and cooled building Default acceptable indoor temperatures for design of buildings without mechanical cooling systems Increased air velocity Recommended indoor temperatures for energy calculations Basis for the criteria for indoor air quality and ventilation rates Default design ventilation air flow rates for non-residential buildings Default design ventilation air flow rates for residential buildings Recommended criteria for dimensioning of humidification and de- humidification Example on how to define low and very low polluting buildings Examples of criteria for lighting	30 30 30 33 34 34 35 35 41 53 53 57
 B.1 B.2 B.2.1 B.2.2 B.2.3 B.2.4 B.3 B.3.1 B.3.2 B.3.3 B.4 B.5 B.6 	General Default criteria for the thermal environment Default categories for design of mechanically heated and cooled building Default acceptable indoor temperatures for design of buildings without mechanical cooling systems Increased air velocity Recommended indoor temperatures for energy calculations Basis for the criteria for indoor air quality and ventilation rates Default design ventilation air flow rates for non-residential buildings Default design ventilation air flow rates for residential buildings Recommended criteria for dimensioning of humidification and de- humidification Example on how to define low and very low polluting buildings Indoor system noise criteria of some spaces and buildings	30 30 30 33 34 34 34 35 35 41 53 53 57 58
B.1 B.2 B.2.1 B.2.2 B.2.3 B.2.4 B.3 B.3.1 B.3.2 B.3.3 B.4 B.5 B.6 B.6.1	General Default criteria for the thermal environment Default categories for design of mechanically heated and cooled building Default acceptable indoor temperatures for design of buildings without mechanical cooling systems Increased air velocity Recommended indoor temperatures for energy calculations Basis for the criteria for indoor air quality and ventilation rates Default design ventilation air flow rates for non-residential buildings Default design ventilation air flow rates for residential buildings Recommended criteria for dimensioning of humidification and de- humidification Example on how to define low and very low polluting buildings Indoor system noise criteria of some spaces and buildings	30 30 30 31 34 34 34 35 35 35 41 53 57 58 58
B.1 B.2 B.2.1 B.2.2 B.2.3 B.2.4 B.3 B.3.1 B.3.2 B.3.3 B.4 B.5 B.6 B.6.1	General Default criteria for the thermal environment Default categories for design of mechanically heated and cooled building Default acceptable indoor temperatures for design of buildings without mechanical cooling systems Increased air velocity Recommended indoor temperatures for energy calculations Basis for the criteria for indoor air quality and ventilation rates Default design ventilation air flow rates for non-residential buildings Default design ventilation air flow rates for residential buildings Recommended criteria for dimensioning of humidification and de- humidification Example on how to define low and very low polluting buildings Indoor system noise criteria of some spaces and buildings	30 30 30 31 34 34 34 35 35 35 41 53 57 58 58
B.1 B.2 B.2.1 B.2.2 B.2.3 B.2.4 B.3 B.3.1 B.3.2 B.3.3 B.4 B.5 B.6 B.6.1 B.6.2	General Default criteria for the thermal environment Default categories for design of mechanically heated and cooled building Default acceptable indoor temperatures for design of buildings without mechanical cooling systems Increased air velocity Recommended indoor temperatures for energy calculations Basis for the criteria for indoor air quality and ventilation rates Default design ventilation air flow rates for non-residential buildings Default design ventilation air flow rates for residential buildings Recommended criteria for dimensioning of humidification and de- humidification Example on how to define low and very low polluting buildings Indoor system noise criteria of some spaces and buildings	30 30 30 33 34 34 34 35 35 35 41 53 57 58 58 59
B.1 B.2 B.2.1 B.2.2 B.2.3 B.2.4 B.3 B.3.1 B.3.2 B.3.3 B.4 B.5 B.6 B.6.1 B.6.2 Annex	General Default criteria for the thermal environment Default categories for design of mechanically heated and cooled building Default acceptable indoor temperatures for design of buildings without mechanical cooling systems Increased air velocity Recommended indoor temperatures for energy calculations Basis for the criteria for indoor air quality and ventilation rates Default design ventilation air flow rates for non-residential buildings Default design ventilation air flow rates for residential buildings Default design ventilation air flow rates for residential buildings Example on how to define low and very low polluting buildings Examples of criteria for lighting Noise from continuous sources Noise from service equipment in buildings D (informative) Long term evaluation of the general thermal comfort	30 30 30 33 34 34 34 35 35 35 41 53 57 58 59 61
B.1 B.2 B.2.1 B.2.2 B.2.3 B.2.4 B.3 B.3.1 B.3.2 B.3.3 B.4 B.5 B.6 B.6.1 B.6.2 Annex	General Default criteria for the thermal environment Default categories for design of mechanically heated and cooled building Default acceptable indoor temperatures for design of buildings without mechanical cooling systems Increased air velocity Recommended indoor temperatures for energy calculations Basis for the criteria for indoor air quality and ventilation rates Default design ventilation air flow rates for non-residential buildings Default design ventilation air flow rates for residential buildings Default design ventilation air flow rates for residential buildings Example on how to define low and very low polluting buildings Examples of criteria for lighting Noise from continuous sources Noise from service equipment in buildings for energy calculations C (informative) Occupants schedules for energy calculations	30 30 30 33 34 34 34 35 35 35 41 53 57 58 59 61
B.1 B.2 B.2.1 B.2.2 B.2.3 B.2.4 B.3 B.3.1 B.3.2 B.3.3 B.4 B.5 B.6 B.6.1 B.6.2 Annex	General Default criteria for the thermal environment Default categories for design of mechanically heated and cooled building Default acceptable indoor temperatures for design of buildings without mechanical cooling systems Increased air velocity Recommended indoor temperatures for energy calculations Basis for the criteria for indoor air quality and ventilation rates Default design ventilation air flow rates for non-residential buildings Default design ventilation air flow rates for residential buildings Default design ventilation air flow rates for residential buildings Example on how to define low and very low polluting buildings Indoor system noise criteria of some spaces and buildings Noise from continuous sources Noise from service equipment in buildings for energy calculations D (informative) Long term evaluation of the general thermal comfort conditions	30 30 30 30 34 34 34 35 35 35 35 41 53 57 58 59 61 68
B.1 B.2 B.2.1 B.2.2 B.2.3 B.2.4 B.3 B.3.1 B.3.2 B.3.3 B.4 B.5 B.6 B.6.1 B.6.2 Annex Annex	General Default criteria for the thermal environment Default categories for design of mechanically heated and cooled building Default acceptable indoor temperatures for design of buildings without mechanical cooling systems Increased air velocity Recommended indoor temperatures for energy calculations Basis for the criteria for indoor air quality and ventilation rates Default design ventilation air flow rates for non-residential buildings Default design ventilation air flow rates for residential buildings Recommended criteria for dimensioning of humidification and de- humidification Example on how to define low and very low polluting buildings Noise from continuous sources Noise from continuous sources Noise from service equipment in buildings D (informative) Occupants schedules for energy calculations D (informative) Long term evaluation of the general thermal comfort conditions E (informative) Recommended criteria for acceptable deviations	30 30 30 30 31 34 34 35 35 35 41 53 57 58 58 59 61 68 71
B.1 B.2 B.2.1 B.2.2 B.2.3 B.2.4 B.3 B.3.1 B.3.2 B.3.3 B.4 B.5 B.6 B.6.1 B.6.2 Annex Annex E.1	General Default criteria for the thermal environment Default categories for design of mechanically heated and cooled building Default acceptable indoor temperatures for design of buildings without mechanical cooling systems Increased air velocity Recommended indoor temperatures for energy calculations Basis for the criteria for indoor air quality and ventilation rates Default design ventilation air flow rates for non-residential buildings Default design ventilation air flow rates for residential buildings Recommended criteria for dimensioning of humidification and de- humidification Example on how to define low and very low polluting buildings Indoor system noise criteria of some spaces and buildings Noise from continuous sources Noise from service equipment in buildings D (informative) Occupants schedules for energy calculations D (informative) Long term evaluation of the general thermal comfort conditions E (informative) Recommended criteria for acceptable deviations Indoor Environmental Quality Category	30 30 30 30 31 33 34 35 35 35 41 53 57 58 58 59 61 68 71 71
B.1 B.2 B.2.1 B.2.2 B.2.3 B.2.4 B.3 B.3.1 B.3.2 B.3.3 B.4 B.5 B.6 B.6.1 B.6.2 Annex Annex E.1 E.2	General Default criteria for the thermal environment Default categories for design of mechanically heated and cooled building Default acceptable indoor temperatures for design of buildings without mechanical cooling systems Increased air velocity Recommended indoor temperatures for energy calculations Basis for the criteria for indoor air quality and ventilation rates Default design ventilation air flow rates for non-residential buildings Default design ventilation air flow rates for residential buildings Recommended criteria for dimensioning of humidification and de- humidification Example on how to define low and very low polluting buildings Noise from continuous sources Noise from continuous sources Noise from service equipment in buildings D (informative) Occupants schedules for energy calculations D (informative) Long term evaluation of the general thermal comfort conditions E (informative) Recommended criteria for acceptable deviations	30 30 30 30 31 34 34 35 35 35 41 53 57 58 59 61 68 71 71 71

Annex	G (informative) Examples of classification and certification of the indoor	
	environment	
G.1	General	77
G.2	The design criteria used	77
G.3	Whole year computer simulations of the indoor environment and energy performance	77
G.4	Long term measurement of selected parameters for the indoor	
	environment	
G.5	Subjective responses from occupants	78
Annex	H (informative) Recommended criteria for personalized systems	79
Annex	I (informative) Recommended methods for substitute ventilation air by air cleaning	81
Annex	J (informative) WHO criteria for health in the indoor environment	84
Bibliography		

European foreword

This document (CEN/TR 16798-2:2019) has been prepared by Technical Committee CEN/TC 156 "Ventilation for buildings", the secretariat of which is held by BSI.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document is part of the set of standards and accompanying Technical Reports on the energy performance of buildings and has been prepared under the Mandate M 480 given to CEN by the European Commission and the European Free Trade Association, see Bibliographical Reference [35]).

Directive 2010/31/EU recasting the Directive 2002/91/EC on energy performance of buildings (EPBD, [36]) promotes the improvement of the energy performance of buildings within the European Union, taking into account all types of energy uses (heating, lighting, cooling, air conditioning, ventilation) and outdoor climatic and local conditions, as well as indoor climate requirements and cost effectiveness (Article 1).

The directive requires Member States to adopt measures and tools to achieve the prudent and rational use of energy resources. In order to achieve those goals, the EPBD requires increasing energy efficiency and the enhanced use of renewable energies in both new and existing buildings. One tool for this is the application by Member States of minimum requirements on the energy performance of new buildings and for existing buildings that are subject to major renovation, as well as for minimum performance requirements for the building envelope if energy-relevant parts are replaced or retrofitted. Other tools are energy certification of buildings, inspection of boilers and air-conditioning systems.

The use of European standards increases the accessibility, transparency and objectivity of the energy performance assessment in the Member States facilitating the comparison of best practices and supporting the internal market for construction products. The use of EPB-standards for calculating energy performance, as well as for energy performance certification and the inspection of heating systems and boilers, ventilation and air-conditioning systems will reduce costs compared to developing different standards at national level.

The first mandate to CEN to develop a set of CEN EPBD standards (M/343, [34]), to support the first edition of the EPBD ([33]) resulted in the successful publication of all EPBD related CEN standards in 2007-2008.

The Mandate M/480 was issued to review the Mandate M/343 as the recast of the EPBD raised the need to revisit the standards and reformulate and add standards so that they become on the one hand unambiguous and compatible, and on the other hand a clear and explicit overview of the choices, boundary conditions and input data that need to be defined at national or regional level. Such national or regional choices remain necessary, due to differences in climate, culture and building tradition, policy and legal frameworks. Consequently, the set of CEN-EPBD standards published in 2007-2008 had to be improved and expanded on the basis of the recast of the EPBD.

The EPB standards are flexible enough to allow for necessary national and regional differentiation and facilitate Member States implementation and the setting of requirements by the Member States.

Further target groups are users of the voluntary common European Union certification scheme for the energy performance of non-residential buildings (EPBD art.11.9) and any other regional

(e.g. Pan European) parties wanting to motivate their assumptions by classifying the building energy performance for a dedicated building stock.

For the convenience of Standards users CEN/TC 156, together with responsible Working Group Conveners, have prepared a simple table below relating, where appropriate, the relationship between the 'EPBD' and 'recast EPBD' standard numbers prepared by Technical Committee CEN/TC 156 "Ventilation for buildings".

EPBD EN Number	Recast EPBD EN Number	Title
EN 15251	EN 16798-1	Energy performance of buildings – Ventilation for buildings - Part 1: Indoor environmental input parameters for design and assessment of energy performance of buildings addressing indoor air quality, thermal environment, lighting and acoustics (Module M1-6) (revision of EN 15251)
N/A	CEN/TR 16798– 2	Energy performance of buildings – Ventilation for buildings - Part 2: Interpretation of the requirements in EN 16798-1 - Indoor environmental input parameters for design and assessment of energy performance of buildings addressing indoor air quality, thermal environment, lighting and acoustics (Module M1- 6)
EN 13779	EN 16798-3	Energy performance of buildings – Ventilation for buildings - Part 3: For non-residential buildings – Performance requirements for ventilation and room-conditioning systems (Modules M5-1, M5- 4) (revision of EN 13779)
N/A	CEN/TR 16798– 4	Energy performance of buildings – Ventilation for buildings - Part 4: Interpretation of the requirements in EN 16798-3 - For non- residential buildings – Performance requirements for ventilation and room- conditioning systems(Modules M5-1, M5-4)
EN 15241	EN 16798-5-1	Energy performance of buildings — Ventilation for buildings – Part 5-1: Calculation methods for energy requirements of ventilation and air conditioning systems (Modules M5-6, M5-8, M6-5, M6-8, M7-5, M7-8) — Method 1: Distribution and generation (revision of EN 15241)

EPBD EN Number	Recast EPBD EN Number	Title
EN 15241	EN 16798-5-2	Energy performance of buildings – Ventilation for buildings - Part 5-2: Calculation methods for energy requirements of ventilation systems (Modules M5-6, M5-8, M6-5, M6-8, M7-5, M7-8) - Method 2: Distribution and generation (revision of EN 15241)
N/A	CEN/TR 16798– 6	Energy performance of buildings - Ventilation for buildings – Part 6: Interpretation of the requirements in EN 16798-5-1 and EN 16798-5-2 – Calculation methods for energy requirements of ventilation and air conditioning systems (Modules M5-6, M5-8, M 6-5, M6-8, M7-5, M7-8)
EN 15242	EN 16798-7	Energy performance of buildings - Ventilation for buildings - Part 7: Calculation methods for the determination of air flow rates in buildings including infiltration (Modules M5-5) (revision of EN 15242)
N/A	CEN/TR 16798– 8	Energy performance of buildings – Ventilation for buildings – Part 8: Interpretation of the requirements in EN 16798-7 – Calculation methods for the determination of air flow rates in buildings including infiltration – (Modules M5-5)
EN 15243	EN 16798-9	Energy performance of buildings – Ventilation for buildings - Part 9: Calculation methods for energy requirements of cooling systems (Modules M4-1, M4-4, M4-9) – General (revision of EN 15243)
N/A	CEN/TR 16798– 10	Energy performance of buildings – Ventilation for buildings – Part 10: Interpretation of the requirements in EN 16798-9 – Calculation methods for energy requirements of cooling systems (Module M4-1,M4-4, M4-9) – General
N/A	EN 16798-13	Energy performance of buildings – Ventilation for buildings - Part 13: - Calculation of cooling systems (Module M4-8) – Generation
N/A	CEN/TR 16798– 14	Energy performance of buildings – Ventilation for buildings - Part 14: Interpretation of the requirements in EN 16798-13 – Calculation of cooling systems (Module M4-8) – Generation

CEN/TR 16798-2:2019 (E)

EPBD EN Number	Recast EPBD EN Number	Title
N/A	EN 16798-15	Energy performance of buildings – Ventilation for buildings – Part 15: Calculation of cooling systems (Module M4-7) – Storage
N/A	CEN/TR 16798– 16	Energy performance of buildings – Ventilation for buildings – Part 16: Interpretation of the requirements in EN 16798-15 – Calculation of cooling systems (Module M4-7) – Storage
EN 15239 and EN 15240	EN 16798-17	Energy performance of buildings – Ventilation for buildings - Part 17: Guidelines for inspection of ventilation and air- conditioning systems (Module M4-11, M5-11, M6-11, M7-11)
N/A	CEN/TR 16798– 18	Energy performance of buildings – Ventilation for buildings – Part 18: Interpretation of the requirements in EN 16798-17 – Guidelines for inspection of ventilation and air-conditioning systems (Module M4-11, M5-11, M6-11, M7-11)

Introduction

This document is a guide to EN 16798-1 and can help the user in application of the standard and give additional background information. Besides this document describes and recommends additional topics related to the evaluation of the indoor environmental quality and new possibilities to improve the indoor environmental quality and reduce energy use of buildings like personalized systems, air cleaning technologies, consideration of adapted persons, etc.

This document explains how design criteria can be established and used for dimensioning of systems. It explains how to establish and define the main parameters to be used as input for building energy calculation and long term evaluation of the indoor environment. This document also describes how gas phase air cleaning in the future can improve the indoor air quality and partly substitute for outside air. Finally it will identify parameters to be used for monitoring and displaying of the indoor environment. Different categories of criteria can be used depending on type of building, type of occupants, type of climate and national differences. The report explains how these different categories of indoor environment can be individually selected as national criteria, be used in project agreement for design criteria and for displaying the yearly building performance in relation to indoor environmental quality. The designer can also define other categories using the principles from EN 16798-1 and this document.

1 Scope

This document deals with the indoor environmental parameters for thermal environment, indoor air quality, lighting and acoustic. The document explains how to use EN 16798-1 for specifying indoor environmental input parameters for building system design and energy performance calculations. The document specifies methods for long term evaluation of the indoor environment obtained as a result of calculations or measurements. The document specifies criteria for measurements which can be used if required to measure compliance by inspection. The Document identifies parameters to be used by monitoring and displaying the indoor environment in existing buildings. This document is applicable where the criteria for indoor environment are set by human occupancy and where the production or process does not have a major impact on indoor environment. The document explains how different categories of criteria for the indoor environment can be used.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE The references in EN 16798–1 are also applicable in this document. Additional references are listed in the Bibliography.

EN 12193, Light and lighting — Sports lighting

EN 12464-1:2011, Light and lighting — Lighting of work places — Part 1: Indoor work places

EN 12464-2, Light and lighting — Lighting of work places — Part 2: Outdoor work places

EN 12665, Light and lighting — Basic terms and criteria for specifying lighting requirements

EN 12792, Ventilation for buildings — Symbols, terminology and graphical symbols

EN 16798-1:2019, Energy performance of buildings — Part 1: Indoor environmental input parameters for design and assessment of energy performance of buildings addressing indoor air quality, thermal environment, lighting and acoustics — Module M1-6

EN 16798-3, Energy performance of buildings — Part 3: Ventilation for non-residential buildings — Performance requirements for ventilation and room-conditioning systems

EN ISO 10052, Acoustics — Field measurements of airborne and impact sound insulation and of service equipment sound — Survey method (ISO 10052)

EN ISO 16032, Acoustics — Measurement of sound pressure level from service equipment in buildings — Engineering method (ISO 16032)

EN ISO 13731, Ergonomics of the thermal environment — Vocabulary and symbols (ISO 13731)

EN ISO 52000-1:2017, Energy performance of buildings — Overarching EPB assessment — Part 1: General framework and procedures (ISO/FDIS 52000-1:2017)

koniec náhľadu – text ďalej pokračuje v platenej verzii STN