STN

Priemyselné komunikačné siete Špecifikácie prevádzkových zberníc Časť 3-19: Definícia služieb údajovej vrstvy Prvky typu 19

STN EN IEC 61158-3-19

18 4020

Industrial communication networks - Fieldbus specifications - Part 3-19: Data-link layer service definition - Type 19 elements

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 09/19

Obsahuje: EN IEC 61158-3-19:2019, IEC 61158-3-19:2019

Oznámením tejto normy sa od 29.05.2022 ruší STN EN 61158-3-19 (18 4020) z apríla 2015

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN IEC 61158-3-19

June 2019

ICS 25.040.40; 35.100.20; 35.110

Supersedes EN 61158-3-19:2014

English Version

Industrial communication networks - Fieldbus specifications - Part 3-19: Data-link layer service definition - Type 19 elements (IEC 61158-3-19:2019)

Réseaux de communication industriels - Spécifications des bus de terrain - Partie 3-19: Définition des services de la couche liaison de données - Eléments de type 19 (IEC 61158-3-19:2019) Industrielle Kommunikationsnetze - Feldbusse - Teil 3-19: Dienstfestlegungen des Data Link Layer (Sicherungsschicht) - Typ 19-Elemente (IEC 61158-3-19:2019)

This European Standard was approved by CENELEC on 2019-05-29. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 61158-3-19:2019 (E)

European foreword

The text of document 65C/945/FDIS, future edition 4 of IEC 61158-3-19, prepared by SC 65C "Industrial networks" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61158-3-19:2019.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2020-02-29 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2022-05-29

This document supersedes EN 61158-3-19:2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61158-3-19:2019 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61131 series	NOTE Harmonized as EN 61131 series
IEC 61158-1	NOTE Harmonized as EN 61158-1
IEC 61158-4-19	NOTE Harmonized as EN 61158-4-19
IEC 61158-5-19	NOTE Harmonized as EN 61158-5-19
IEC 61158-6-19	NOTE Harmonized as EN 61158-6-19
IEC 61784-1	NOTE Harmonized as EN 61784-1
IEC 61784-2	NOTE Harmonized as EN 61784-2
IEC 61800 series	NOTE Harmonized as EN 61800 series
IEC 61800-7 series	NOTE Harmonized as EN 61800-7 series

EN IEC 61158-3-19:2019 (E)

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	Year
ISO/IEC 7498-1	-	Information technology - Open System	1S-	-
		Interconnection - Basic reference mode	el:	
		The basic model		
ISO/IEC 7498-3 -	-	Information technology - Open System	าร-	-
		Interconnection - Basic Reference Mode	el:	
		Naming and addressing		
ISO/IEC 10731	-	Information technology - Open System	is-	-
		Interconnection - Basic Reference Model	_	
		Conventions for the definition of OS	SI	
		services		



IEC 61158-3-19

Edition 4.0 2019-04

INTERNATIONAL STANDARD

Industrial communication networks – Fieldbus specifications – Part 3-19: Data-link layer service definition – Type 19 elements





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11

info@iec.ch www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublishedStay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.



IEC 61158-3-19

Edition 4.0 2019-04

INTERNATIONAL STANDARD

Industrial communication networks – Fieldbus specifications – Part 3-19: Data-link layer service definition – Type 19 elements

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 25.040.40; 35.100.20; 35.110

ISBN 978-2-8322-6789-9

Warning! Make sure that you obtained this publication from an authorized distributor.

- 2 - IEC 61158-3-19:2019 © IEC 2019

CONTENTS

FC	REWO	PRD	4
IN	TRODU	JCTION	6
1	Scop	pe	7
	1.1	General	7
	1.2	Specifications	7
	1.3	Conformance	7
2	Norn	native references	8
3	Term	ns, definitions, symbols, abbreviations and conventions	8
	3.1	Reference model terms and definitions	8
	3.2	Service convention terms and definitions	10
	3.3	Data-link service terms and definitions	10
	3.4	Symbols and abbreviations	13
	3.5	Common conventions	13
4	Data	-link services and concepts	15
	4.1	Overview	15
	4.1.1	General	15
	4.1.2	Acknowledged connection oriented data transfer: Read (RD)	16
	4.1.3	Acknowledged connection oriented data transfer: Read (WR)	16
	4.1.4	Acknowledged connection oriented data transfer: Initiate_cyclic_communication (ICC)	17
	4.1.5	Acknowledged connection oriented data transfer: Disable_cyclic_communication (DCC)	17
	4.1.6	Unacknowledged connectionless data transfer: Write_cyclic (WRC)	17
	4.1.7	Unacknowledged connectionless data transfer: Send_Device_Status (SDS)	17
	4.1.8	Unacknowledged connectionless data transfer: Write_Device_Status (WDS)	17
	4.2	Service channel services (SVC services)	17
	4.2.1	General	17
	4.2.2	P. Read (RD)	17
	4.2.3	Write (WR)	18
	4.3	Hot-plug services	19
	4.3.1	Enable_Hotplug (EHP)	19
	4.3.2	7_ 1 3 \	
	4.4	Realtime channel setup services (RTCS services)	20
	4.4.1		
	4.4.2		
	4.4.3	- • • • • • • • • • • • • • • • • • • •	
	4.5	RTC services	
	4.5.1		
	4.5.2	7=	
	4.5.3		
	4.5.4		
	4.5.5		
	4.5.6		
Bik	oliogra	phy	25

IEC 61158-3-19:2019 © IEC 2019 - 3 -

Figure 1 – Relationships of DLSAPs, DLSAP-addresses and group DL-addresses	
Table 1 – Summary of DL services and primitives	16
Table 2 – Read (RD)	18
Table 3 – Write (WR)	19
Table 4 – Enable_Hotplug (EHP)	20
Table 5 – Notify_Hotplug (NHP)	20
Table 6 – Initiate_cyclic_communication (ICC)	21
Table 7 – Disable_cyclic_communication (DCC)	22
Table 8 – Notify_Error (NER)	22
Table 9 – Write_cyclic (WRC)	23
Table 10 – Send_Device_Status (SDS)	23
Table 11 – Write_Device_Status (WDS)	24
Table 12 – Notify Network Status Change (NNSC)	24

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 3-19: Data-link layer service definition – Type 19 elements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

Attention is drawn to the fact that the use of the associated protocol type is restricted by its intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a layer protocol type to be used with other layer protocols of the same type, or in other type combinations explicitly authorized by its intellectual-property-right holders.

NOTE Combinations of protocol types are specified in IEC 61784-1 and IEC 61784-2.

International Standard IEC 61158-3-19 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This fourth edition cancels and replaces the third edition published in 2014. This edition constitutes a technical revision.

- 5 -

This edition includes the following significant technical changes with respect to the previous edition:

- improving the hotplug and redundancy features;
- improving the phase switching and the error handling;
- editorial improvements.

The text of this International Standard is based on the following documents:

FDIS	Report on voting	
65C/945/FDIS	65C/954/RVD	

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61158 series, published under the general title *Industrial* communication networks – Fieldbus specifications, can be found on the IEC web site.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- · amended.

A bilingual version of this publication may be issued at a later date.

- 6 - IEC 611

IEC 61158-3-19:2019 © IEC 2019

INTRODUCTION

This document is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the "three-layer" fieldbus reference model described in IEC 61158-1.

Throughout the set of fieldbus standards, the term "service" refers to the abstract capability provided by one layer of the OSI Basic Reference Model to the layer immediately above. Thus, the data-link layer service defined in this document is a conceptual architectural service, independent of administrative and implementation divisions.

-7-

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 3-19: Data-link layer service definition – Type 19 elements

1 Scope

1.1 General

This part of IEC 61158 provides common elements for basic time-critical messaging communications between devices in an automation environment. The term "time-critical" is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant and possibly human life.

This International Standard defines in an abstract way the externally visible service provided by the Type 19 fieldbus data-link layer in terms of

- a) the primitive actions and events of the service;
- b) the parameters associated with each primitive action and event, and the form which they take; and
- c) the interrelationship between these actions and events, and their valid sequences.

The purpose of this document is to define the services provided to

- the Type 19 fieldbus application layer at the boundary between the application and datalink layers of the fieldbus reference model, and
- systems management at the boundary between the data-link layer and systems management of the fieldbus reference model.

1.2 Specifications

The principal objective of this document is to specify the characteristics of conceptual data-link layer services suitable for time-critical communications, and thus supplement the OSI Basic Reference Model in guiding the development of data-link protocols for time-critical communications. A secondary objective is to provide migration paths from previously-existing industrial communications protocols.

This document may be used as the basis for formal DL-Programming-Interfaces. Nevertheless, it is not a formal programming interface, and any such interface will need to address implementation issues not covered by this specification, including:

- a) the sizes and octet ordering of various multi-octet service parameters, and
- b) the correlation of paired request and confirm, or indication and response, primitives.

1.3 Conformance

This document does not specify individual implementations or products, nor do they constrain the implementations of data-link entities within industrial automation systems.

There is no conformance of equipment to this data-link layer service definition standard. Instead, conformance is achieved through implementation of the corresponding data-link protocol that fulfils the Type 19 data-link layer services defined in this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

- 8 -

NOTE All parts of the IEC 61158 series, as well as IEC 61784-1 and IEC 61784-2 are maintained simultaneously. Cross-references to these documents within the text therefore refer to the editions as dated in this list of normative references.

ISO/IEC 7498-1, Information technology – Open Systems Interconnection – Basic Reference Model: The Basic Model

ISO/IEC 7498-3, Information technology – Open Systems Interconnection – Basic Reference Model: Naming and addressing

ISO/IEC 10731, Information technology – Open Systems Interconnection – Basic Reference Model – Conventions for the definition of OSI services

koniec náhľadu – text ďalej pokračuje v platenej verzii STN