| STN | Zdravotnícka informatika Prenos elektronického zdravotného záznamu Časť 1: Referenčný model (ISO 13606-1: 2019) | STN EN ISO 13606-1 |
|-----|---|-----------------------|
| | | 84 8096 |

Health informatics - Electronic health record communication - Part 1: Reference model (ISO 13606-1:2019)

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 10/19

Obsahuje: EN ISO 13606-1:2019, ISO 13606-1:2019

Oznámením tejto normy sa ruší STN EN ISO 13606-1 (84 8096) z marca 2013

129543

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2019 Slovenská technická norma a technická normalizačná informácia je chránená zákonom č. 60/2018 Z. z. o technickej normalizácii.

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 13606-1

July 2019

ICS 35.240.80

Supersedes EN ISO 13606-1:2012

English Version

Health informatics - Electronic health record communication - Part 1: Reference model (ISO 13606-1:2019)

Informatique de santé - Communication du dossier de santé informatisé - Partie 1: Modèle de référence (ISO 13606-1:2019) Medizinische Informatik - Kommunikation von Patientendaten in elektronischer Form - Teil 1: Referenzmodell (ISO 13606-1:2019)

This European Standard was approved by CEN on 2 July 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2019 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN ISO 13606-1:2019 E

Page

Contents

European foreword

This document (EN ISO 13606-1:2019) has been prepared by Technical Committee ISO/TC 215 "Health informatics" in collaboration with Technical Committee CEN/TC 251 "Health informatics" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2020, and conflicting national standards shall be withdrawn at the latest by January 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 13606-1:2012.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 13606-1:2019 has been approved by CEN as EN ISO 13606-1:2019 without any modification.

INTERNATIONAL STANDARD

ISO 13606-1

Second edition 2019-06

Health informatics — Electronic health record communication —

Part 1: **Reference model**

Informatique de santé — Communication du dossier de santé informatisé —

Partie 1: Modèle de référence



Reference number ISO 13606-1:2019(E)

COPYRIGHT PROTECTED DOCUMENT

STN EN ISO 13606-1: 2019

ISO 13606-1:2019(E)

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky

Page

Contents

| Fore | eword | | v | |
|----------|-----------------------|--|--------|--|
| Intr | oductio | n | vi | |
| 1 | Scop | e | | |
| 2 | - | native references | | |
| 2 | Terms and definitions | | | |
| 3 | 3.1 | Actors | | |
| | 3.2 | Concepts and terms | | |
| | 3.3 | Information management | | |
| | 3.4 | Privacy and security | | |
| | 3.5 | Process management | | |
| 4 | Abbreviations | | | |
| 5 | Overview | | | |
| | 5.1 | Overview of the reference model | 7 | |
| | 5.2 | Representing roles and responsibilities within the EHR _EXTRACT | | |
| | | 5.2.1 General5.2.2 Actors playing a role in the actual healthcare process | | |
| | | 5.2.2 Actors playing a role in the actual healthcare process | ð g | |
| | | 5.2.4 Actors confirming the validity of the EHR documentation | 8 | |
| | | 5.2.5 Subject of care | | |
| | | 5.2.6 Composer | | |
| | | 5.2.7 Committer | | |
| | | 5.2.8 Subject of information | | |
| | = 0 | 5.2.9 Information provider | | |
| | 5.3 | About the use of datatypes in this document | | |
| 6 | | Common Properties of Record Components | | |
| | 6.1 | Base, record and structure components | | |
| | | 6.1.1 General | | |
| | | 6.1.2 Base component6.1.3 Electronic health record component | | |
| | | 6.1.4 Structure component | | |
| | 6.2 | Attestation | | |
| | | 6.2.1 General | | |
| | | 6.2.2 Attestation information | | |
| | 6.3 Audit information | | | |
| | 6.4 | Linking record components | | |
| | | 6.4.1 General | | |
| | | 6.4.2 Link usages6.4.3 Communicating referenced record components | | |
| | | 6.4.4 Link | | |
| | | 6.4.5 External link | | |
| 7 | Flom | ents and Data Values | | |
| <i>'</i> | 7.1 | General | | |
| | 7.2 | Data value | | |
| | | 7.2.1 Boolean | | |
| | | 7.2.2 Attachment | | |
| | | 7.2.3 String | | |
| | | 7.2.4 Simple text | | |
| | | 7.2.5 Coded simple value | | |
| | | 7.2.6 Coded value7.2.7 Instance identifier | | |
| | | 7.2.8 URI | | |
| | | 7.2.9 Physical quantity | | |
| | | | | |

ISO 13606-1:2019(E)

| | | 7.2.10 Duration | |
|-------|-------------------|---|----|
| | | 7.2.11 Real | |
| | | 7.2.12 Integer | |
| | | 7.2.13 Date time | |
| | | 7.2.14 Date | |
| | | 7.2.15 Time | |
| | | 7.2.16 Point in time | |
| 8 | EHR | Components | |
| | 8.1 | General | |
| | 8.2 | Folder | |
| | | 8.2.1 General | |
| | | 8.2.2 Folder | |
| | 8.3 | Compositions | |
| | | 8.3.1 General | |
| | | 8.3.2 Composition | |
| | 8.4 | Content and sections | |
| | | 8.4.1 General | 51 |
| | | 8.4.2 Content | |
| | | 8.4.3 Section | |
| | 8.5 | Entries | 53 |
| | | 8.5.1 General | |
| | | 8.5.2 Entry | 53 |
| | 8.6 | Items and clusters | |
| | | 8.6.1 Item | 55 |
| | | 8.6.2 Cluster | |
| | 8.7 | Element | |
| 9 | EHR | Extract | 57 |
| | 9.1 | General | |
| | 9.2 | EHR extract | |
| | 9.3 | Extracted component set | |
| | 9.4 | Demographic extract | |
| 10 | Dom | ographics | |
| 10 | | | |
| | 10.1 | General | |
| | 10.2 | Demographic folder | |
| | 10.3 | Demographic entity | |
| | 10.4 10.5 | Demographic item Demographic cluster | |
| | 10.5 | Demographic cluster | |
| | | | |
| 11 | Conf | ormance | |
| Anne | ex A (ini | formative) About the ISO 21090:2011 profile for datatypes | |
| Anne | ex B (ini | formative) Alignment with HL7 FHIR | |
| Anne | ex C (inf | formative) Cross-Domain Interoperability | |
| Bibli | iograph | y | |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see <u>www.iso</u> .org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 215, Health Informatics.

This second edition cancels and replaces the first edition (ISO 13606-1:2008), which has been technically revised. The main changes compared to the previous edition are summarised in the Introduction.

A list of all parts in the ISO 13606 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <u>www.iso.org/members.html</u>.

ISO 13606-1:2019(E)

Introduction

0.1 Preface

The overall goal of this document is to define a rigorous and stable information architecture for communicating part or all of the Electronic Health Record (EHR) of a single subject of care (patient), or for a group of patients whose information might need to be communicated together (for example, a family). This is to support the interoperability of systems (see <u>Annex C</u>). and components that need to communicate (access, transfer, add or modify) EHR data:

- preserving the original clinical meaning intended by the author;
- incorporating the necessary provenance metadata to inform the recipient or receiving system about the context in which the EHR data were obtained and composed;
- observing and communicating the confidentiality of that data as intended by the author and subject
 of care.

This document considers the EHR to be the persistent longitudinal and potentially multi-organisation or multi-national record of health and care provision, most often relating to a single subject of care (the patient), created and stored in one or more physical systems in order to inform each subject's future healthcare and to provide a medico-legal record of care that has been provided. This corresponds to the definition provided in ISO 18308:2011 (Requirements for an Electronic Health Record Architecture).

This document is not intended to specify the internal architecture or database design of EHR systems or components, nor is it intended to prescribe the kinds of clinical applications that might request or contribute EHR data in particular settings, domains or specialities. For this reason, the information model proposed here is called the EHR Extract, and might be used to define a message, an XML document or schema, or an object interface. These might be used to communicate EHR data between two repositories, to update a centralised regional or national EHR repository, or within a distributed network of EHR components, systems and services. Whilst an EHR service or system will need to interact with many other services or systems providing terminology, medical knowledge, guidelines, workflow, security, persons registries, billing etc. this document has only touched on those areas if some persistent trace of such interactions is required in the EHR itself, and requires specific features in the reference model to allow their communication.

This document may offer a practical and useful contribution to the design of EHR systems but will primarily be realised as a common set of external interfaces or messages built on otherwise heterogeneous clinical systems. The components that might support an interface conforming to this document will be not only electronic health record systems but also other middleware services such as security components, guideline and workflow systems, alerting and decision support services, personal health systems and applications, sensors and wearable devices, and medical knowledge management services. This document might also prove useful for communicating data about individuals between electronic health record systems and population registries, and also for conducting (approved) research using electronic health records.

This document is part of a five-part standard series, published jointly by CEN and ISO through the Vienna Agreement.

In this document dependency upon any of the other parts of this series is explicitly stated where it applies.

0.2 Technical approach

This document is the second version of an original standard which was published in 2007 by CEN, and in 2008 by ISO. This revision has taken into account the experiences gained by EHR system developers and by large scale eHealth programmes from using the original standard. These were ascertained through an international survey, a wide range of 1:1 interviews, a review of the academic literature, and interactions with many experts active in R&D relating to the EHR. It also meets the relevant requirements in ISO 18308:2011 (Requirements for an Electronic Health Record Architecture). The

revision has taken into account, and aligns as far as possible, with other CEN and ISO Standards and Technical Specifications with which this document might also be used, with international terminology standards and with emerging standards from HL7: Fast Healthcare Interoperability Resources (FHIR). The specifications in this document have drawn from, and align as far as possible with, the reference model specifications published by the openEHR Foundation, and with the archetype models published by the openEHR Foundation and by the Clinical Information Modeling Initiative (CIMI).

The information model in this document is an Information Viewpoint of the ISO Reference Model for Open Distributed Processing (ISO/IEC 10746-1:1998).

Given the diversity of deployed EHR systems, this document has made most features of EHR communication optional rather than mandatory. However, some degree of prescription is required to make EHR Extracts safely processable by an EHR recipient system, which is reflected through mandatory properties within the models in Parts 1, 2, and 4 of this series, and through normative term lists (defined in Part 3 of this series).

0.3 The Dual Model approach

The challenge for EHR interoperability is to devise a generalised approach to representing every conceivable kind of health record data structure in a consistent way. This needs to cater for records arising from any profession, speciality or service, whilst recognising that the healthcare data sets, value sets, templates etc. required by different healthcare domains will be diverse, complex and will change frequently as clinical practice and medical knowledge advance. This requirement is part of the widely acknowledged health informatics challenge of semantic interoperability.

The approach adopted by this standard series distinguishes a Reference Model, defined in this document and used to represent the generic properties of health record information, and Archetypes (conforming to an Archetype Model, defined in Part 2 of this series), which are meta-data used to define patterns for the specific characteristics of the healthcare data that represents the requirements of each particular profession, speciality or service.

The Reference Model represents the global characteristics of health record components, how they are aggregated, and the context information required to meet ethical, legal and provenance requirements. This model defines the set of classes that form the generic building blocks of the EHR. It reflects the stable characteristics of an electronic health record, and would be embedded in a distributed (federated) EHR environment as specific messages or interfaces (as specified in Part 5 of this series).

This generic information model needs to be complemented by a formal method of communicating and sharing the organisational structure of predefined classes of EHR fragment corresponding to sets of record components made in particular clinical situations. These are effectively pre-coordinated combinations of named RECORD_COMPONENT hierarchies that are agreed within a community in order to ensure interoperability, data consistency and data quality.

An Archetype is the formal definition of prescribed combinations of the building-block classes defined in the Reference Model for particular clinical domains or organisations. An archetype is a formal expression of a distinct, domain-level concept, expressed in the form of constraints on data whose instances conform to the reference model. For an EHR_EXTRACT, as defined in this document, an archetype instance specifies (and effectively constraints) a particular hierarchy of RECORD_ COMPONENT sub-classes, defining or constraining their names and other relevant attribute values, optionality and multiplicity at any point in the hierarchy, the data types and value ranges that ELEMENT data values may take, and other constraints.

This document recognises that archetypes (or equivalent clinical models) are not always directly incorporated within the present-day architectures of electronic health record systems. This document therefore does not mandate that archetypes are used within such systems. It does, however, require that the clinical information models or equivalents (data items, data item aggregations, data value constraints, terminology bindings, units of measure etc.) that have been used to generate an EHR_EXTRACT are themselves created and communicated, or referenced, within each EHR_EXTRACT. These communicated or referenced archetypes have to conform to Part 2 of this standard series, and maybe communicated through an interface conforming to part 5 of this Standard series.

0.4 Overview of the EHR_EXTRACT record hierarchy

The information in a health record is inherently hierarchical. Clinical observations, reasoning and intentions can have a simple or a more complex structure. They are generally organised under headings, and contained in "documents" such as consultation notes, letters and reports. These documents are usually filed in folders, and a subject of care may have more than one folder within a healthcare enterprise (e.g. medical, nursing, and obstetric).

The EHR Communications Reference Model needs to reflect this hierarchical structure and organisation, meeting published requirements in order to be faithful to the original clinical context and to ensure meaning is preserved when records are communicated between heterogeneous clinical systems. To do this, the model formally sub-divides the EHR hierarchy into parts that have been found to provide a consistent mapping to the ways which individual EHRs are organised within heterogeneous EHR systems.

These parts are summarised in <u>Table 1</u> below.

| EHR HIERARCHY COMPONENT | DESCRIPTION | EXAMPLES |
|----------------------------|---|--|
| EHR_EXTRACT | The top-level container of part or all of the EHR of a single subject of care or for a group of subjects of care (such as a family), for com- munication between an EHR Provider system and an EHR Recipient. | (Not applicable) |
| FOLDER | The high level organisation within an EHR, dividing it into compartments relating to care provided to a single subject of care, for a sin- gle condition, by a clinical team or institution, or over a fixed time period such as an episode of care. | Diabetes care, Schizophrenia, Chole- cystectomy, Paediatrics, St Mungo's Hospital, GP Folder, Episodes 2000- 2001. |
| COMPOSITION | The set of information committed to one EHR by one agent, as a result of a single clinical encounter or record documentation session. | Progress note, Laboratory test result form, Radiology report, Referral let- ter, Clinic visit, Clinic letter, Discharge summary, Functional health assess- ment, Diabetes review. |
| SECTION | EHR data within a COMPOSITION that belongs under one clinical heading, usually reflecting the flow of information gathering during a clinical encounter, or structured for the benefit of future human readership. | Reason for encounter, Past history, Family history, Allergy information, Subjective symptoms, Objective find- ings, Analysis, Plan, Treatment, Diet, Posture, Abdominal examination, Retinal examination. |
| ENTRY | The information recorded in an EHR as a result of one clinical action, one observation, one clinical interpretation, or an intention. This is also known as a clinical statement. | A symptom, an observation, one test result, a prescribed drug, an allergy reaction, a diagnosis, a differential diagnosis, a differential white cell count, blood pressure measurement. |
| CLUSTER | The means of organising nested multi-part data structures such as time series, and to represent the columns of a table. | Audiogram results, electro-enceph- alogram interpretation, weighted differential diagnoses. |
| ELEMENT | The leaf node of the EHR hierarchy, contain- ing a single data value. | Systolic blood pressure, heart rate, drug name, symptom, body weight. |

Table 1 — Main hierarchy components of the EHR Extract Reference Model

An EHR_EXTRACT contains EHR data as COMPOSITIONs, organised in a FOLDER hierarchy.

COMPOSITIONs contain ENTRYs, optionally contained within a SECTION hierarchy.

 $\ensuremath{\mathsf{ENTRYs}}$ contain ELEMENTS, optionally contained within a CLUSTER hierarchy.

Representing participation: The Reference Model in the previous version of this standard provided explicit classes at certain parts of the Record Component hierarchy through which it was possible to represent the identity and roles played by actors contributing to healthcare and to its documentation. In this version of the Reference Model the LINK class is intended to be used to reference demographic entities. The roles played by these entities can be labelled using extended term lists defined in Part 3 of this standard series. This updated mechanism offers greater flexibility than the previous version in where the references to such democratic entities may be represented within the Record Component hierarchy.

Representing context: Any EHR_EXTRACT references any other RECORD_COMPONENTS that are connected to the communicated content, for example via the RECORD_COMPONENT hierarchy and via LINK targets. If the EHR exchange service (e.g. as specified in Part 5) permits access to referenced components, any user would be able to access and review any additional areas of content that were not originally included. (Archetypes bring together the key elements of immediate documentation context.)

Representing authenticity: Every EHR_EXTRACT may contain attested views: these might be PDF or html or other renderings that are the authentic view of what was seen and persisted by the original author. The proof may also optionally be included, which is the evidence of a digital signature.

EHR_EXTRACTS are created for specific purposes, and will not automatically guarantee that these will be fit for other purposes.

0.5 Summary of changes made in this edition of the standard

The scope of all parts remains the same.

The objective of this revision was to:

- obtain implementer feedback on adoption experiences with the published version of the 13606 standard series;
- simplify the reference model by removing properties that have not proved useful to implementers;
- improve the demographics model to support the use of demographic archetypes;
- improve alignment with ISO 13940 System of concepts to support continuity of care (Contsys);
- align the data types with ISO 21090 Harmonized data types for information interchange (see <u>Annex A</u>);
- prepare the ground for alignment with HL7 FHIR;
- update the archetype model to align with the openEHR Archetype Object Model 2.0;
- include reference archetypes for commonly needed information (e.g. demographics);
- update the audit log model to align with ISO 27789 Audit trails for electronic health records, and the ISO 22600 series, Privilege management and access control.

Reference Model changes

Base Component

A class Base Component has been introduced higher in the inheritance hierarchy than Record Component, which has a unique identifier, version history information and attestation information.

This allows all of the structures within an EHR Extract to be version managed and attested, including LINK and demographic information, as well as the original family of Record Components.

Record Component

Several properties that had not proved useful have been removed from Record Component.

ISO 13606-1:2019(E)

Importantly, the model now semantically labels Record Components through archetype ID, avoiding duplicating and possibly conflicting semantic labels such as name and meaning.

Experience is that these different properties were not differentially well used, and resulted in inconsistent practices.

Consultation with vendors and providers who do not intend to use archetypes has confirmed that they could create a library of archetypes mapping their data structures, should they choose to adopt this standard series.

Properties relating to sensitivity and policy ID have been moved to Composition, to avoid the risk of a Composition containing data of mixed policies and therefore inconsistently complete access by different parties.

Structure Component

A generic parent class Structure Component is now the universal parent class of all Record Components and demographic classes.

All such classes inherit an archetype ID, which now also importantly allows demographic structures to be defined through archetypes, which was a popular change request.

EHR_Extract

Extract Criteria has been removed as implementers did not find it useful.

EHR_EXTRACT may now contain a set of extracted EHR components, and so may contain data on multiple subjects of care.

Folder

The Folder has the property subject of care, which allows an EHR extract potentially to contain information about more than one subject of care, such as a family, which was an important change request we received.

The EHR Extract is a kind of folder, with specific meta data about the extract generation.

Composition, Entry and Cluster

Some unused properties have been removed from Composition, Entry and Cluster.

This includes session_time, obs_time. Such dates and times are better included within relevant archetypes with more precisely specified names and roles.

Element

The Element class, and its counterpart Demographic Element, are more genuinely leaf nodes with fewer inherited properties and fewer inherited associations than in the past.

This is a response to a number of ICT vendors who indicated that the original Element was too property rich, inviting inconsistent adoption practice.

Null flavour is no longer an explicit Reference Model property. Instead a Reference Archetype has been defined in Part 3, to allow null to be asserted not only at Element level but higher up the hierarchy (e.g. that a Cluster or Entry is not present).

Data Value

The data values are now all represented as a constrained subset of the data types in ISO 21090, conforming to its mechanism for profiling (see <u>Annex A</u>).

Demographics

Rather than being a separate package, demographic entities are represented using classes that inherit many of the same mechanics as Record Components, simplifying adoption.

This is now also means that demographic entries in a demographic extract can be uniquely identified, version managed and attested.

It is now much easier to refer specifically to actors within roles at care settings, in cases where actors play multiple roles and work within different care settings over time, which is relatively common.

Link

The Link class has been simplified, but enriched so that Links have a unique identifier, and can be versioned and attested.

Links can connect any identified components including demographic entities, which is now the way that most participations are represented. This was an important and well supported change request, to correct a less successfully modelled part of the previous standard.

The vocabulary for LINK has been greatly extended within part 3, and where appropriate aligned with Contsys.

LINKS can continue to be used to represent clinically relevant connections between parts of a record, point to point or as a linkage thread.

The former class FUNCTIONAL_ROLE and RELATED_PARTY have been removed, as the connection to demographic entities can now be made through archetyped DEMOGRAPHIC ENTITY instances connected to the relevant RECORD_COMPONENT via LINK.

A new class EXTERNAL_LINK enables references to be included to non-EHR data such as care protocols, safety reports or academic publications.

Audit information

The audit info class now aligns with ISO 27789, as does the corresponding audit model in Part 4 of this standard series.

0.6 Relationship of this standard to other relevant standards

- The data types used in this document are a profile of ISO 21090 Health informatics Harmonized data types for information interchange.
- Alignment has especially been undertaken with ISO 13940 Health informatics System of concepts to support continuity of care (Contsys). All of the terms and definitions within the standard series have been harmonised across the five parts, with most of the terms being in Part 1. All of them have been aligned with Contsys.
- An important 13606 FHIR profile project is in progress within HL7 (see <u>Annex B</u>). No challenges have been identified with being able to create such a profile. However there are a few areas of mapping alignment which need further work between ISO 13606 and HL7.
- Parts 1 and 4 align with ISO 27789 Health informatics Audit trails for electronic health records. Alignment in Part 4 has been maintained with ISO 22600 Health informatics - Privilege management and access control.

Health informatics — Electronic health record communication —

Part 1: **Reference model**

1 Scope

This document specifies a means for communicating part or all of the electronic health record (EHR) of one or more identified subjects of care between EHR systems, or between EHR systems and a centralised EHR data repository.

It can also be used for EHR communication between an EHR system or repository and clinical applications or middleware components (such as decision support components), or personal health applications and devices, that need to access or provide EHR data, or as the representation of EHR data within a distributed (federated) record system.

This document will predominantly be used to support the direct care given to identifiable individuals or self-care by individuals themselves, or to support population monitoring systems such as disease registries and public health surveillance. Uses of health records for other purposes such as teaching, clinical audit, administration and reporting, service management, research and epidemiology, which often require anonymization or aggregation of individual records, are not the focus of this document but such secondary uses might also find the document useful.

This Part 1 of the multipart series is an Information Viewpoint specification as defined by the Open Distributed Processing – Reference model: Overview (ISO/IEC 10746-1). This document is not intended to specify the internal architecture or database design of EHR systems.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 21090:2011, Health informatics — Harmonized data types for information interchange

koniec náhľadu – text ďalej pokračuje v platenej verzii STN