

Skúšobné metódy na zisťovanie zvýšenia požiarnej odolnosti konštrukčných prvkov Časť 7: Ochrana aplikovaná na drevené prvky

STN EN 13381-7

92 0814

Test methods for determining the contribution to the fire resistance of structural members - Part 7: Applied protection to timber members

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 10/19

Obsahuje: EN 13381-7:2019

Oznámením tejto normy sa od 01.04.2021 ruší STN P ENV 13381-7 (92 0814) z júna 2005

129602

STN EN 13381-7: 2019

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 13381-7

June 2019

ICS 13.220.50; 91.080.20

Supersedes ENV 13381-7:2002

English Version

Test methods for determining the contribution to the fire resistance of structural members - Part 7: Applied protection to timber members

Méthodes d'essai pour déterminer la contribution à la résistance au feu des éléments de construction - Partie 7: Protection appliquée aux éléments en bois

Prüfverfahren zur Bestimmung des Beitrages zum Feuerwiderstand von tragenden Bauteilen -Brandschutzmaßnahmen für Holzbauteile

This European Standard was approved by CEN on 26 November 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents Page

Europ	European foreword	
1	Scope	
2	Normative references	9
3	Terms, definitions, symbols and units	10
3.1	Terms and definitions	10
3.2	Symbols and units	12
4	Test equipment	1 4
4.1	General	1 4
4.2	Furnace	14
4.3	Loading equipment	1 4
5	Test conditions	1 4
5.1	Test procedure	14
5.2	Support and restraint conditions	14
5.3	Loading conditions	15
6	Test specimens	16
6.1	General	16
6.2	Number	16
6.2.1	General	16
6.2.2	Fire protection system variations	17
6.3	Dimension of test specimens	17
6.4	Construction	17
6.4.1	General	17
6.4.2	Charring specimens	
6.4.3	Large scale wall test specimen	
6.4.4	Large scale floor test specimen	
6.4.5	Large scale beam test specimen	
6.4.6	Model scale test specimen	
6.4.7	Application of the fire protection materials to the test specimen	
6.4.8	Insulating materials	
6.5	Composition of the test specimen components	
6.5.1	Timber	
6.5.2	Fire protection system	
6.6	Properties of test materials	
6.7	Verification of the test specimen	
7	Installation of the test specimen	2 3
7.1	Large scale wall test	
7.2	Large scale floor test	
7.3	Large scale beam test	
7.4	Model scale test	
7.5	Installation patterns	
8	Conditioning of the test specimens	2 4
9	Application of instrumentation	25

9.1	General	_
9.2	Instrumentation for measurement of furnace temperature	25
9.2.1	General	
9.2.2	Large scale wall test	25
9.2.3	Large scale floor test	25
9.2.4	Large scale beam test	25
9.2.5	Model scale test	25
9.3	Instrumentation for measurement of test specimen temperature	25
9.3.1	General	25
9.3.2	Charring specimen	26
9.3.3	Large scale wall test specimen	26
9.3.4	Large scale floor test specimen	27
9.3.5	Large scale beam test specimen	27
9.3.6	Model scale test specimen	
9.4	Instrumentation for measurement of pressure	28
9.5	Instrumentation for measurement of deformation	28
9.6	Instrumentation for measurement of applied load	
	••	
10	Test procedure	
10.1	General	
10.2	Furnace temperature and pressure	
10.3	Application and control of load	
10.4	Temperature of test specimen	
10.5	Deformation	
10.6	Observations	
10.7	Termination test	29
11	Test results	29
 11.1	Acceptability of test results	
11.1.1	General	
	Charring specimen	
	Loaded members in Large scale tests	
11.2	Presentation of test results	
12	Test report	31
13	Assessment	32
13.1	General	
13.2	Assessment of the start of charring	32
13.2.1	General	
13.2.2	Large scale test specimen	32
	Charring specimens	
	Assessment of the charring rate	
	Assessment of failure time	
	General	
	Large scale wall test and large scale floor test	
	Large scale beam test	
14	Report of the assessment	34
15	Limits of applicability of the results of the assessment	35
15.1	General	
15.2	Limits of applicability of the assessment results	
	General	
	Thickness of fire protection material	
	Multiple layers	

	Board or panel size	
	Orientation of test	
	TimberInsulation materials	
	Fixtures and fittings	
15.3	Additional limits of applicability of the assessment results for specific construction types	
15.3.1	Walls and floors - type of construction	37 37
	Beams and columns - type of construction	
Annex	A (normative) Model scale test	58
A.1	General	58
A.2	Test equipment, installation of the specimen and test load	58
A.3	End of the model scale test	58
Annex	B (informative) Overview of available methods of EN 13381-7	61
B.1	General	61
B.2	Fire protection systems for intended use applied timber frame walls, timber beams and timber columns:	61
B.3	Fire protection systems for intended use applied on timber frame floors, timber frame walls, timber beams and timber columns:	61
B.4	Fire protection systems for intended use applied on timber beams and timber columns:	62
Annex	C (normative) Measurement of properties of fire protection materials	65
C.1	Introduction	65
C.2	Thickness of fire protection materials	65
C.2.1	General	65
C.2.2	Board or slab/mat fire protection materials	65
C.2.3	Coatings with reactive and non-reactive fire protection materials and systems	
C.2.3.1	General	
	Measuring positions for Fire Protection Materials	
c.3	Density of applied fire protection materials	
C.4	Moisture content of applied fire protection materials	
		0 7
Annex	D (normative) Fixing of thermocouples to timber members and timber frame assemblies and routing of cables	69
D.1	General	69
D.2	Types of thermocouples	69
D.3	Fixing of thermocouples	69
D.3.1	General	69
D.3.2	Internal thermocouples	69
D.3.3	Thermocouples at the surface of the timber member	70

D.3.4	Thermocouples in the interlayer of the fire protection system and the cavity insulation	70
D.4	Routing of thermocouple wires	70
D.4.1	General	70
D.4.2	Internal thermocouples	70
D.5	Connection of thermocouples	71
D.6	Thermocouple failures	71
Annex	E (informative) Calculation of load to be applied on the large scale test specimen	74
E.1	General	74
E.2	Example 1: Load calculation for a large scale wall test specimen	74
E.3	Example 2: Load calculation for the large scale beam test	76
Annex	F (informative) Examples of Assessment of Fire Protection System Performance	77
F.1	General	77
F.2	Assessment of the start of charring behind the fire protection system	77
F.3	Assessment of the charring rate behind the fire protection system	80
F.4	The time of loss of stickability of the fire protect system	81
Annex	G (normative) Test method to the smouldering fire or slow heating curve	84
G.1	Introduction	84
G.2	Test equipment	84
G .3	Test conditions	84
G.4	Test specimens	84
G.5	Installation of the test specimens	84
G.6	Conditioning of the test specimens	84
G.7	Application of instrumentation	84
G.8	Test procedure	85
G .9	Test results	85
G.10	Evaluation of the results	85
Annex	H (informative) Calculation of the dimensions of the charring specimen dimensions and the model scale specimen	87
H.1	Introduction	87
H.2	Calculation of the thickness of the charring specimen	87
Н.3	Calculation of the number or thermocouples	88
H.4	Calculation of the charring specimen length	88
H.5	Calculation of the charring specimen width	88
Н.6	Calculation of the dimensions of the model scale test specimen	89
Biblio	graphy	90

European foreword

This document (EN 13381-7:2019) has been prepared by Technical Committee CEN/TC 127 "Fire safety in buildings", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2019, and conflicting national standards shall be withdrawn at the latest by March 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes ENV 13381-7:2002.

This European Standard is one of a series of standards for evaluating the contribution to the fire resistance of structural members by applied fire protection materials. Other parts of this standard are:

- Part 1: Horizontal protective membranes.
- Part 2: Vertical protective membranes.
- Part 3: Applied protection to concrete members.
- Part 4: Applied protection to steel members.
- *Part 5:* Applied protection to concrete/profiled sheet steel composite members.
- *Part 6: Applied protection to concrete filled hollow steel columns.*
- Part 8: Applied reactive protection to steel members.
- *Part 9: Applied fire protection systems to steel beams with web openings.*
- Part 10: Applied protection to solid steel rods.

The main changes compared to ENV 13381-7:2002 are:

- a) New test procedures have been introduced to address the different fields of applications of fire protection systems on solid timber products and timber frame assemblies in horizontal and vertical position and the design models available in EN 1995-1-2.
- b) Loaded tests are performed using large-scale test specimens depending on their intended use on walls or ceilings.
- c) The start of charring and the stickability is measured with thermocouples on the timber member(s) surface of a beam specimen or a timber frame specimen.
- d) Charring behind a fire protection system is measured using charring specimens embedded in the cavity insulation of a timber frame specimen.
- e) Interpolation of results for different thicknesses of fire protection system is not allowed.

f) The use of test results for different orientations obtained in tests in one orientation is specified.

WARNING - The attention of all persons concerned with managing and carrying out this fire resistance test, is drawn to fact that fire testing can be hazardous and that there is a possibility that toxic and/or harmful smoke and gases can be evolved during the test. Mechanical and operational hazards can also arise during the construction of test elements or structures, their testing and the disposal of test residues.

An assessment of all potential hazards and risks to health should be made and safety precautions should be identified and provided. Written safety instructions should be issued. Appropriate training should be given to relevant personnel. Laboratory personnel should ensure that they follow written safety instructions at all times.

The specific health and safety instructions contained within this standard should be followed.

This document has been prepared under a standardization request given to CEN/CENELEC by the European Commission and the European Free Trade Association.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This document specifies test methods for determining the contribution of fire protection kits to the fire resistance of structural timber members.

Such fire protection kits include claddings, sprayed fire protection and reactive coatings.

The method is applicable to all fire protection kits used for the protection of timber members. These can be fixed directly, totally or in part, to the timber member and can include an air gap between the fire protectionkit and the timber member, as an integral part of its design.

Evaluation of timber constructions protected by horizontal or vertical protective membranes are the subject of EN 13381-1 or EN 13381-2 respectively.

The test method is applicable to the determination of the contribution of fire protection kits to the fire resistance of loadbearing timber structural members including floors, roofs, walls, beams and columns.

This document contains the fire test which specifies the test to be carried out to determine the ability of the fire protection kit at a specified thickness to delay the temperature rise throughout the timber member, to determine the ability of the fire protection kit at a specified thickness to remain coherent and fixed to the timber member and to provide data for determining the charring rate of the protected test member, when exposed to the standard temperature/time curve according to the procedures defined herein. This document is not appropriated to classify the tested assembly according to EN 13501-2.

The test to subject reactive protection material to a smouldering temperature time fire curve and the special circumstances for this are detailed in Annex G.

The fire test methodology makes provision for the collection and presentation of data which can be used as direct input to the calculation of fire resistance of timber members in accordance with the procedures given in EN 1995-1-2.

A description of the relationship of this test method and the assessment of the results obtained therefrom to EN 1995-1-2 and guidelines for the use of this test method in accordance with that standard are given in Annex B.

This document also contains the assessment which indicates how the analysis of the test data should be made and gives guidance to the procedures by which interpolation should be undertaken.

The limits of applicability of the results of the assessment arising from the fire test are defined, together with the direct application of the results to different timber constructions with the specified thickness and fixation of the applied fire protection kit tested.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 301, Adhesives, phenolic and aminoplastic, for load-bearing timber structures — Classification and performance requirements

EN 338, Structural timber — Strength classes

EN 823, Thermal insulating products for building applications — Determination of thickness

EN 1995-1-1, Eurocode 5: Design of timber structures — Part 1-1: General — Common rules and rules for buildings

EN 1995-1-2:2004, Eurocode 5: Design of timber structures — Part 1-2: General — Structural fire design

EN 1363-1, Fire resistance tests — Part 1: General Requirements

EN 1363-2, Fire resistance tests — Part 2: Alternative and additional procedures

EN 1365-1, Fire resistance tests for loadbearing elements — Part 1: Walls

EN 1365-2, Fire resistance tests for loadbearing elements — Part 2: Floors and roofs

EN 1365-3, Fire resistance tests for loadbearing elements — Part 3: Beams

EN 12467, Fibre-cement flat sheets — Product specification and test methods

EN 13162, Thermal insulation products for buildings — Factory made mineral wool (MW) products — Specification

EN 13381-1, Test methods for determining the contribution to the fire resistance of structural members — Part 1: Horizontal protective membranes

EN 13381-8, Test methods for determining the contribution to the fire resistance of structural members — Part 8: Applied reactive protection to steel members

EN 14080, Timber structures - Glued laminated timber and glued solid timber — Requirements

EN 14081-1, Timber structures — Strength graded structural timber with rectangular cross section — Part 1: General requirements

EN 15425, Adhesives — One component polyurethane (PUR) for load-bearing timber structures — Classification and performance requirements

EN ISO 2808, Paints and varnishes — Determination of film thickness (ISO 2808)

EN ISO 13943, Fire safety — Vocabulary (ISO 13943)

ISO 8421-2, Fire protection — Vocabulary — Part 2: Structural fire protection

ISO 834-12, Fire resistance tests — Elements of building construction — Part 12: Specific requirements for separating elements evaluated on less than full scale furnaces

koniec náhľadu – text ďalej pokračuje v platenej verzii STN