

STN	Kalibrácia zariadení na meranie vlnovej dĺžky/optickej frekvencie Časť 3: Optické merače frekvencie s použitím frekvenčného hrebeňa	STN EN IEC 62129-3 35 9208
------------	--	--

Calibration of wavelength/optical frequency measurement instruments - Part 3:Optical frequency meters internally referenced to a frequency comb

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 11/19

Obsahuje: EN IEC 62129-3:2019, IEC 62129-3:2019

129756

EUROPEAN STANDARD

EN IEC 62129-3

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2019

ICS 33.180.01

English Version

Calibration of wavelength/optical frequency measurement
instruments - Part 3: Optical frequency meters internally
referenced to a frequency comb
(IEC 62129-3:2019)

Étalonnage des appareils de mesure de longueur
d'onde/appareil de mesure de la fréquence optique - Partie
3: Fréquences optiques faisant référence en interne à
un peigne de fréquence
(IEC 62129-3:2019)

Kalibrierung von Messgeräten für die Wellenlänge/optische
Frequenz - Teil 3: Optisches Frequenzmessgerät mit
internem Bezug auf einen Frequenzkamm
(IEC 62129-3:2019)

This European Standard was approved by CENELEC on 2019-06-24. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 62129-3:2019 (E)**European foreword**

The text of document 86/551/FDIS, future edition 1 of IEC 62129-3, prepared by IEC/TC 86 "Fibre optics" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62129-3:2019.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2020-03-24
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2022-06-24

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62129-3:2019 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 62129-1	NOTE	Harmonized as EN 62129-1
IEC 62129-2:2011	NOTE	Harmonized as EN 62129-2:2011 (not modified)
ISO/IEC 17025	NOTE	Harmonized as EN ISO/IEC 17025
IEC 61315	NOTE	Harmonized as EN IEC 61315
IEC 60359	NOTE	Harmonized as EN 60359

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60793-2-50	-	Optical fibres - Part 2-50: Product specifications - Sectional specification for class B single-mode fibres	EN IEC 60793-2-50	-
IEC 60825-1	-	Safety of laser products - Part 1: Equipment classification and requirements	EN 60825-1	-
IEC 60825-2	-	Safety of laser products - Part 2: Safety of optical fibre communication systems (OFCS)	EN 60825-2	-
IEC/TR 61931	-	Fibre optic - Terminology	-	-
ISO/IEC Guide 98-3	2008	Uncertainty of measurement - Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)	-	-



IEC 62129-3

Edition 1.0 2019-05

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Calibration of wavelength / optical frequency measurement instruments –
Part 3: Optical frequency meters internally referenced to a frequency comb**

**Étalonnage des appareils de mesure de longueur d'onde / appareil de mesure de
la fréquence optique –
Partie 3: Fréquencesmètres optiques faisant référence en interne à un peigne de
fréquence**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.



IEC 62129-3

Edition 1.0 2019-05

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Calibration of wavelength / optical frequency measurement instruments –
Part 3: Optical frequency meters internally referenced to a frequency comb**

**Étalonnage des appareils de mesure de longueur d'onde / appareil de mesure de
la fréquence optique –
Partie 3: Fréquencemètres optiques faisant référence en interne à un peigne de
fréquence**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 33.180.01

ISBN 978-2-8322-6922-0

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	6
4 Calibration test requirements	8
4.1 Organization	8
4.2 Traceability	8
4.3 Preparation	8
4.4 Reference calibration conditions	8
5 Optical frequency calibration	8
5.1 Establishing the calibration conditions	8
5.2 Calibration procedure.....	9
5.2.1 General	9
5.2.2 Measurement configuration.....	9
5.2.3 Detailed procedure	10
5.3 Calibration uncertainty	10
5.4 Reporting the results.....	11
6 Absolute power calibration.....	11
Annex A (normative) Mathematical basis for measurement uncertainty calculations	12
A.1 General.....	12
A.2 Type A evaluation of uncertainty	12
A.3 Type B evaluation of uncertainty	12
A.4 Determining the combined standard uncertainty.....	13
A.5 Reporting	14
Annex B (informative) Measurement method for the frequency of a stabilized laser with an optical frequency comb	15
Annex C (informative) Examples of stabilized optical frequency comb source	17
C.1 Method A (pump pulse source and nonlinear optical effect).....	17
C.2 Method B (stabilized laser and electro-optical modulator)	17
Annex D (normative) Frequency-dependence of uncertainty	19
Bibliography.....	20
Figure 1 – Optical frequency meter measurement using a reference source.....	9
Figure 2 – Optical frequency meter measurement using a reference optical frequency meter	10
Figure B.1 – Schematic configuration of optical frequency measurement technique using an optical comb	15
Figure B.2 – Optical spectra of lasers and optical frequency combs	16
Figure C.1 – Pump pulse source and nonlinear optical effect	17
Figure C.2 – Electro-optical modulator type comb source.....	18

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**CALIBRATION OF WAVELENGTH /
OPTICAL FREQUENCY MEASUREMENT INSTRUMENTS –****Part 3: Optical frequency meters internally
referenced to a frequency comb**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62129-3 has been prepared by IEC technical committee 86: Fibre optics.

This first edition cancels and replaces IEC TS 62129-3, published in 2014.

This edition includes the following significant technical changes with respect to the previous edition:

- a) text has been added to 5.2.3 about calibration at a second optical frequency;
- b) Annex D is now normative;
- c) Subclause 4.2 has been improved;
- d) measurement method of frequency has been moved to Annex B;
- e) example of optical frequency comb has been moved to Annex C;
- f) frequency-dependence uncertainty has been moved to Annex D.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
86/551/FDIS	86/554/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62129 series, published under the general title *Calibration of wavelength/optical frequency measurement instruments*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

It is essential for realizing fibre optic systems that optical channels are defined in the optical frequency domain, not the wavelength domain. One example: the anchor frequency of the ITU-T grid is 193,1 THz, and the channel spacings of the ITU-T grid are 12,5 GHz, 25 GHz, 50 GHz, and 100 GHz [1]¹.

ITU-T has also discussed λ -interface systems such as "black link" [2]. "Black link" includes WDM MUX/DEMUX and a transmission fibre, and provides λ -interfaces. Especially in DWDM systems (channel spacing < 100 GHz), the uncertainty in specifying optical frequency needs to be minimized.

To implement future telecom systems, it is expected that optical frequency measurements will need to be extremely precise. For example, to achieve the channel spacing of 25 GHz, signal optical frequency uncertainty ($U_{f_{\text{sig}}}$) and required measurement uncertainty ($U_{f_{\text{meas}}}$) need to be 2 GHz to 200 MHz ($U_{f_{\text{sig}}}/f = 10^{-5}$ to 10^{-6}) and 200 MHz to 2 MHz ($U_{f_{\text{meas}}}/f = 10^{-6}$ to 10^{-8}), respectively. Unfortunately, conventional wavelength meters have measurement uncertainties of 10^{-6} to 10^{-7} . The solution is to use optical frequency measurements since measurement uncertainties can be as small as 10^{-9} , which satisfies the above telecom requirement ($U_{f_{\text{meas}}}/f = 10^{-6}$ to 10^{-8}). Therefore, an optical frequency measurement scheme is necessary for the calibration of future telecom systems.

The frequency meter to calibrate with the procedure described in this document is the measurement equipment internally utilizing the optical frequency comb. In Annex A, the mathematical basis for the uncertainty of measurement is described. The measurement procedure of the frequency with the frequency meter utilizing the optical frequency comb is shown in Annex B and the example of the optical frequency comb sources are shown in Annex C. Additionally, the uncertainty depending on the frequency is shown in Annex D.

This document defines all the steps involved in the calibration process of the frequency measuring with the optical frequency meter internally utilizing an optical frequency comb: establishing the calibration conditions, carrying out the calibration, calculating the uncertainty, and reporting the uncertainty, the calibration conditions and the traceability.

¹ Numbers in square brackets refer to the Bibliography.

CALIBRATION OF WAVELENGTH / OPTICAL FREQUENCY MEASUREMENT INSTRUMENTS –

Part 3: Optical frequency meters internally referenced to a frequency comb

1 Scope

This part of IEC 62129 describes the calibration of optical frequency meters using an optical frequency comb as an internal reference. It is applicable to instruments measuring the optical frequency emitted from sources that are typical for the fibre-optic communications industry. It is assumed that the optical radiation will be coupled to the optical frequency meter by a single-mode optical fibre. This document is part of the IEC 62129 series on the calibration of wavelength/optical frequency measurement instruments. Refer to IEC 62129-1 [3] for the calibration of optical spectrum analyzers, and refer to IEC 62129-2 [4] for calibration of Michelson interferometer single wavelength meters.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60793-2-50, *Optical fibres – Part 2-50: Product specifications – Sectional specification for class B single-mode fibres*

IEC 60825-1, *Safety of laser products – Part 1: Equipment classification and requirements*

IEC 60825-2, *Safety of laser products – Part 2: Safety of optical fibre communication systems (OFCS)*

IEC TR 61931, *Fibre optic – Terminology*

ISO/IEC Guide 98-3:2008, *Uncertainty of measurement – Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN