

STN	Širokopásmové prenosové systémy Zariadenia na prenos dát pracujúce v pásme 2,4 GHz Harmonizovaná norma pre prístup k rádiovému spektru	STN EN 300 328 V2.2.2
		87 0328

Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 12/19

Obsahuje: EN 300 328 V2.2.2:2019

129800

ETSI EN 300 328 V2.2.2 (2019-07)



**Wideband transmission systems;
Data transmission equipment operating in the 2,4 GHz band;
Harmonised Standard for access to radio spectrum**

Reference

REN/ERM-TG11-12

Keywords

broadband, data, harmonised standard, LAN,
mobile, radio, regulation, spread spectrum, SRD,
testing, transmission, UHF

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and

of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and
of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	8
Foreword.....	8
Modal verbs terminology.....	8
Introduction	9
1 Scope	10
2 References	10
2.1 Normative references	10
2.2 Informative references.....	10
3 Definition of terms, symbols and abbreviations.....	11
3.1 Terms.....	11
3.2 Symbols	13
3.3 Abbreviations	14
4 Technical requirements specifications	14
4.1 Environmental profile.....	14
4.2 Equipment types	15
4.2.1 Wideband Data Transmission equipment types.....	15
4.2.2 Adaptive and non-adaptive equipment	15
4.2.3 Receiver categories	15
4.2.3.1 Introduction	15
4.2.3.2 Categorization	15
4.2.3.2.1 Receiver category 1	15
4.2.3.2.2 Receiver category 2	16
4.2.3.2.3 Receiver category 3	16
4.2.4 Antenna types	16
4.3 Conformance requirements	16
4.3.1 Requirements for Frequency Hopping (FHSS) equipment.....	16
4.3.1.1 Introduction	16
4.3.1.2 RF output power.....	16
4.3.1.2.1 Applicability.....	16
4.3.1.2.2 Definition.....	16
4.3.1.2.3 Limit	16
4.3.1.2.4 Conformance	17
4.3.1.3 Duty Cycle, Tx-sequence, Tx-gap.....	17
4.3.1.3.1 Applicability.....	17
4.3.1.3.2 Definition.....	17
4.3.1.3.3 Limit	17
4.3.1.3.4 Conformance	17
4.3.1.4 Accumulated Transmit Time, Frequency Occupation and Hopping Sequence.....	17
4.3.1.4.1 Applicability.....	17
4.3.1.4.2 Definition.....	18
4.3.1.4.3 Limit	18
4.3.1.4.4 Conformance	19
4.3.1.5 Hopping Frequency Separation.....	19
4.3.1.5.1 Applicability.....	19
4.3.1.5.2 Definition.....	19
4.3.1.5.3 Limit	19
4.3.1.5.4 Conformance	20
4.3.1.6 Medium Utilization (MU) factor.....	20
4.3.1.6.1 Applicability.....	20
4.3.1.6.2 Definition.....	20
4.3.1.6.3 Limit	20
4.3.1.6.4 Conformance	20
4.3.1.7 Adaptivity (Adaptive FHSS).....	20
4.3.1.7.1 Applicability	20

4.3.1.7.2	Adaptive FHSS using LBT	21
4.3.1.7.3	Adaptive FHSS using DAA	22
4.3.1.7.4	Short Control Signalling Transmissions	23
4.3.1.8	Occupied Channel Bandwidth	24
4.3.1.8.1	Applicability	24
4.3.1.8.2	Definition	24
4.3.1.8.3	Limits	24
4.3.1.8.4	Conformance	24
4.3.1.9	Transmitter unwanted emissions in the out-of-band domain	24
4.3.1.9.1	Applicability	24
4.3.1.9.2	Definition	24
4.3.1.9.3	Limit	24
4.3.1.9.4	Conformance	25
4.3.1.10	Transmitter unwanted emissions in the spurious domain	25
4.3.1.10.1	Applicability	25
4.3.1.10.2	Definition	25
4.3.1.10.3	Limit	25
4.3.1.10.4	Conformance	25
4.3.1.11	Receiver spurious emissions	25
4.3.1.11.1	Applicability	25
4.3.1.11.2	Definition	25
4.3.1.11.3	Limit	25
4.3.1.11.4	Conformance	26
4.3.1.12	Receiver Blocking	26
4.3.1.12.1	Applicability	26
4.3.1.12.2	Definition	26
4.3.1.12.3	Performance Criteria	26
4.3.1.12.4	Limits	26
4.3.1.12.5	Conformance	28
4.3.1.13	Geo-location capability	28
4.3.1.13.1	Applicability	28
4.3.1.13.2	Definition	28
4.3.1.13.3	Requirements	28
4.3.2	Requirements for other types of Wideband Data Transmission equipment (non-FHSS equipment)	28
4.3.2.1	Introduction	28
4.3.2.2	RF output power	29
4.3.2.2.1	Applicability	29
4.3.2.2.2	Definition	29
4.3.2.2.3	Limit	29
4.3.2.2.4	Conformance	29
4.3.2.3	Power Spectral Density	29
4.3.2.3.1	Applicability	29
4.3.2.3.2	Definition	29
4.3.2.3.3	Limit	29
4.3.2.3.4	Conformance	29
4.3.2.4	Duty Cycle, Tx-sequence, Tx-gap	29
4.3.2.4.1	Applicability	29
4.3.2.4.2	Definition	30
4.3.2.4.3	Limit	30
4.3.2.4.4	Conformance	30
4.3.2.5	Medium Utilization (MU) factor	30
4.3.2.5.1	Applicability	30
4.3.2.5.2	Definition	30
4.3.2.5.3	Limit	31
4.3.2.5.4	Conformance	31
4.3.2.6	Adaptivity (non-FHSS)	31
4.3.2.6.1	Applicability	31
4.3.2.6.2	Adaptive non-FHSS using DAA	31
4.3.2.6.3	Adaptive non-FHSS using LBT	32
4.3.2.6.4	Short Control Signalling Transmissions	35
4.3.2.7	Occupied Channel Bandwidth	35
4.3.2.7.1	Applicability	35

4.3.2.7.2	Definition.....	35
4.3.2.7.3	Limits	35
4.3.2.7.4	Conformance	36
4.3.2.8	Transmitter unwanted emissions in the out-of-band domain	36
4.3.2.8.1	Applicability.....	36
4.3.2.8.2	Definition.....	36
4.3.2.8.3	Limit.....	36
4.3.2.8.4	Conformance	36
4.3.2.9	Transmitter unwanted emissions in the spurious domain.....	36
4.3.2.9.1	Applicability.....	36
4.3.2.9.2	Definition.....	36
4.3.2.9.3	Limit	37
4.3.2.9.4	Conformance	37
4.3.2.10	Receiver spurious emissions	37
4.3.2.10.1	Applicability.....	37
4.3.2.10.2	Definition.....	37
4.3.2.10.3	Limit.....	37
4.3.2.10.4	Conformance	37
4.3.2.11	Receiver Blocking.....	37
4.3.2.11.1	Applicability	37
4.3.2.11.2	Definition.....	38
4.3.2.11.3	Performance Criteria	38
4.3.2.11.4	Limits	38
4.3.2.11.5	Conformance	39
4.3.2.12	Geo-location capability	39
4.3.2.12.1	Applicability	39
4.3.2.12.2	Definition.....	40
4.3.2.12.3	Requirements	40
5	Testing for compliance with technical requirements.....	40
5.1	Environmental conditions for testing	40
5.1.1	Introduction.....	40
5.1.2	Normal test conditions	40
5.1.2.1	Normal temperature and humidity	40
5.1.2.2	Normal power source	40
5.1.3	Extreme test conditions.....	40
5.2	Void.....	40
5.3	Definition of other test conditions	41
5.3.1	Test mode.....	41
5.3.2	Antennas and transmit operating modes	41
5.3.2.1	Integrated and dedicated antennas.....	41
5.3.2.2	Smart antenna systems and related operating modes	41
5.3.2.2.1	Introduction	41
5.3.2.2.2	Operating mode 1 (single antenna).....	41
5.3.2.2.3	Operating mode 2 (multiple antennas, no beamforming)	41
5.3.2.2.4	Operating mode 3 (multiple antennas, with beamforming)	42
5.3.2.3	Configuration for testing	42
5.3.3	Adaptive and Non-adaptive equipment.....	42
5.3.4	Presentation of equipment	42
5.3.5	Conducted measurements, radiated measurements, relative measurements	42
5.4	Test procedures for essential radio test suites.....	42
5.4.1	Product Information.....	42
5.4.2	RF output power, Duty Cycle, Tx-sequence, Tx-gap, Medium Utilization	44
5.4.2.1	Test conditions	44
5.4.2.2	Test method.....	44
5.4.2.2.1	Conducted measurements	44
5.4.2.2.2	Radiated measurements	46
5.4.3	Power Spectral Density	47
5.4.3.1	Test conditions	47
5.4.3.2	Test method	47
5.4.3.2.1	Conducted measurement.....	47
5.4.3.2.2	Radiated measurement.....	49

5.4.4	Accumulated Transmit Time, Frequency Occupation and Hopping Sequence	50
5.4.4.1	Test conditions	50
5.4.4.2	Test method.....	50
5.4.4.2.1	Conducted measurements.....	50
5.4.4.2.2	Radiated measurements	51
5.4.5	Hopping Frequency Separation.....	52
5.4.5.1	Test conditions	52
5.4.5.2	Test method.....	52
5.4.5.2.1	Conducted measurements.....	52
5.4.5.2.2	Radiated measurements	54
5.4.6	Adaptivity (Channel access mechanism)	54
5.4.6.1	Test conditions	54
5.4.6.2	Test Method	54
5.4.6.2.1	Conducted measurements.....	54
5.4.6.2.2	Radiated measurements	62
5.4.7	Occupied Channel Bandwidth	63
5.4.7.1	Test conditions	63
5.4.7.2	Test method.....	63
5.4.7.2.1	Conducted measurement.....	63
5.4.7.2.2	Radiated measurement.....	64
5.4.8	Transmitter unwanted emissions in the out-of-band domain	64
5.4.8.1	Test conditions	64
5.4.8.2	Test method.....	64
5.4.8.2.1	Conducted measurement.....	64
5.4.8.2.2	Radiated measurement.....	66
5.4.9	Transmitter unwanted emissions in the spurious domain	66
5.4.9.1	Test conditions	66
5.4.9.2	Test method.....	66
5.4.9.2.1	Conducted measurement.....	66
5.4.9.2.2	Radiated measurement.....	68
5.4.10	Receiver spurious emissions	69
5.4.10.1	Test conditions	69
5.4.10.2	Test method.....	69
5.4.10.2.1	Conducted measurement.....	69
5.4.10.2.2	Radiated measurement.....	71
5.4.11	Receiver Blocking	71
5.4.11.1	Test conditions	71
5.4.11.2	Test Method	71
5.4.11.2.1	Conducted measurements	71
5.4.11.2.2	Radiated measurements	73

Annex A (informative):	Relationship between the present document and the essential requirements of Directive 2014/53/EU	75
-------------------------------	---	-----------

Annex B (normative):	Test sites and arrangements for radiated measurement	77
-----------------------------	---	-----------

B.1	Introduction	77
B.2	Radiation test sites.....	77
B.2.1	Open Area Test Site (OATS)	77
B.2.2	Semi Anechoic Room.....	78
B.2.3	Fully Anechoic Room (FAR)	79
B.2.4	Measurement Distance	80
B.3	Antennas.....	81
B.3.1	Introduction	81
B.3.2	Measurement antenna.....	81
B.3.3	Substitution antenna	81
B.4	Test fixture	81
B.4.1	Conducted measurements and use of test fixture	81
B.4.2	Description of the test fixture	82
B.4.3	Using the test fixture for relative measurements	82

B.5	Guidance on the use of radiation test sites	82
B.5.1	Introduction	82
B.5.2	Power supplies for a battery-only powered UUT	82
B.5.3	Site preparation	83
B.6	Coupling of signals.....	83
B.7	Interference Signal used for Adaptivity Tests	83
Annex C (normative):	Measurement procedures for radiated measurement	85
C.1	Introduction	85
C.2	Radiated measurements in an OATS or SAR.....	85
C.3	Radiated measurements in a FAR	85
C.4	Substitution measurement	86
C.5	Guidance for testing technical requirements	86
C.5.1	Introduction	86
C.5.2	Test procedures and corresponding test sites	86
C.5.3	Guidance for testing Adaptivity (Channel Access Mechanism).....	87
C.5.3.1	Introduction.....	87
C.5.3.2	Measurement Set-up	87
C.5.3.3	Calibration of the measurement Set-up.....	87
C.5.3.4	Test method	88
C.5.4	Guidance for testing Receiver Blocking.....	88
C.5.4.1	Introduction.....	88
C.5.4.2	Measurement Set-up	88
C.5.4.3	Calibration of the measurement Set-up.....	89
C.5.4.4	Test method	89
Annex D (informative):	Guidance for testing 2,4 GHz IEEE 802.11™ Equipment	90
D.1	Introduction	90
D.2	Possible Modulations	90
D.2.1	Introduction	90
D.2.2	Guidance for Testing	90
D.2.2.1	Introduction.....	90
D.2.2.2	Modulation Used for Conformance Testing	90
D.3	Possible Operating Modes.....	91
D.3.1	Introduction	91
D.3.2	Guidance for Testing	91
Annex E (informative):	Application form for testing.....	93
E.1	Introduction	93
E.2	Information as required by ETSI EN 300 328 V2.2.2, clause 5.4.1	93
E.3	Configuration for testing (see clause 5.3.2.3 of ETSI EN 300 328 V2.2.2).....	98
E.4	Additional information provided by the manufacturer.....	98
E.4.1	Modulation	98
E.4.2	Duty Cycle.....	98
E.4.3	About the UUT	98
E.4.4	Additional items and/or supporting equipment provided	99
Annex F (informative):	Change History	100
	History	101

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Harmonised European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.14] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.1].

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive, and associated EFTA regulations.

National transposition dates	
Date of adoption of this EN:	1 July 2019
Date of latest announcement of this EN (doa):	31 October 2019
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 April 2020
Date of withdrawal of any conflicting National Standard (dow):	31 October 2021

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

Introduction

The present document covers Wideband Data Transmission equipment.

Examples of Wideband Data Transmission equipment are equipments such as IEEE 802.11TM RLANs [i.3], Bluetooth[®] wireless technologies, ZigbeeTM, etc.

1 Scope

The present document applies to Wideband Data Transmission equipment.

The present document also describes spectrum access requirements to facilitate spectrum sharing with other equipment.

Wideband Data Transmission equipment covered by the present document is operated in accordance with the ERC Recommendation 70-03 [i.6], annex 3 or Commission Decision 2006/771/EC [i.7] (and its amendments).

This radio equipment is capable of operating in the band provided in table 1.

Table 1: Service frequency bands

	Service frequency bands
Transmit	2 400 MHz to 2 483,5 MHz
Receive	2 400 MHz to 2 483,5 MHz

Equipment using Ultra Wide Band (UWB) technology is not covered by the present document.

NOTE: The relationship between the present document and essential requirements of article 3.2 of Directive 2014/53/EU [i.1] is given in annex A.

2 References

2.1 Normative references

References are specific, identified by date of publication and/or edition number or version number. Only the cited version applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

Not applicable.

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

[i.1] Directive 2014/53/EU of the European Parliament and of the Council of 16 April 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC.

[i.2] Void.

- [i.3] IEEE 802.11TM-2016: "IEEE Standard for Information Technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements. Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications".
- [i.4] IEEE 802.15.4TM-2015: "IEEE Standard for Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements. Part 15.4: Wireless Medium Access Control (MAC) and Physical Layer (PHY) Specifications for Low-Rate Wireless Personal Area Networks (WPANs)".
- [i.5] Void.
- [i.6] CEPT ERC Recommendation 70-03: "Relating to the use of Short Range Devices (SRD)".
- [i.7] Commission Decision 2006/771/EC on harmonisation of the radio spectrum for use by short-range devices.
- [i.8] ETSI TR 102 273-2 (V1.2.1) (12-2001): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Improvement on Radiated Methods of Measurement (using test site) and evaluation of the corresponding measurement uncertainties; Part 2: Anechoic chamber".
- [i.9] ETSI TR 102 273-3 (V1.2.1) (12-2001): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Improvement on Radiated Methods of Measurement (using test site) and evaluation of the corresponding measurement uncertainties; Part 3: Anechoic chamber with a ground plane".
- [i.10] ETSI TR 102 273-4 (V1.2.1) (12-2001): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Improvement on Radiated Methods of Measurement (using test site) and evaluation of the corresponding measurement uncertainties; Part 4: Open area test site".
- [i.11] ETSI TR 100 028-2 (V1.4.1) (12-2001): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics; Part 2".
- [i.12] ETSI EG 203 367 (V1.1.1) (06-2016): "Guide to the application of harmonised standards covering articles 3.1b and 3.2 of the Directive 2014/53/EU (RED) to multi-radio and combined radio and non-radio equipment".
- [i.13] Void.
- [i.14] Commission Implementing Decision C(2015) 5376 final of 4.8.2015 on a standardisation request to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards radio equipment in support of Directive 2014/53/EU of the European Parliament and of the Council.
- [i.15] ETSI TR 100 028-1 (V1.4.1) (12-2001): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics; Part 1".

koniec náhľadu – text d'alej pokračuje v platenej verzii STN