# STN

### Priemyselné komunikačné siete Špecifikácie prevádzkových zberníc Časť 6-25: Špecifikácia protokolu aplikačnej vrstvy Prvky typu 25

STN EN IEC 61158-6-25

18 4020

Industrial communication networks - Fieldbus specifications - Part 6-25: Application layer protocol specification - Type 25 elements

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 12/19

Obsahuje: EN IEC 61158-6-25:2019, IEC 61158-6-25:2019

### EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN IEC 61158-6-25

August 2019

ICS 25.040.40; 35.100.70; 35.110

### **English Version**

Industrial communication networks - Fieldbus specifications - Part 6-25: Application layer protocol specification - Type 25 elements

(IEC 61158-6-25:2019)

Réseaux de communication industriels - Spécifications des bus de terrain - Partie 6-25: Spécification du protocole de la couche application - Eléments de type 25 (IEC 61158-6-25:2019) Industrielle Kommunikationsnetze - Feldbusse - Teil 6-25: Protokollspezifikation des Application Layer (Anwendungsschicht) - Typ 25-Elemente (IEC 61158-6-25:2019)

This European Standard was approved by CENELEC on 2019-07-25. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

### EN IEC 61158-6-25:2019 (E)

### **European foreword**

The text of document 65C/948/FDIS, future edition 1 of IEC 61158-6-25, prepared by SC 65C "Industrial networks" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61158-6-25:2019.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2020-04-25 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2022-07-25

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

### **Endorsement notice**

The text of the International Standard IEC 61158-6-25:2019 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated:

IEC 61158-1 NOTE Harmonized as EN IEC 61158-1

### EN IEC 61158-6-25:2019 (E)

### **Annex ZA**

(normative)

### Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 61158-3-25	2019	Industrial communication networks - Fieldbus specifications - Part 3-25: Data-link layer service definition - Type X elements	EN IEC 61158-3-25	2019
IEC 61158-5-25	2019	Industrial communication networks - Fieldbus specifications - Part 5-25: Application layer service definition - Type 25 elements	EN IEC 61158-5-25	2019
ISO/IEC 7498-1	-	Information technology - Open Systems Interconnection - Basic reference model: The basic model	-	-
ISO/IEC 8822	-	Information technology - Open Systems Interconnection - Presentation service definition	-	-
ISO/IEC 9545	-	Information technology - Open Systems Interconnection - Application layer structure	-	-
ISO/IEC 8824-1	-	Information technology - Abstract Syntax Notation One (ASN.1): Specification of basic notation	-	-
ISO/IEC/IEEE 8802-3	-	Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part 3: Standard for Ethernet	-	-
IEEE 802.1D	-	IEEE Standard for local and metropolitan area networks - Media Access Control (MAC) Bridges	-	-
IEEE 802.1Q	-	IEEE Standard for Local and metropolitan area networks - Media Access Control (MAC) Bridges and Virtual Bridges	-	-
IETF RFC 768	-	User Datagram Protocol	-	-
IETF RFC 791	-	Internet Protocol - DARPA Internet Program Protocol Specification	-	-



IEC 61158-6-25

Edition 1.0 2019-06

## INTERNATIONAL STANDARD



Industrial communication networks – Fieldbus specifications – Part 6-25: Application layer protocol specification – Type 25 elements





### THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

**IEC Central Office** 3, rue de Varembé CH-1211 Geneva 20 Tel.: +41 22 919 02 11

info@iec.ch www.iec.ch

#### Switzerland

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

**IEC Just Published - webstore.iec.ch/justpublished**Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

### IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

#### Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.



IEC 61158-6-25

Edition 1.0 2019-06

## INTERNATIONAL STANDARD



Industrial communication networks – Fieldbus specifications – Part 6-25: Application layer protocol specification – Type 25 elements

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 25.040.40; 35.100.70; 35.110

ISBN 978-2-8322-7015-8

Warning! Make sure that you obtained this publication from an authorized distributor.

### - 2 - IEC 61158-6-25:2019 © IEC 2019

### **CONTENTS**

FC	REWOR	D	7
IN	TRODUC	TION	9
1	Scope.		10
	1.1 G	Seneral	10
		pecification	
		conformance	
2		tive references	
3	Terms,	definitions, symbols, abbreviations and conventions	12
		Reference model terms and definitions	
	3.1.1	ISO/IEC 7498-1 terms	
	3.1.2	ISO/IEC 8822 terms	12
	3.1.3	ISO/IEC 9545 terms	12
	3.1.4	ISO/IEC 8824-1 terms	13
	3.2 A	dditional Type 25 terms and definitions	13
		ymbols and abbreviations	
	3.4 C	conventions	16
	3.4.1	General conventions	16
	3.4.2	Conventions for class definitions	16
	3.4.3	Conventions for bit description in octets	16
	3.4.4	Conventions for state machine descriptions	
4	FAL sy	ntax description	18
	4.1 F	AL PDU type S abstract syntax	18
	4.1.1	Basic abstract syntax	
	4.2 F	AL PDU type N abstract syntax	22
	4.2.1	Basic abstract syntax	22
	4.2.2	CyclicData-PDU	
	4.2.3	MulticastData-PDU	
	4.2.4	PtoPData-PDU	23
	4.2.5	Aliveinfo-PDU	23
	4.2.6	Aliveinfo6-PDU	
	4.2.7	Inq-PDU	
	4.2.8	Ning-PDU	
	4.2.9	Reply-PDU	
	4.2.10	RetransEng-PDU	
	4.2.11	RetransConfirm-PDU	
	4.2.12	RetransNak-PDU	25
	4.3 D	ata type assignments for type S	25
		Pata type assignments for type N	
5		ansfer syntax	
		ncoding rules	
	5.1.1	Unsigned encoding	
	5.1.2	Octet string encoding	
	5.1.3	SEQUENCE encoding	
		ALPDU type S elements encoding	
	5.2.1	RCL header	
	5.2.2	RHE-PDU	
			_

	5.2.3	LCC-PDU	.30
	5.2.4	LCA-PDU	.30
	5.2.5	LCN-PDU	.31
	5.2.6	LNA-PDU	.32
	5.2.7	SCR-PDU	.32
	5.2.8	Cyclic S-PDU	.32
	5.2.9	Cyclic_header	
	5.2.10	Control-PDU	
	5.2.11	RMTCTL-PDU	
	5.2.12	INFO-PDU	.34
		PDU type N elements encoding	
	5.3.1	General	
	5.3.2	FALAR-N Header	
	5.3.3	CyclicData-PDU	
	5.3.4	MulticastData-PDU	
	5.3.5	PtoP Data-PDU	
	5.3.6	Aliveinfo-PDU	
	5.3.7	Aliveinfo6-PDU	
	5.3.8	Ing-PDU	
	5.3.9	Ning-PDU	
	5.3.10	Reply-PDU	
	5.3.11	RetransEng-PDU	
	5.3.11	RetransConfirm-PDU	
	5.3.12	RetransNak-PDU	
6		of the FAL protocol state machine	
7		ce protocol machine (FSPM)	
		rview	
		M type S	
	7.2.1	Overview	
	7.2.2	Interface of cyclic communication to FAL users	
	7.2.3	State machine of FSPM	
		M type N	
	7.3.1	Overview	
	7.3.2	FSPM	
8	Applicatio	n relationship protocol machine (ARPM)	.65
	8.1 ARF	PM type S	.65
	8.1.1	Overview	.65
	8.1.2	Cyclic control	.66
	8.1.3	Remote control	.70
	8.1.4	RCL communication control	.75
	8.1.5	RT communication control	.79
	8.2 ARF	PM type N	.83
	8.2.1	Overview	
	8.2.2	General control	.83
	8.2.3	Cyclic transmission control	.85
	8.2.4	Acyclic transmission control	
	8.2.5	RT communication control	
9		ping protocol machine (DMPM)	
		· · · · · · · · · · · · · · · · · · ·	

### - 4 - IEC 61158-6-25:2019 © IEC 2019

9.1	DMPM type S	121
9.2	DMPM type N	122
9.2.1		
9.2.2	- 1 7	
9.2.3		
Bibliograp	phy	124
Figure 1 -	- Bit description in octets	16
Figure 2 -	- hd_sa	35
Figure 3 -	- hd_da	36
Figure 4 -		40
•	- hd_m_ctl	
-	 - Valid reception packet sequence number	
Figure 7 -	- Node-list	55
Figure 8 -	- Relationships between protocol machines	58
Figure 9 -	- Structure of FSPM type S	59
Figure 10	- Shared memory allocation in type S network	61
Figure 11	- Structure of FSPM type N	63
Figure 12	- Structure of ARPM type S	66
Figure 13	- Sequence of cyclic communication	67
Figure 14	- The primitives for cyclic control	67
Figure 15	- The primitives for Remote control	70
Figure 16	- The primitives for RCL communication control	75
Figure 17	- The primitives for RT communication control	80
Figure 18	- Structure of ARPM type N	83
Figure 19	- Primitives of Cyclic transmission control	85
Figure 20	- Primitives of acyclic transmission control	91
Figure 21	- DSCP format	123
Figure 22	- IEEE 802.1Q tag frame format	123
Table 1 –	State transition descriptions	17
	Descriptions of state machine elements	
	Conventions used in state machine	
	Frame Class	
	DA_STaddress - DA_STaddress	
Table 6 –	DA_MACaddress	27
Table 7 –	CMD field format	28
Table 8 –	Send Direction	28
	RHE ReceiveStatus	
Table 10 -	– Physical Linkdown	29
Table 11 -	RHE_pattern 1~4	30
Table 12 -	- LCC-Kind	30
Table 13 -	– RCL Status	31
Table 14 -	– hd_h_type	35

Table 15 – Usage of Mgn or Lnn	37
Table 16 – Detailed conditions for sequence number check of reception message	39
Table 17 – Valid bits of hd_m_ctl	40
Table 18 – Specified TCD	41
Table 19 – hd_pkind	42
Table 20 – PDU with an effective hd_pseq	42
Table 21 – Detailed conditions for sequence number check of reception packet (Multicast communication with retransmission)	44
Table 22 – Detailed conditions for packet sequence number check	45
Table 23 – Relation between message transmission/reception	46
Table 24 – hd_mode	46
Table 25 – Message priority level	46
Table 26 – Value of α	47
Table 27 – Example of header information for a UDP message fragmentation	47
Table 28 – Example of header information for a TCP message fragmentation	47
Table 29 – inqid_inq_sa value	48
Table 30 – inqid_tr_adr value	48
Table 31 – inqid_inq_seq value	49
Table 32 – Relationship between inqid_id_seq and inqid_tr_adr	49
Table 33 – Type of an alive-message	51
Table 34 – Type of an alive-message protocol	51
Table 35 – Time of each al_mode	52
Table 36 – Status change of tasks	52
Table 37 – Change of tasks content	52
Table 38 – The threshold of transmission factor	60
Table 39 – Example of the traffic control configuration menu	60
Table 40 – Cyclic data state table	61
Table 41 – Acyclic data state table	62
Table 42 – Cyclic data state table	64
Table 43 – Acyclic data state table	64
Table 44 – Cyclic control state table	68
Table 45 – Cyclic control functions	69
Table 46 – Cyclic control variables	70
Table 47 – Remote control state table	71
Table 48 – Remote control functions	74
Table 49 – Remote control variables	75
Table 50 – RCL communication control state table	76
Table 51 – RCL communication control functions	77
Table 52 – RCL communication control variables	79
Table 53 – RT communication control state table	80
Table 54 – RT communication control functions	82
Table 55 – RT communication control variables	82
Table 56 – Cyclic transmission control state table	86

### - 6 - IEC 61158-6-25:2019 © IEC 2019

Table 57 – Cyclic transmission control functions	88
Table 58 – Cyclic transmission control variables	90
Table 59 – Acyclic transmission control state table	91
Table 60 – Acyclic transmission control functions	101
Table 61 – Acyclic transmission control variables	104
Table 62 – RT communication control state table	105
Table 63 – RT communication control functions	116
Table 64 – RT communication control variables	120
Table 65 – ARPM to DL mapping	122
Table 66 – Assignment policy of communication ports	122
Table 67 – Default DSCP, IEEE 802.1D and IEEE 802.1Q priority mapping	123

**-7-**

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

### INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

### Part 6-25: Application layer protocol specification – Type 25 elements

### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61158-6-25 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
65C/948/FDIS	65C/956/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

- 8 - IEC 61158-6-25:2019 © IEC 2019

A list of all parts in the IEC 61158 series, published under the general title *Industrial* communication networks – Fieldbus specifications, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

\_ 9 \_

### INTRODUCTION

This document is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the "three-layer" fieldbus reference model described in IEC 61158-1.

The application protocol provides the application service by making use of the services available from the data-link or other immediately lower layer. The primary aim of this document is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer application entities (AEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- as a guide for implementers and designers;
- for use in the testing and procurement of equipment;
- as part of an agreement for the admittance of systems into the open systems environment;
- as a refinement to the understanding of time-critical communications within OSI.

This document is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this document together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems may work together in any combination.

### INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

### Part 6-25: Application layer protocol specification – Type 25 elements

### 1 Scope

#### 1.1 General

The Fieldbus Application Layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be viewed as a "window between corresponding application programs."

This International Standard provides common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment and material specific to Type 25 fieldbus. The term "time-critical" is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant and possibly human life.

This document defines in an abstract way the externally visible behavior provided by the different Types of the fieldbus Application Layer in terms of:

- a) the abstract syntax defining the application layer protocol data units conveyed between communicating application entities,
- b) the transfer syntax defining the application layer protocol data units conveyed between communicating application entities,
- c) the application context state machine defining the application service behavior visible between communicating application entities; and
- d) the application relationship state machines defining the communication behavior visible between communicating application entities.

The purpose of this document is to define the protocol provided to:

- a) define the wire-representation of the service primitives defined in IEC 61158-5-25, and
- b) define the externally visible behavior associated with their transfer.

This document specifies the protocol of the IEC fieldbus Application Layer, in conformance with the OSI Basic Reference Model (ISO/IEC 7498-1) and the OSI Application Layer Structure (ISO/IEC 9545).

FAL services and protocols are provided by FAL application-entities (AE) contained within the application processes. The FAL AE is composed of a set of object-oriented Application Service Elements (ASEs) and a Layer Management Entity (LME) that manages the AE. The ASEs provide communication services that operate on a set of related application process object (APO) classes. One of the FAL ASEs is a management ASE that provides a common set of services for the management of the instances of FAL classes.

Although these services specify, from the perspective of applications, how request and responses are issued and delivered, they do not include a specification of what the requesting and responding applications are to do with them. That is, the behavioral aspects of the applications are not specified; only a definition of what requests and responses they can

\_ 11 \_

send/receive is specified. This permits greater flexibility to the FAL users in standardizing such object behavior. In addition to these services, some supporting services are also defined in this document to provide access to the FAL to control certain aspects of its operation.

### 1.2 Specification

The principal objective of this document is to specify the syntax and behavior of the application layer protocol that conveys the application layer services defined in IEC 61158-5-25. A secondary objective is to provide migration paths from previously-existing industrial communications protocols. It is this latter objective which gives rise to the diversity of protocols standardized in subparts of IEC 61158-6.

### 1.3 Conformance

This document does not specify individual implementations or products, nor does it constrain the implementations of application layer entities within industrial automation systems.

There is no conformance of equipment to the application layer service definition standard. Instead, conformance is achieved through implementation of this application layer protocol specification.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE All parts of the IEC 61158 series, as well as IEC 61784-1 and IEC 61784-2 are maintained simultaneously. Cross-references to these documents within the text therefore refer to the editions as dated in this list of normative references.

IEC 61158-3-25:2019, Industrial communication networks – Fieldbus specifications – Part 3-25: Data-link layer service definition – Type 25 elements

IEC 61158-5-25:2019, Industrial communication networks – Fieldbus specifications – Part 5-25: Application layer service definition – Type 25 elements

ISO/IEC 7498-1, Information technology – Open Systems Interconnection – Basic Reference Model: The Basic Model

ISO/IEC 8822, Information technology – Open Systems Interconnection – Presentation service definition

ISO/IEC 9545, Information technology – Open Systems Interconnection – Application Layer structure

ISO/IEC 8824-1, Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation

ISO/IEC/IEEE 8802-3, Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements – Part 3: Standard for Ethernet

IEEE Std 802.1D, IEEE Standard for Local and metropolitan area networks – Media access Control (MAC) Bridges; available at http://www.ieee.org [viewed 2018-09-17]

- 12 - IEC 61158-6-25:2019 © IEC 2019

IEEE Std 802.1Q, *IEEE Standard for Local and metropolitan area networks – Bridges and Bridged Networks*; available at http://www.ieee.org [viewed 2018-09-17]

IETF RFC 768, User Datagram Protocol; available at http://www.ietf.org> [viewed 2018-09-17]

IETF RFC 791, Internet Protocol; available at http://www.ietf.org> [viewed 2018-09-17]

koniec náhľadu – text ďalej pokračuje v platenej verzii STN