

STN	Vysokonapäťové spínacie a riadiace zariadenia Časť 214: Klasifikácia vnútorného oblúka spínacích a riadiacich zariadení v kovovom kryte inštalovaných na stípe a určených na menovité napäťa nad 1 kV až do 52 kV vrátane	STN EN IEC 62271-214
		35 4220

High-voltage switchgear and controlgear - Part 214: Internal arc classification for metal-enclosed pole-mounted switchgear and controlgear for rated voltages above 1 kV and up to and including 52 kV

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 01/20

Obsahuje: EN IEC 62271-214:2019, IEC 62271-214:2019

130205

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN IEC 62271-214

September 2019

ICS 29.130.10

English Version

**High-voltage switchgear and controlgear - Part 214: Internal arc classification for metal-enclosed pole-mounted switchgear and controlgear for rated voltages above 1 kV and up to and including 52 kV
(IEC 62271-214:2019)**

Appareillage à haute tension - Partie 214: Classification arc interne des appareillages sous enveloppe métallique de tensions assignées supérieures à 1 kV et inférieures ou égales à 52 kV montés sur poteau
(IEC 62271-214:2019)

Hochspannungs-Schaltgeräte und -Schaltanlagen - Teil 214: Störlichtbogenklassifikation für metallgekapselte, mastmontierte Schaltanlagen für Bemessungsspannungen über 1 kV bis einschließlich 52 kV
(IEC 62271-214:2019)

This European Standard was approved by CENELEC on 2019-07-25. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 62271-214:2019 (E)**European foreword**

The text of document 17C/706/FDIS, future edition 1 of IEC 62271-214, prepared by SC 17C "Assemblies" of IEC/TC 17 "High-voltage switchgear and controlgear" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62271-214:2019.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2020-04-25
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2022-07-25

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62271-214:2019 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60060-1:2010	NOTE	Harmonized as EN 60060-1:2010 (not modified)
IEC 60529:1989	NOTE	Harmonized as EN 60529:1991 (not modified)
IEC 60909-0:2016	NOTE	Harmonized as EN 60909-0:2016 (not modified)
IEC 60243-1:2013	NOTE	Harmonized as EN 60243-1:2013 (not modified)
IEC 62271-100	NOTE	Harmonized as EN 62271-100
IEC 62271-102	NOTE	Harmonized as EN IEC 62271-102
IEC 62271-103	NOTE	Harmonized as EN 62271-103
IEC 62271-203:2013	NOTE	Harmonized as EN 62271-203:2013 (not modified)
IEC/TR 62271-307	NOTE	Harmonized as CLC IEC/TR 62271-307
IEC 60038:2009	NOTE	Harmonized as EN 60038:2011
IEC 60059:1999	NOTE	Harmonized as EN 60059:1999 (not modified)

Annex ZA
(normative)**Normative references to international publications
with their corresponding European publications**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050-151	2001	International Electrotechnical Vocabulary - Part - 151: Electrical and magnetic devices	-	-
IEC 60050-441	1984	International Electrotechnical Vocabulary. - Switchgear, controlgear and fuses	-	-
IEC 62271-1	2017	High-voltage switchgear and controlgear - Part 1: EN 62271-1 Common specifications for alternating current switchgear and controlgear	2017	2017



IEC 62271-214

Edition 1.0 2019-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**High-voltage switchgear and controlgear –
Part 214: Internal arc classification for metal-enclosed pole-mounted switchgear
and controlgear for rated voltages above 1 kV and up to and including 52 kV**

**Appareillage à haute tension –
Partie 214: Classification arc interne des appareillages sous enveloppe
métallique de tensions assignées supérieures à 1 kV et inférieures ou égales à
52 kV montés sur poteau**





THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
 3, rue de Varembé
 CH-1211 Geneva 20
 Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.



INTERNATIONAL STANDARD

NORME INTERNATIONALE

**High-voltage switchgear and controlgear –
Part 214: Internal arc classification for metal-enclosed pole-mounted switchgear
and controlgear for rated voltages above 1 kV and up to and including 52 kV**

**Appareillage à haute tension –
Partie 214: Classification arc interne des appareillages sous enveloppe
métallique de tensions assignées supérieures à 1 kV et inférieures ou égales à
52 kV montés sur poteau**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	4
INTRODUCTION	6
1 Scope	7
2 Normative references	7
3 Terms and definitions	7
3.1 General terms and definitions	8
4 Normal and special service conditions	10
4.1 General	10
5 Ratings	10
5.1 General	10
5.2 Rated voltage (U_r)	10
5.2.1 General	10
5.3 Rated insulation level (U_d , U_p , U_s)	10
5.4 Rated frequency (f_r)	10
5.101 Ratings of the internal arc classification (IAC)	10
5.101.1 General	10
5.101.2 Rated approach distance (D_{AP})	10
5.101.3 Rated arc fault currents (I_A , I_{Ae})	11
5.101.4 Rated arc fault duration (t_A , t_{Ae})	11
6 Design and construction	11
6.11 Nameplate	11
6.11.1 General	11
6.101 Internal arc fault	12
6.102 Enclosure	12
7 Type tests	13
7.1 General	13
7.1.1 Basics	13
7.1.2 Information for identification of test object	13
7.1.3 Information to be included in type-test reports	14
7.101 Internal arc type test	14
7.101.1 General	14
7.101.2 Test conditions	15
7.101.3 Arrangement of the equipment	15
7.101.4 Indicators (for assessing the thermal effects of the gases)	17
7.101.5 Arrangement of indicators	17
7.101.6 Test parameters	17
7.101.7 Test procedure	19
7.101.8 Criteria to pass the test	23
7.101.9 Transferability of the test results	23
8 Routine tests	24
9 Guide to the selection of switchgear and controlgear	24
9.1 General	24
9.101 Internal arc fault	24
9.101.1 General	24
9.101.2 Causes and preventive measures	24
9.101.3 Supplementary protective measures	25

9.101.4 Considerations for the selection and installation	26
9.101.5 Internal arc test	26
9.101.6 IAC designation	26
10 Information to be given with enquiries, tenders and orders (informative)	27
10.1 General.....	27
11 Transport, storage, installation, operation instruction and maintenance	27
11.1 General.....	27
11.2 Conditions during transport, storage and installation	27
11.3 Installation	28
11.3.1 General	28
11.101 Maintenance	28
11.101.1 General	28
12 Safety.....	28
12.1 General.....	28
13 Influence of the product on the environment	28
Annex A (normative) Identification of the test objects	29
A.1 General.....	29
A.2 Data.....	29
A.3 Drawings.....	29
Bibliography.....	30
 Figure 1 – Examples of enclosures and compartment(s) in different arrangements	13
Figure 2 –Test arrangement for pole-mounted switchgear and controlgear.....	16
Figure 3 – Horizontal indicator	17
Figure 4 – Flow-chart for the choice of arc initiation depending on the construction	21
 Table 1 – Nameplate information	12
Table 2 – Parameters for internal fault test according to enclosure and compartment construction	20
Table 3 – Locations, causes and examples of measures to decrease the probability of internal arc faults	25
Table 4 – Single phase-to-earth arc fault current depending on the network neutral earthing	27

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HIGH-VOLTAGE SWITCHGEAR AND CONTROLGEAR –**Part 214: Internal arc classification for metal-enclosed pole-mounted switchgear and controlgear for rated voltages above 1 kV and up to and including 52 kV****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62271-214 has been prepared by subcommittee 17C Assemblies, of IEC technical committee 17: Switchgear and controlgear.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
17C/706/FDIS	17C/710/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

This standard shall be read in conjunction with IEC 62271-1, second edition, published in 2017, to which it refers and which is applicable unless otherwise specified in this standard. In order to simplify the indication of corresponding requirements, the same numbering of clauses and subclauses is used as in IEC 62271-1. Amendments to these clauses and subclauses are given under the same references whilst additional subclauses are numbered from 101. Any clause with the term "Not Applicable" relates to the clause not being relevant to IEC 62271-214 and does not infer the clause is or is not relevant for its applicable switchgear standard.

A list of all parts of the IEC 62271 series, published under the general title *High-voltage switchgear and controlgear*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

IEC 62271-214 has been developed due to the requirement to remove IAC Type C designated pole mounted switchgear from IEC 62271-200. Only enclosed terminal equipment is to be considered within IEC 62271-200. For this reason, IEC 62271-214 is to be considered independent of IEC 62271-200, however it is still related to other product standards of the IEC 62271 series.

Only open terminal pole mounted switchgear has been considered within this document.

This equipment relates to operation in three-phase, two-phase and single-phase systems.

HIGH-VOLTAGE SWITCHGEAR AND CONTROLGEAR –

Part 214: Internal arc classification for metal-enclosed pole-mounted switchgear and controlgear for rated voltages above 1 kV and up to and including 52 kV

1 Scope

This part of IEC 62271 specifies requirements for internal arc classification of metal-enclosed pole-mounted switchgear installations used for alternating current with rated voltages above 1 kV and up to and including 52 kV with service frequencies up to and including 60 Hz. This document is applicable to three-phase, two-phase and single phase equipment. Enclosures may include fixed and removable components and may be filled with fluid (liquid or gas) to provide insulation.

NOTE For the use of this document high-voltage (IEC 60050-601:1985, 601-01-27) is the rated voltage above 1 000 V. However, medium voltage (IEC 60050-601:1985, 601-01-28) is commonly used for distribution systems with voltages above 1 kV and generally applied up to and including 52 kV; refer to [1] of the Bibliography.

This document does not preclude that other equipment may be included in the same enclosure. In such a case, any possible influence of that equipment on the switchgear and controlgear is to be taken into account.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-151:2001, *International Electrotechnical Vocabulary – Part 151: Electrical and magnetic devices*

IEC 60050-441:1984, *International Electrotechnical Vocabulary – Part 441: Switchgear, controlgear and fuses*

IEC 62271-1:2017, *High-voltage switchgear and controlgear – Part 1: Common specifications for alternating current switchgear and controlgear*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN