STN	Meranie prietoku tekutín v uzavretých potrubiach Návod na používanie indukčných prietokomerov pre vodivé kvapaliny (ISO 20456: 2017)	STN EN ISO 20456
		25 7718

Measurement of fluid flow in closed conduits - Guidance for the use of electromagnetic flowmeters for conductive liquids (ISO 20456:2017)

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 03/20

Obsahuje: EN ISO 20456:2019, ISO 20456:2017

Oznámením tejto normy sa ruší STN EN 29104 (25 7726) z októbra 2001

STN EN ISO 6817 (25 7717) z novembra 2001

### EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

### **EN ISO 20456**

October 2019

ICS 17.120.10

Supersedes EN 29104:1993, EN ISO 6817:1995

### **English Version**

## Measurement of fluid flow in closed conduits - Guidance for the use of electromagnetic flowmeters for conductive liquids (ISO 20456:2017)

Mesurage du débit des fluides dans les conduites fermées - Lignes directrices pour l'utilisation des débitmètres électromagnétiques dans les liquides conducteurs (ISO 20456:2017) Messung des Durchflusses in geschlossenen Leitungen - Richtlinie für den Einsatz von elektromagnetischen Durchflussmessgeräten für konduktive Fluide (ISO 20456:2017)

This European Standard was approved by CEN on 26 August 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

### EN ISO 20456:2019 (E)

Contents	Page
European foreword	

### **European foreword**

The text of ISO 20456:2017 has been prepared by Technical Committee ISO/TC 30 "Measurement of fluid flow in closed conduits" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 20456:2019 by CCMC.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2020, and conflicting national standards shall be withdrawn at the latest by April 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 29104:1993 and EN ISO 6817:1995.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

### **Endorsement notice**

The text of ISO 20456:2017 has been approved by CEN as EN ISO 20456:2019 without any modification.

### INTERNATIONAL STANDARD

ISO 20456

First edition 2017-09

# Measurement of fluid flow in closed conduits — Guidance for the use of electromagnetic flowmeters for conductive liquids

Mesurage du débit des fluides dans les conduites fermées — Lignes directrices pour l'utilisation des débitmètres électromagnétiques dans les liquides conducteurs



ISO 20456:2017(E)



### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Post	Con	tents		Page	
1	Forew	vord		iv	
2	Intro	duction		<b>v</b>	
3   Terms and definitions   1	1	Scope		1	
Symbols	2	Norm	ative references	1	
Symbols	3	Term	s and definitions	1	
Theory and basic formulae         4           6         Construction and principle of operation         4           6.1         General         4           6.2         Sensor         5           6.3         Transmitter         7           6.3.1         General         7           6.3.2         Alternating magnetic field in the measuring system         7           6.3.3         Measuring system with applied plosed DC excitation (simplified model)         8           6.3.4         Measuring system with applied AC excitation (simplified model)         8           6.4         Flowmeter/Transmitter output         9           7.1         Sensor         9           7.1.1         Sensor         9           7.1.2         Transmitter         10           8.1         Sensor         9           7.1.1         Sensor         9           7.1.2         Transmitter         10           8.1         Sensor         10           8.1.1         Sensor mounting         10           8.1.2         Mounting conditions         11           8.1.4         Electrical connections         13           8.1.5	_				
6.1   Conest	_	•			
6.1 General 4 6.2 Sensor 5 6.3 Transmitter 7 6.3.1 General 7 6.3.2 Alternating magnetic field in the measuring system 7 6.3.3 Measuring system with applied pulsed DC excitation (simplified model) 7 6.3.4 Measuring system with applied pulsed DC excitation (simplified model) 7 6.3.4 Measuring system with applied AC excitation (simplified model) 8 6.4 Flowmeter/Transmitter output 9 7 Equipment marking 9 7.1 Recommended data 9 7.1.1 Sensor 9 7.1.2 Transmitter 10 8 Installation design and practice 10 8.1 Sensor 9 8.1.1 Sizing 10 8.1.2 Mounting conditions 11 8.1.3 Potential equalization — General requirements 12 8.1.4 Electrical connections 11 8.1.5 Sensor mounting 13 8.1.6 Installation dimensions for flanged connections 14 8.2 Transmitter location 15 8.3 Operational considerations 16 8.3.1 General 16 8.3.2 Effect of the liquid conductivity 16 8.3.3 Reynolds number effect 16 8.3.4 Velocity profile effect 16 8.3.4 Velocity profile effect 16 9.1 Flowmeter calibration, validation, and verification 16 9.2 Flowmeter calibration, validation, and verification 16 9.1 Flowmeter calibration, validation, and verification 16 10 Evaluation of flowmeter performance 17 10.1 General 17 10.2 Applications within the scope of other standards 17 11 Uncertainty analysis 17 Annex A (informative) Materials for construction of sensors 19 Annex B (informative) Practical considerations for measuring system with AC and DC excitation 22 Annex C (informative) Conversion of nominal diameters from metric to US units 24 Annex E (informative) Conversion of nominal diameters from metric to US units 24 Annex E (informative) Manufacturers' accuracy specifications 25					
6.2       Sensor       5         6.3       Transmitter       7         6.3.1       General       7         6.3.2       Alternating magnetic field in the measuring system       7         6.3.3       Measuring system with applied pulsed DC excitation (simplified model)       7         6.4       Flowmeter/Transmitter output       9         7       Equipment marking       9         7.1       Recommended data       9         7.1.1       Sensor       9         7.1.2       Transmitter       10         8       Installation design and practice       10         8.1       Sensor       10         8.1.1       Sizing       10         8.1.2       Mounting conditions       11         8.1.3       Potential equalization — General requirements       12         8.1.4       Electrical connections       13         8.1.5       Sensor mounting       13         8.1.6       Installation dimensions for flanged connections       14         8.2       Transmitter location       15         8.3       Operational considerations       16         8.3.1       General       16         8.3.2       Effec	0	6.1 General			
6.3.1   General					
6.3.2   Alternating magnetic field in the measuring system		6.3	Transmitter	7	
6.3.3   Measuring system with applied pulsed DC excitation (simplified model)					
6.4   Flowmeter/Transmitter output   9					
Flowmeter / Transmitter output.   9     7					
7       Equipment marking       9         7.1       Recommended data       9         7.1.1       Sensor       9         7.1.2       Transmitter       10         8       Installation design and practice       10         8.1       Sensor       10         8.1.1       Sizing       10         8.1.2       Mounting conditions       11         8.1.3       Potential equalization — General requirements       12         8.1.4       Electrical connections       13         8.1.5       Sensor mounting       13         8.1.6       Installation dimensions for flanged connections       14         8.2       Transmitter location       15         8.3       Operational considerationss       16         8.3.1       General       16         8.3.2       Effect of the liquid conductivity       16         8.3.3       Reynolds number effect       16         8.3.4       Velocity profile effect       16         8.3.4       Velocity profile effect       16         8.3.4       Velocity profile effect       16         9.1       Flowmeter calibration, validation, and verification       16         9.2		<i>C</i> 1			
7.1       Recommended data       9         7.1.1       Sensor       9         7.1.2       Transmitter       10         8       Installation design and practice       10         8.1       Sensor       10         8.1.1       Sizing       10         8.1.2       Mounting conditions       11         8.1.3       Potential equalization — General requirements       12         8.1.4       Electrical connections       13         8.1.5       Sensor mounting       13         8.1.6       Installation dimensions for flanged connections       14         8.2       Transmitter location       15         8.3       Operational considerations       16         8.3.1       General       16         8.3.2       Effect of the liquid conductivity       16         8.3.3       Reynolds number effect       16         8.3.4       Velocity profile effect       16         9.1       Flowmeter calibration, validation, and verification       16         9.2       Flowmeter verification (in-situ electronic verification)       16         9.1       Flowmeter verification (in-situ electronic verification)       16         9.2       Flowmeter verific			•		
7.1.1       Sensor.       9         8       Installation design and practice       10         8.1       Sensor.       10         8.1.1       Sizing.       10         8.1.2       Mounting conditions.       11         8.1.3       Potential equalization—General requirements       12         8.1.4       Electrical connections       13         8.1.5       Sensor mounting       13         8.1.6       Installation dimensions for flanged connections       14         8.2       Transmitter location       15         8.3       Operational considerations       16         8.3.1       General       16         8.3.2       Effect of the liquid conductivity       16         8.3.3       Reynolds number effect       16         8.3.4       Velocity profile effect       16         9.1       Flowmeter calibration, validation, and verification       16         9.1       Flowmeter calibration, validation, and verification       16         9.2       Flowmeter verification (in-situ electronic verification)       16         9.1       Flowmeter performance       17         10.1       General       17         10.2       Applications withi	7 E				
7.1.2   Transmitter		7.1			
Installation design and practice       10         8.1       Sensor       10         8.1.1       Sizing       10         8.1.2       Mounting conditions       11         8.1.3       Potential equalization — General requirements       12         8.1.4       Electrical connections       13         8.1.5       Sensor mounting       13         8.1.6       Installation dimensions for flanged connections       14         8.2       Transmitter location       15         8.3       Operational considerations       16         8.3.1       General       16         8.3.2       Effect of the liquid conductivity       16         8.3.3       Reynolds number effect       16         8.3.4       Velocity profile effect       16         9.1       Flowmeter calibration, validation, and verification       16         9.1       Flowmeter verification (in-situ electronic verification)       16         9.2       Flowmeter verification (in-situ electronic verification)       16         10       Evaluation of flowmeter performance       17         10.1       General       17         10.2       Applications within the scope of other standards       17					
8.1       Sensor       10         8.1.1       Sizing       10         8.1.2       Mounting conditions       11         8.1.3       Potential equalization — General requirements       12         8.1.4       Electrical connections       13         8.1.5       Sensor mounting       13         8.1.6       Installation dimensions for flanged connections       14         8.2       Transmitter location       15         8.3       Operational considerations       16         8.3.1       General       16         8.3.2       Effect of the liquid conductivity       16         8.3.3       Reynolds number effect       16         8.3.4       Velocity profile effect       16         9.1       Flowmeter calibration, validation, and verification       16         9.1       Flowmeter calibration (in-situ electronic verification)       16         9.2       Flowmeter verification (in-situ electronic verification)       16         10       Evaluation of flowmeter performance       17         10.2       Applications within the scope of other standards       17         10.2       Applications within the scope of other standards       17         11       Uncertainty analysis <td></td> <td></td> <td></td> <td></td>					
8.1.1       Sizing       10         8.1.2       Mounting conditions       11         8.1.3       Potential equalization — General requirements       12         8.1.4       Electrical connections       13         8.1.5       Sensor mounting       13         8.1.6       Installation dimensions for flanged connections       14         8.2       Transmitter location       15         8.3       Operational considerations       16         8.3.1       General       16         8.3.2       Effect of the liquid conductivity       16         8.3.3       Reynolds number effect       16         8.3.4       Velocity profile effect       16         9.1       Flowmeter calibration, validation, and verification       16         9.1       Flowmeter calibration, validation, and verification       16         9.1       Flowmeter verification (in-situ electronic verification)       16         9.2       Flowmeter verification (in-situ electronic verification)       16         10       Evaluation of flowmeter performance       17         10.1       General       17         10.2       Applications within the scope of other standards       17         11       Uncertainty analysi	8	Instal			
8.1.2 Mounting conditions		8.1			
8.1.3 Potential equalization — General requirements					
8.1.4 Electrical connections		8.1.3 8.1.4 8.1.5			
8.1.5 Sensor mounting 13 8.1.6 Installation dimensions for flanged connections 14 8.2 Transmitter location 15 8.3 Operational considerations 16 8.3.1 General 16 8.3.2 Effect of the liquid conductivity 16 8.3.3 Reynolds number effect 16 8.3.4 Velocity profile effect 16 9.1 Flowmeter calibration, validation, and verification 16 9.2 Flowmeter verification (in-situ electronic verification) 16 9.2 Flowmeter verification (in-situ electronic verification) 16 10 Evaluation of flowmeter performance 17 10.1 General 17 10.2 Applications within the scope of other standards 17  11 Uncertainty analysis 17  Annex A (informative) Materials for construction of sensors 19  Annex B (informative) Practical considerations for measuring system with AC and DC excitation 22  Annex C (informative) Cathodic protection 23  Annex D (informative) Conversion of nominal diameters from metric to US units 24  Annex E (informative) Manufacturers' accuracy specifications 25					
8.1.6 Installation dimensions for flanged connections					
8.2 Transmitter location					
8.3 Operational considerations 16 8.3.1 General 16 8.3.2 Effect of the liquid conductivity 16 8.3.3 Reynolds number effect 16 8.3.4 Velocity profile effect 16 9 Flowmeter calibration, validation, and verification 16 9.1 Flowmeter calibration 16 9.2 Flowmeter verification (in-situ electronic verification) 16 10 Evaluation of flowmeter performance 17 10.1 General 17 10.2 Applications within the scope of other standards 17 11 Uncertainty analysis 17 11 Uncertainty analysis 17 Annex A (informative) Materials for construction of sensors 19 Annex B (informative) Practical considerations for measuring system with AC and DC excitation 22 Annex C (informative) Cathodic protection 23 Annex D (informative) Manufacturers' accuracy specifications 25		8.2	· · · · · · · · · · · · · · · · · · ·		
8.3.1 General 16 8.3.2 Effect of the liquid conductivity 16 8.3.3 Reynolds number effect 16 8.3.4 Velocity profile effect 16 9 Flowmeter calibration, validation, and verification 16 9.1 Flowmeter calibration 16 9.2 Flowmeter verification (in-situ electronic verification) 16 10 Evaluation of flowmeter performance 17 10.1 General 17 10.2 Applications within the scope of other standards 17 11 Uncertainty analysis 17 Annex A (informative) Materials for construction of sensors 19 Annex B (informative) Practical considerations for measuring system with AC and DC excitation 22 Annex C (informative) Cathodic protection 23 Annex D (informative) Conversion of nominal diameters from metric to US units 24 Annex E (informative) Manufacturers' accuracy specifications 25					
8.3.3 Reynolds number effect 16 8.3.4 Velocity profile effect 16  9 Flowmeter calibration, validation, and verification 16 9.1 Flowmeter calibration 16 9.2 Flowmeter verification (in-situ electronic verification) 16 10 Evaluation of flowmeter performance 17 10.1 General 17 10.2 Applications within the scope of other standards 17  11 Uncertainty analysis 17  Annex A (informative) Materials for construction of sensors 19  Annex B (informative) Practical considerations for measuring system with AC and DC excitation 22  Annex D (informative) Conversion of nominal diameters from metric to US units 24  Annex E (informative) Manufacturers' accuracy specifications 25			8.3.1 General	16	
8.3.4 Velocity profile effect 16  9 Flowmeter calibration, validation, and verification 16 9.1 Flowmeter calibration 16 9.2 Flowmeter verification (in-situ electronic verification) 16  10 Evaluation of flowmeter performance 17 10.1 General 17 10.2 Applications within the scope of other standards 17  11 Uncertainty analysis 17  Annex A (informative) Materials for construction of sensors 19  Annex B (informative) Practical considerations for measuring system with AC and DC excitation 22  Annex C (informative) Cathodic protection 23  Annex D (informative) Conversion of nominal diameters from metric to US units 24  Annex E (informative) Manufacturers' accuracy specifications 25			1		
9Flowmeter calibration, validation, and verification169.1Flowmeter calibration169.2Flowmeter verification (in-situ electronic verification)1610Evaluation of flowmeter performance1710.1General1710.2Applications within the scope of other standards1711Uncertainty analysis17Annex A (informative) Materials for construction of sensors19Annex B (informative) Practical considerations for measuring system with AC and DC excitation22Annex C (informative) Cathodic protection23Annex D (informative) Conversion of nominal diameters from metric to US units24Annex E (informative) Manufacturers' accuracy specifications25			S .		
9.1 Flowmeter calibration 16 9.2 Flowmeter verification (in-situ electronic verification) 16  10 Evaluation of flowmeter performance 17 10.1 General 17 10.2 Applications within the scope of other standards 17  11 Uncertainty analysis 17  Annex A (informative) Materials for construction of sensors 19  Annex B (informative) Practical considerations for measuring system with AC and DC excitation 22  Annex C (informative) Cathodic protection 23  Annex D (informative) Conversion of nominal diameters from metric to US units 24  Annex E (informative) Manufacturers' accuracy specifications 25			8.3.4 Velocity profile effect	16	
9.2 Flowmeter verification (in-situ electronic verification) 16  10 Evaluation of flowmeter performance 17 10.1 General 17 10.2 Applications within the scope of other standards 17  11 Uncertainty analysis 17  Annex A (informative) Materials for construction of sensors 19  Annex B (informative) Practical considerations for measuring system with AC and DC excitation 22  Annex C (informative) Cathodic protection 23  Annex D (informative) Conversion of nominal diameters from metric to US units 24  Annex E (informative) Manufacturers' accuracy specifications 25	9	Flowmeter calibration, validation, and verification			
10 Evaluation of flowmeter performance 17 10.1 General 17 10.2 Applications within the scope of other standards 17 17 10.2 Applications within the scope of other standards 17 17 Uncertainty analysis 17 Annex A (informative) Materials for construction of sensors 19 Annex B (informative) Practical considerations for measuring system with AC and DC excitation 22 Annex C (informative) Cathodic protection 23 Annex D (informative) Conversion of nominal diameters from metric to US units 24 Annex E (informative) Manufacturers' accuracy specifications 25					
10.1 General 17 10.2 Applications within the scope of other standards 17  11 Uncertainty analysis 17  Annex A (informative) Materials for construction of sensors 19  Annex B (informative) Practical considerations for measuring system with AC and DC excitation22  Annex C (informative) Cathodic protection 23  Annex D (informative) Conversion of nominal diameters from metric to US units 24  Annex E (informative) Manufacturers' accuracy specifications 25		9.2	Flowmeter verification ( <i>in-situ</i> electronic verification)	16	
10.1 General 17 10.2 Applications within the scope of other standards 17  11 Uncertainty analysis 17  Annex A (informative) Materials for construction of sensors 19  Annex B (informative) Practical considerations for measuring system with AC and DC excitation22  Annex C (informative) Cathodic protection 23  Annex D (informative) Conversion of nominal diameters from metric to US units 24  Annex E (informative) Manufacturers' accuracy specifications 25	10	Evaluation of flowmeter performance			
11 Uncertainty analysis			General	17	
Annex A (informative) Materials for construction of sensors		10.2 Applications within the scope of other standards		17	
Annex B (informative) Practical considerations for measuring system with AC and DC excitation 22  Annex C (informative) Cathodic protection 23  Annex D (informative) Conversion of nominal diameters from metric to US units 24  Annex E (informative) Manufacturers' accuracy specifications 25	11	Uncer	tainty analysis	17	
Annex B (informative) Practical considerations for measuring system with AC and DC excitation 22  Annex C (informative) Cathodic protection 23  Annex D (informative) Conversion of nominal diameters from metric to US units 24  Annex E (informative) Manufacturers' accuracy specifications 25	Anne	<b>x A</b> (info	ormative) Materials for construction of sensors	19	
Annex C (informative) Cathodic protection 23  Annex D (informative) Conversion of nominal diameters from metric to US units 24  Annex E (informative) Manufacturers' accuracy specifications 25					
Annex D (informative) Conversion of nominal diameters from metric to US units		-			
Annex E (informative) Manufacturers' accuracy specifications 25					
		•			

### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 30, *Measurement of fluid flow in closed conduits*, Subcommittee SC 5, *Velocity and mass methods*.

This first edition of ISO 20456 cancels and replaces ISO 6817:1992, ISO 9104:1991 and ISO 13359:1998, which has been technically revised.

### Introduction

<u>Clauses 3</u> to 7 cover the definitions, symbols and basic theory of electromagnetic flowmeters. This document does not cover insertion type meters, partially filled meters or meters for non-conductive and highly conductive fluids.

<u>Clause 8</u> covers installation types and practice, the different types of meter construction, transmitters, lay lengths and sizing, in order to achieve the best performance of the electromagnetic flowmeter in the field.

<u>Clauses 9</u> to <u>11</u> cover some methods of calibration, verification, evaluation, and uncertainty analysis, which can be useful for users or independent testing establishments to verify manufacturer's relative performance and to demonstrate suitability of application

The tests specified in this document are not necessarily sufficient for instruments specifically designed for unusually difficult duties. Conversely, a restricted series of tests may be suitable for instruments designed to perform within a limited range of conditions.

This document is for users and manufacturers.

# Measurement of fluid flow in closed conduits — Guidance for the use of electromagnetic flowmeters for conductive liquids

### 1 Scope

This document applies to industrial electromagnetic flowmeters used for the measurement of flowrate of a conductive liquid in a closed conduit running full. It covers flowmeter types utilizing both alternating current (AC) and pulsed direct current (DC) circuits to drive the field coils and meters running from a mains power supply and those operating from batteries or other sources of power.

This document is not applicable to insertion-type flowmeters or electromagnetic flowmeters designed to work in open channels or pipes running partially full, nor does it apply to the measurement of magnetically permeable slurries or liquid metal applications.

This document does not specify safety requirements in relation to hazardous environmental usage of the flowmeter.

#### 2 Normative references

There are no normative references in this document.

koniec náhľadu – text ďalej pokračuje v platenej verzii STN