

STN	Asfaltové zmesi Skúšobné metódy Časť 54: Dozrievanie skúšobných telies zmesí s asfaltovou emulziou pred skúškou	STN EN 12697-54 73 6160
------------	--	---

Bituminous mixtures - Test methods - Part 54: Curing of specimen for test of mixtures with bitumen emulsion

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 02/20

Obsahuje: EN 12697-54:2019

130394

EUROPEAN STANDARD

EN 12697-54

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2019

ICS 93.080.20

English Version

Bituminous mixtures - Test methods - Part 54: Curing of specimen for test of mixtures with bitumen emulsion

Mélanges bitumineux - Méthodes d'essai - Partie 54:
Mûrissement d'éprouvettes d'essai pour enrobés à
l'émulsion de bitume

Asphalt - Prüfverfahren - Teil 54: Reifung von
Probekörpern aus emulsionsgebundenem Mischgut

This European Standard was approved by CEN on 17 June 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN 12697-54:2019 (E)

Contents	Page
European foreword	3
1 Scope	4
2 Normative references	4
3 Terms and definitions	4
4 Principle	5
5 Apparatus	5
5.1 Climatic chamber or ventilated oven	5
5.2 Perforated boxes	5
6 Curing nomenclature	6
6.1 General	6
6.2 Protocols	7
7 Procedure	8
7.1 General	8
7.2 Uncompacted mixtures	8
7.3 Compacted specimen	8
7.3.1 Unconfined specimens	8
7.3.2 Confined specimens	8
8 Test report	9
Annex A (informative) Sampling and preparation of samples	10
Annex B (informative) European experiences	12
Bibliography	15

European foreword

This document (EN 12697-54:2019) has been prepared by Technical Committee CEN/TC 227 “Road materials”, the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2020, and conflicting national standards shall be withdrawn at the latest by March 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

A list of all parts in the EN 12697 series can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Republic of North Macedonia, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

EN 12697-54:2019 (E)**1 Scope**

This document describes a series of accelerated protocols for curing of bituminous mixtures with bitumen emulsion in order to assess their properties.

The protocols are to be selected according to the type of mixture, the type of specimen, the test to be carried out and the conditions of the place of use.

This document applies to mixtures, specimens and cores, prepared in the laboratory and/or taken from the worksite.

The laboratory curing procedure is designed for bituminous mixtures containing bitumen emulsions, but it could also be used for other types of asphalt mixture that require curing in order to reach their potential strength.

2 Normative references

There are no normative references in this document.

koniec náhľadu – text ďalej pokračuje v platenej verzii STN