STN

Ropný a plynárenský priemysel Špecifické požiadavky na príbrežné konštrukcie Časť 9: Manažérstvo integrity konštrukcie (ISO 19901-9: 2019)

STN EN ISO 19901-9

45 0932

Petroleum and natural gas industries - Specific requirements for offshore structures - Part 9: Structural integrity management (ISO 19901-9:2019)

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 03/20

Obsahuje: EN ISO 19901-9:2019, ISO 19901-9:2019

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 19901-9

September 2019

ICS 75.180.10

English Version

Petroleum and natural gas industries - Specific requirements for offshore structures - Part 9: Structural integrity management (ISO 19901-9:2019)

Industries du pétrole et du gaz naturel - Exigences spécifiques relatives aux structures en mer - Partie 9: Gestion de l'intégrité structurelle (ISO 19901-9:2019)

Erdöl- und Erdgasindustrie - Spezielle Anforderungen für Offshore-Anlagen - Teil 9: Integritätsmanagement für Konstruktionen (ISO 19901-9:2019)

This European Standard was approved by CEN on 8 June 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	2

European foreword

This document (EN ISO 19901-9:2019) has been prepared by Technical Committee ISO/TC 67 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" in collaboration with Technical Committee CEN/TC 12 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2020, and conflicting national standards shall be withdrawn at the latest by March 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 19901-9:2019 has been approved by CEN as EN ISO 19901-9:2019 without any modification.

INTERNATIONAL STANDARD

ISO 19901-9

First edition 2019-07

Petroleum and natural gas industries — Specific requirements for offshore structures —

Part 9: **Structural integrity management**

Industries du pétrole et du gaz naturel — Exigences spécifiques relatives aux structures en mer —

Partie 9: Gestion de l'intégrité structurelle





COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents			
Fore	eword		vi
Intr	oductio	n	vii
1		e	
	-	native references	
2			
3	Term	s and definitions	2
4	Symb	ools	4
5	Abbr	eviated terms	5
6	SIM f	undamentals	6
	6.1	General	6
	6.2	Limit states and performance levels	
	6.3	Fitness-for-service assessment	
	6.4	Management framework	
	6.5	Design	
	6.6 6.7	Topsides	
	6.8	Structural integrity interfaces	
7		process	
	-		
8	8.1	lata General	
	8.2	Missing data	
	8.3	Data management	
9			
9	9.1	evaluation General	
	9.2	Data evaluation	
	9.3	Hazards, hazardous events and degradation mechanisms	
	9.4	Critical structure (CS)	
	9.5	Risk	
		9.5.1 General	
		9.5.2 Consequence	
		9.5.3 Likelihood	
	9.6	9.5.4 Risk presentation Demonstrating fitness-for-service	
	9.0	Assessment	
	<i>7.7</i>	9.7.1 General	
		9.7.2 Assessment motive	
		9.7.3 Assessment initiators	15
	9.8	Mitigation measures	
		9.8.1 General	
		9.8.2 Consequence reduction	
		9.8.3 Likelihood reduction	
10		strategy	
	10.1	General	
	10.2	Inspection strategy 10.2.1 General	
		10.2.2 Inspection motives	
		10.2.3 Inspection type	
		10.2.4 Inspection method	
		10.2.5 Inspection interval	
		10.2.6 Inspection scope	
		10.2.7 Pre-selected inspection areas	2.0

	10.3	Maintenance strategy	21
	10.4	Monitoring strategy	21
		10.4.1 General	21
		10.4.2 Weight and centre of gravity (CoG) monitoring	
		10.4.3 Deck elevation monitoring	
		10.4.4 Natural frequency monitoring	
		10.4.5 Corrosion protection monitoring	
		10.4.6 Metocean monitoring	22
	10.5	Evacuation strategy	
	10.6	Marine site investigations	23
11	SIM F	Program	23
	11.1	General	
	11.2	Inspection program	
		11.2.1 General	
		11.2.2 Specifications	23
		11.2.3 Inspection method	
	11.3	Maintenance program	25
	11.4	Monitoring program	
12	Asses	ssment	26
	12.1	General	
	12.2	Assessment information	
	12.3	Assessment method	
		12.3.1 General	
		12.3.2 Qualitative method	
		12.3.3 Semi-quantitative method	
		12.3.4 Quantitative methods	
		12.3.5 Fatigue analysis	
	12.4	Assessment model	
		12.4.1 General	31
		12.4.2 Tubular members	
		12.4.3 Connections	32
		12.4.4 Conductors	32
		12.4.5 Damage	
		12.4.6 Repaired and strengthened elements	33
		12.4.7 Foundation model	
		12.4.8 Material strength	34
	12.5	Assessment for gravity hazard	34
		12.5.1 General	34
		12.5.2 Design level method (DLM)	35
		12.5.3 Ultimate strength method (USM)	35
	12.6	Assessment for metocean hazard	35
		12.6.1 General	35
		12.6.2 Metocean criteria	35
		12.6.3 Crest elevation	35
		12.6.4 Metocean action combinations — Jacket	36
		12.6.5 Metocean action combinations — Deck	
		12.6.6 Directionality of metocean hazards	
		12.6.7 Design level method (DLM)	
		12.6.8 Linear-elastic redundancy method	
		12.6.9 Ultimate strength method (USM)	
	12.7	Assessment for seismic hazard	
		12.7.1 General	
		12.7.2 Seismic criteria	
		12.7.3 Seismic action combinations	
		12.7.4 Directionality of seismic hazards	
		12.7.5 Design level method (DLM)	
		12.7.6 Ultimate strength method (USM)	40

	12.8	Assessment for collision hazard	40
		12.8.1 General	40
		12.8.2 Collision zone	41
		12.8.3 Collision criteria	
		12.8.4 Directionality of collision hazards	
		12.8.5 Collision assessment method	
	12.9	Assessment for ice hazard	
		Assessment for explosion hazard	
	12.11	Assessment for fire hazard	42
13	Reuse		42
	13.1	General	
	13.2	Fatigue in reused structures	
	13.3	Steel in reused structures	
	13.4	Inspection of reused structures	43
		13.4.1 General	43
		13.4.2 Initial condition assessment of structural members and connections	43
		13.4.3 Extent of weld inspection	
		13.4.4 Corrosion protection systems	44
	13.5	Removal and reinstallation	44
14	Decon	nmissioning and removal	44
	14.1	General	44
	14.2	Decommissioning process	44
	14.3	Pre-decommissioning data gathering	
	14.4	Planning and engineering	
	14.5	Well decommissioning	
	14.6	Facilities decommissioning	
	14.7	Pipeline decommissioning	
	14.8	Conductor removal	
	14.9	Structure removal	
	14.10	Site clearance	45
Annex	A (info	ormative) Additional information and guidance	46
Biblio	graphy	T	141

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries,* Subcommittee SC 7, *Offshore structures.*

A list of all parts in the ISO 19901 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Structural integrity management (SIM) is the implementation of engineering, inspection, maintenance, monitoring and remediation activities required to demonstrate the fitness-for-service of a structure for its intended application throughout its total service life and prevent/mitigate severe or catastrophic health, safety, environmental, or structural events. The SIM process provides a proactive approach to monitor, evaluate and assess structural condition and establish a procedure to validate the fitness-for-service of an offshore structure.

The purpose of SIM is to provide a process for demonstrating the integrity of the structure throughout its intended total service life. Approaches to dealing with SIM vary depending upon field life, the type of structure and the sophistication of regional infrastructure where the structure is located. In turn, these factors can influence the philosophical approach to the specification of SIM which can vary from one involving emphasis on the use of monitoring equipment to one with a preference for the extensive use of inspections. Additionally, design decisions on safety factors, design margins, corrosion protection, component redundancy and system reliabilities will influence the SIM strategy and program.

SIM process choices are made in the design (e.g. selection of materials, condition monitoring systems, new or proven technology, robustness of design, redundancy, and fabrication/installation methods) that will influence SIM activities during the operations phase. Implementation of a SIM process can benefit significantly from design decisions, such as providing access for inspection and maintenance.

A SIM process is used to develop an inspection scope, program and frequency that, when executed, provides information on the condition of the structure, which can be used to understand present and emerging risk from operating the topsides, and provide information for determining the ongoing strategy for mitigating that risk. A well-implemented SIM process will maintain the structure's fitness-for-service for the operational life of the platform and through the decommissioning process.

Initial SIM development begins early as part of the structure's new design or reuse, ideally during the structure's concept and select stages. Most of the initial SIM data, strategies and program philosophies will be generated during the design by the project team and ultimately handed over to the structure's operating team. Once commissioned, the effective operation of the structure is contingent on the provided SIM philosophy and design documentation from the project team. These deliverables (e.g. design documents, drawings, computer models) are most useful to the operating team when they are complete, up-to-date (i.e. reflect as commissioned installation), organized, in a usable format and readily accessible. To provide sustainable SIM, the project team and operating team work collaboratively during the project in defining the necessary SIM deliverables.

The platform operating team is responsible for validating that the design data are comprehensive and complete. In addition, the operating team is responsible for demonstrating that the SIM strategies conform to the operator's risk criteria, regional regulations and that the SIM strategies are workable based on location infrastructure and capabilities. National and regional regulations can require SIM documentation in a form suitable for verification or for review by a regulator.

ISO 19904-1^[5] is applicable to the integrity management (IM) of hull, moorings and marine systems of existing floating offshore structures. However, this document is applicable to the structural integrity management of the topsides structural components of floating facilities.

ISO 19905-1^[6] is applicable to the IM of the legs, primary hull structure, spudcans, jacking-systems and marine systems of existing mobile jack-up offshore structures and for setting the limit states. However, this document is applicable to the structural integrity management of permanently located jack-ups.

INTERNATIONAL STANDARD

Petroleum and natural gas industries — Specific requirements for offshore structures —

Part 9:

Structural integrity management

1 Scope

This document specifies principles for the structural integrity management (SIM) of offshore structures subjected to known or foreseeable types of actions.

This document specifies requirements and provides recommendations applicable to the following types of fixed steel offshore structures for the petroleum and natural gas industries:

- caissons, free-standing and braced;
- jackets;
- monotowers:
- towers.

This document is applicable to topsides, including but not limited to the main decks, deck legs, topsides modules, crane pedestals, helideck, drilling derrick, skid beams, flare booms, exhaust towers, radio tower, conductor support frames, and lifeboat davits. In addition, it is applicable to compliant bottom founded structures, steel gravity structures, jack-ups, other bottom founded structures and other structures related to offshore structures (e.g. underwater oil storage tanks, bridges and connecting structures), to the extent to which its requirements are relevant.

This document contains requirements for planning and engineering of the following tasks:

- a) integrity management data requirements;
- b) in-service inspection and integrity management of both new and existing structures;
- c) assessment of existing structures;
- d) evaluation of structures for reuse at different locations;
- e) evaluation of structures for their future removal.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 19900, Petroleum and natural gas industries — General requirements for offshore structures

ISO 19901-1, Petroleum and natural gas industries — Specific requirements for offshore structures — Part 1: Metocean design and operating considerations

ISO 19901-2, Petroleum and natural gas industries — Specific requirements for offshore structures — Part 2: Seismic design procedures and criteria

ISO 19901-4, Petroleum and natural gas industries — Specific requirements for offshore structures — Part 4: Geotechnical and foundation design considerations

ISO 19901-5, Petroleum and natural gas industries — Specific requirements for offshore structures — Part 5: Weight control during engineering and construction

ISO 19902, Petroleum and natural gas industries — Fixed steel offshore structures

ISO 19906, Petroleum and natural gas industries — Arctic offshore structures

koniec náhľadu – text ďalej pokračuje v platenej verzii STN