

STN	Pružné podlahové krytiny Špecifikácia homogénnych a heterogénnych hladkých gumových krytín	STN EN 1817 91 7893
------------	---	---------------------------------------

Resilient floor coverings - Specification for homogeneous and heterogeneous smooth rubber floor coverings

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 07/20

Obsahuje: EN 1817:2020

Oznámením tejto normy sa ruší
STN EN 1817 (91 7893) z novembra 2010

131226

EUROPEAN STANDARD

EN 1817

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 2020

ICS 97.150

Supersedes EN 1817:2010

English Version

Resilient floor coverings - Specification for homogeneous and heterogeneous smooth rubber floor coverings

Revêtements de sol résilients - Spécifications des revêtements de sol homogènes et hétérogènes en caoutchouc lisse

Elastische Bodenbeläge - Spezifikation für homogene und heterogene ebene Elastomer-Bodenbeläge

This European Standard was approved by CEN on 14 March 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN 1817:2020 (E)

Contents		Page
European foreword		3
1	Scope	4
2	Normative references	4
3	Terms and definitions	5
4	General requirements	5
5	Classification requirements	6
6	Marking	8
Annex A (informative) Optional properties		9
Bibliography		10

European foreword

This document (EN 1817:2020) has been prepared by Technical Committee CEN/TC 134 “Resilient, textile and laminate coverings”, the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2020, and conflicting national standards shall be withdrawn at the latest by October 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 1817:2010.

In comparison with the previous edition, the following technical modifications have been made:

— updated references to standards in Table 1, Table 2 and Annex A.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

EN 1817:2020 (E)**1 Scope**

This document specifies the characteristics of homogeneous and heterogeneous smooth (including grained or embossed) rubber floor coverings, supplied in either tile or roll form.

This document includes a classification system based on intensity of use, which shows where these resilient floor coverings should give satisfactory service (see EN ISO 10874). It also specifies requirements for marking.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 425, *Resilient and laminate floor coverings — Castor chair test*

EN 12466, *Resilient floor coverings — Vocabulary*

EN ISO 105-B02:2014, *Textiles — Tests for colour fastness — Part B02: Colour fastness to artificial light: Xenon arc fading lamp test (ISO 105-B02:2014)*

EN ISO 10874, *Resilient, textile and laminate floor coverings — Classification (ISO 10874)*

EN ISO 23999, *Resilient floor coverings — Determination of dimensional stability and curling after exposure to heat (ISO 23999)*

EN ISO 24340, *Resilient floor coverings — Determination of thickness of layers (ISO 24340)*

EN ISO 24341, *Resilient and textile floor coverings — Determination of length, width and straightness of sheet (ISO 24341)*

EN ISO 24342, *Resilient and textile floor coverings — Determination of side length, edge straightness and squareness of tiles (ISO 24342)*

EN ISO 24343-1, *Resilient and laminate floor coverings — Determination of indentation and residual indentation — Part 1: Residual indentation (ISO 24343-1)*

EN ISO 24344:2012, *Resilient floor coverings — Determination of flexibility and deflection (ISO 24344:2008)*

EN ISO 24346, *Resilient floor coverings — Determination of overall thickness (ISO 24346)*

ISO 48-4, *Rubber, vulcanized or thermoplastic — Determination of hardness — Part 4: Indentation hardness by durometer method (Shore hardness)*

ISO 4649:2017, *Rubber, vulcanized or thermoplastic — Determination of abrasion resistance using a rotating cylindrical drum device*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN