

STN P	Verejná doprava Siet' a výmena cestovných poriadkov (NeTEx) Časť 4: Európsky profil informácií pre pasažierov	STN P CEN/TS 16614-4
		01 8563

Public transport - Network and Timetable Exchange (NeTEx) - Part 4: Passenger Information European Profile

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 08/20

Táto predbežná STN je určená na overenie. Priponienky zasielajte ÚNMS SR najneskôr do 30. 4. 2022.

Obsahuje: CEN/TS 16614-4:2020

131311

TECHNICAL SPECIFICATION
SPÉCIFICATION TECHNIQUE
TECHNISCHE SPEZIFIKATION

CEN/TS 16614-4

April 2020

ICS 35.240.60

English Version

**Public transport - Network and Timetable Exchange
(NeTEx) - Part 4: Passenger Information European Profile**

Transport public - Échange des données réseau et
horaires (NeTEx) - Partie 4 : Profil Européen pour
l'Information Voyageur

Öffentlicher Verkehr - Netzwerk- und Fahrplan-
Austausch (NeTEx) - Teil 4: Europäisches Profil für
Reisenden Informationen

This Technical Specification (CEN/TS) was approved by CEN on 2 March 2020 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

	Page
European foreword	8
Introduction	9
1 Scope.....	13
2 Normative references.....	13
3 Terms and definitions	13
4 Presentation conventions.....	16
4.1 Recap of NeTEx presentation conventions	16
4.2 Additional EPIP presentation conventions	17
4.3 Transmodel definitions and EPIP	18
5 Framework.....	19
5.1 Introduction.....	19
5.2 DataManagedObject, Version and Codespace.....	19
5.2.1 Overview	19
5.2.2 Entity (Abstract).....	21
5.2.3 EntityInVersion (Abstract)	21
5.2.4 DataManagedObject (Abstract)	22
5.2.5 AlternativeText (Subcomponent of DataManagedObject)	23
5.2.6 KeyValue (Subcomponent of DataManagedObject)	23
5.2.7 Version.....	24
5.2.8 Codespace	24
5.2.9 ValidityCondition	26
5.2.10 ValidBetween	27
5.2.11 ResponsibilitySet	27
5.2.12 ResponsibilityRoleAssignment (Subcomponent of ResponsibilitySet)	27
5.2.13 DataSource	28
5.3 Relationships and entity references	29
5.3.1 General rules	29
5.3.2 VersionOfObjectRef.....	30
5.3.3 Integrity Checking of XML Documents	31
5.3.4 Identity uniqueness scope	32
5.4 Frames	33
5.4.1 Overview	33
5.4.2 Version Frame (Abstract)	34
5.4.3 TypeOfFrame	35
5.4.4 Specific frames and General Frames	36
5.4.5 Composite Frame	37
5.4.6 FrameDefaults.....	37
5.5 Generic elements	38
5.5.1 Introduction	38
5.5.2 TypeOfValue (Abstract)	38
5.5.3 ValueSet.....	39
5.5.4 GroupOfEntities (Abstract)	40
5.5.5 Point (Abstract)	40
5.5.6 Location (Subcomponent of Point)	41
5.5.7 Link (Abstract).....	41

5.5.8	LinkSequence (Abstract).....	42
5.5.9	PointInLinkSequence (Abstract).....	43
5.5.10	Zone (Abstract).....	43
5.5.11	Transport Mode and Submode	43
5.5.12	Assignment (Abstract)	44
5.5.13	Presentation (Subcomponent – Multipurpose)	45
5.5.14	Locale (Subcomponent – Multipurpose)	46
5.5.15	Booking Arrangements (Subcomponent – Multipurpose).....	46
5.5.16	ContactDetails (Subcomponent – Multipurpose).....	47
5.6	Accessibility	47
5.6.1	Overview	47
5.6.2	AccessibilityAssessment (Subcomponent – Multipurpose)	48
5.6.3	AccessibilityLimitation (Subcomponent of AccessibilityAssessment).....	49
5.7	Facility sets	50
5.7.1	Overview	50
5.7.2	FacilitySet (Abstract).....	51
5.7.3	ServiceFacilitySet.....	51
5.7.4	Accommodation – (Subcomponent of ServiceFacilitySet)	51
5.7.5	SiteFacilitySet.....	52
6	Stop Profile.....	52
6.1	Overview	52
6.2	Stop Place hierarchies.....	54
6.3	Other types of Place	57
6.3.1	Introduction.....	57
6.3.2	Place (Abstract).....	58
6.3.3	AddressablePlace (Abstract).....	58
6.3.4	SiteElement (Abstract)	59
6.3.5	Site (Abstract)	60
6.3.6	Address (Abstract)	61
6.3.7	PostalAddress (Subcomponent of SITE in EPIP)	62
6.3.8	RoadAddress (Subcomponent of SITE in EPIP).....	62
6.3.9	Topographic Place.....	63
6.3.10	TopographicPlaceDescriptor (Subcomponent).....	64
6.3.11	Point of Interest.....	64
6.4	Stop Places.....	65
6.4.1	StopPlace	65
6.4.2	SiteComponent (Abstract)	67
6.4.3	StopPlaceSpace (Abstract)	67
6.4.4	Quay (Subcomponent of Quay)	67
6.4.5	Entrance (Abstract).....	68
6.4.6	StopPlaceEntrance	69
6.5	GroupOfStopPlaces	69
6.6	TariffZone	69
7	Network and Timetables.....	70
7.1	General	70
7.2	Basic network topology	70
7.2.1	Overview	70
7.2.2	Line	71
7.2.3	AllowedLineDirection (Subcomponent of Line).....	73
7.2.4	GroupOfLines	73
7.2.5	Network.....	74
7.2.6	DestinationDisplay.....	74

CEN/TS 16614-4:2020 (E)

7.2.7	Via	75
7.2.8	DestinationDisplayVariant.....	75
7.2.9	Organisation (Abstract).....	76
7.2.10	Operator.....	77
7.2.11	Authority	77
7.3	Routes	77
7.3.1	Overview	77
7.3.2	RoutePoint.....	78
7.3.3	RouteLink	78
7.3.4	Route	79
7.3.5	PointOnRoute (Subcomponent of Route).....	79
7.4	Service patterns.....	80
7.4.1	Overview	80
7.4.2	JourneyPattern (Abstract in EPIP)	81
7.4.3	ServicePattern.....	82
7.4.4	PointInJourneyPattern (Abstract in EPIP).....	82
7.4.5	StopPointInJourneyPattern (Subcomponent of JourneyPattern)	83
7.4.6	Direction	84
7.4.7	TimingPoint (Abstract in EPIP)	85
7.4.8	ScheduledStopPoint.....	85
7.4.9	Service Link.....	86
7.5	Assigning Stops	87
7.5.1	Overview	87
7.5.2	StopAssignment (Abstract)	87
7.5.3	PassengerStopAssignment	88
7.5.4	DynamicStopAssignment	88
7.5.5	TrainStopAssignment (Subcomponent of Passenger Stop Assignment)	89
7.6	Connections, transfers and interchanging.....	90
7.6.1	Overview	90
7.6.2	Transfer (Abstract)	90
7.6.3	Transfer Duration (Subcomponent of Transfer).....	91
7.6.4	Connection.....	91
7.6.5	ConnectionEnd (Subcomponent of Connection).....	92
7.6.6	SiteConnection	92
7.6.7	SiteConnectionEnd (Subcomponent of SiteConnection).....	93
7.6.8	DefaultConnection	93
7.6.9	DefaultConnectionEnd (Subcomponent of DefaultConnection)	94
7.7	Vehicle journeys and passing times	94
7.7.1	Overview	94
7.7.2	Journey (Abstract)	96
7.7.3	ServiceJourney	96
7.7.4	PassingTime.....	97
7.7.5	PassingTime (Abstract)	98
7.7.6	TimetabledPassingTime (Subcomponent – Service Journey)	98
7.7.7	GroupOfServices	98
7.7.8	GroupOfServicesMember (Subcomponent of GroupOfServices).....	99
7.8	Very frequent journeys.....	100
7.8.1	Introduction.....	100
7.8.2	TemplateVehicleJourney.....	100
7.8.3	JourneyFrequencyGroup (Abstract)	101
7.8.4	HeadwayJourneyGroup (Subcomponent of TemplateJourney)	101
7.9	Transferring between services	102
7.9.1	Introduction.....	102

7.9.2	Interchange (Abstract)	102
7.9.3	ServiceJourneyInterchange	103
7.10	Trains and train coupling	103
7.10.1	Overview	103
7.10.2	TrainNumber	104
7.10.3	JourneyPart (Subcomponent of ServiceJourney)	105
7.10.4	JourneyPartCouple	105
7.10.5	JourneyPartPosition (Subcomponent of JourneyPartCouple)	106
7.11	Vehicles and Trains	107
7.11.1	Overview	107
7.11.2	VehicleType	107
7.11.3	Train	108
7.11.4	TrainElement (Subcomponent of Train)	109
7.11.5	TrainComponent (Subcomponent of Train)	109
7.12	Notices	110
7.12.1	Introduction	110
7.12.2	Notice (Subcomponent - Multipurpose)	110
7.12.3	NoticeAssignment (Subcomponent - Multipurpose)	111
7.13	Calendars	112
7.13.1	Overview	112
7.13.2	DayType	112
7.13.3	PropertyOfDay (Subcomponent of DayType)	113
7.13.4	Timeband (Subcomponent of DayType)	114
7.13.5	ServiceCalendar	115
7.13.6	OperatingDay (Subcomponent of ServiceCalendar)	115
7.13.7	DayTypeAssignment (Subcomponent of ServiceCalendar)	116
7.13.8	Operating Period (Abstract in EPIP)	117
7.13.9	UicOperatingPeriod (Subcomponent of ServiceCalendar)	117
7.14	Flexible services	118
7.14.1	Introduction	118
7.14.2	FlexibleLine	118
7.14.3	FlexiblePointProperties (Subcomponent – Multipurpose)	118
7.14.4	FlexibleServiceProperties (Subcomponent of SERVICE JOURNEY)	119
8	Common rules	120
8.1	Version management of data	120
8.2	Use of validity conditions in EPIP	121
8.3	Populating creation and change dates	121
8.4	Codespaces and the structure of identifiers	122
8.4.1	Introduction	122
8.4.2	Use of codespaces in EPIP	123
8.4.3	Identifier structure for EPIP data objects	123
8.4.4	Identifier structure for EPIP version frames	124
8.5	Versions of the EPIP	129
8.6	Dependencies between frames	129
8.7	Organisation and nesting of elements within an EPIP document	130
8.8	Responsibility for data	130
8.9	Handling large data sets	131
8.10	Available types of frame	132
8.10.1	Type of Frame list	132
8.10.2	Classes for SPECIFIC FRAMEs	133
8.10.3	Classes for COMPOSITE FRAMEs	137
8.10.4	Classes for EPIP Metadata FRAMEs	138

CEN/TS 16614-4:2020 (E)

8.11	Completeness of data.....	139
8.11.1	Introduction.....	139
8.11.2	Empty values.....	139
8.12	Data exchange	140
8.13	PublicationDelivery	140
8.13.1	Introduction.....	140
8.13.2	Publication Request (Subcomponent of PublicationDelivery)	141
8.13.3	NetworkFrameTopic (Subcomponent of PublicationDelivery)	141
8.13.4	NetworkFilterByValue (Subcomponent of PublicationDelivery).....	142
8.13.5	PublicationDelivery example	142
8.14	Names of files for EPIP documents	144
8.15	Extending the profile	145
9	Profile compliance and data quality checking	146
9.1	Introduction.....	146
9.2	Methods of checking the quality of data	146
9.3	Quality issue resolution.....	147
9.4	Profile validator rules	147
9.5	Metadata for profiles	148
9.6	Summary of data quality rules for EPIP	149
9.7	Referential integrity (automatic).....	155
	Annex A (normative) Data Dictionary	156
	Annex B (normative) Facility code list.....	166
B.1	AccessFacilityList.....	166
B.2	AccessibilityInfoFacilityList.....	166
B.3	AccessibilityToolList.....	166
B.4	AccommodationAccessList	167
B.5	AccommodationFacilityList	167
B.6	AssistanceFacilityList	167
B.7	BoardingPermisssion	167
B.8	BookingProcessFacilityList.....	168
B.9	CarServiceFacilityList.....	168
B.10	CateringFacilityList	168
B.11	CouchetteFacilityList	169
B.12	FamilyFacilityList.....	169
B.13	FareClasses.....	169
B.14	GenderLimitation.....	169
B.15	GroupBookingFacility	170
B.16	LuggageCarriageFacilityList	170
B.17	MealFacilityList.....	170
B.18	MedicalFacilityList	170
B.19	MobilityFacilityList	171
B.20	NuisanceFacilityList.....	171
B.21	PassengerCommsFacilityList.....	171
B.22	PassengerInformationEquipmentList	172
B.23	PassengerInformationFacilityList	172
B.24	RetailFacilityList	172
B.25	SafetyFacilityList	172
B.26	SanitaryFacilityList	173
B.27	ServiceReservationFacilityList	173
B.28	TicketingFacilityList	173
B.29	TicketingServiceFacilityList.....	174

B.30	UicProductCharacteristicList	174
B.31	UicTrainRate	174
B.32	VehicleFacilityList	174
Annex C (informative) Related EU Directive		175
Bibliography		177

European foreword

This document (CEN/TS 16614-4:2020) has been prepared by Technical Committee CEN TC 278 “Intelligent transport systems”, the secretariat of which is held by NEN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document presents a Passenger Information European Profile of the European Technical Specification known as “NeTEx”. NeTEx provides a framework for specifying communications and data exchange protocols for organizations wishing to exchange scheduled Information relating to public transport operations.

NeTEx is made up of three parts defining a single European Standard, which provides a complete exchange format for public transport networks, timetable description and fare information.

- Part 1 is the description of the public transport network topology exchange format. It also contains use cases shared with part 2, and modelling rules and the description of a framework shared by all parts.
- Part 2 is the description of the scheduled timetables exchange format.
- Part 3 is the description of the fare information exchange format.

Part 1 is fully standalone, Parts 2 and 3 rely on Part 1.

The XML schema can be downloaded from <http://netex-cen.eu>, along with available guidance on its use, example XML files, and case studies of national and local deployments.

This document is highly technical, and special care has been taken on keeping the text readable. This has been done through a set of editorial rules enhancing usual CEN writing rules:

- To avoid confusion with usual wording, Transmodel terms are in capital letters (JOURNEY PATTERN for example).
- To avoid confusion with usual wording, attribute names are in bold/italic style and use camelcase style with no spaces (**JourneyPattern** for example).
- To avoid confusion with usual wording, attribute types are in italic style and use camelcase style with no spaces (*TypeOfEntity* for example).

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to announce this document: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

Public transport services rely increasingly on information systems to ensure reliable, efficient operation and widely accessible, accurate passenger information. These systems are used for a range of specific purposes: setting schedules and timetables; managing vehicle fleets; issuing tickets and receipts; providing real-time information on service running, and so on.

This document specifies a Profile of Network and Timetable Exchange (NeTEx) for public transport. NeTEx is intended to be used to exchange information between Public Transport organisation systems containing scheduled public transport data. It can also be seen as a complement to the SIRI (Service Interface for Real-time Information) standard (EN 15531 series), as SIRI needs reference data exchanged in the scope of NeTEx before any possible real-time exchange.

Well-defined, open interfaces have a crucial role in improving the economic and technical viability of public transport Information Systems of all kinds. Using standardized interfaces, systems can be implemented as discrete pluggable modules that can be chosen from a wide variety of suppliers in a competitive market, rather than as monolithic proprietary systems from a single supplier. Interfaces also allow the systematic automated testing of each functional module, vital for managing the complexity of increasing large and dynamic systems. Furthermore, individual functional modules can be replaced or evolved, without unexpected breakages of obscurely dependent functions.

NeTEx improves a number of features of public transport information and service management:

- Interoperability – the standard will facilitate interoperability between information processing systems of the transport operators by:
 - introducing common architectures for message exchange;
 - introducing a modular set of compatible information services for real-time vehicle information;
 - using common data models and schemas for the messages exchanged for each service;
 - introducing a consistent approach to data management.
- Technical advantages include the following: reusing a common communication layer shared with SIRI for all the various technical services enables cost-effective implementations, and makes the standard readily extensible in future.

A profile is an ancillary document to the standard which specifies additional rules for implementation in a given context. The profile contains information such as:

- Details of the objects used in an exchange.
- Details on the options proposed by the standard.
- Details on optional elements.
- Precision on the identifier codes to be used.
- Advice on grouping elements.

The reason for having a detailed profile specification is that it facilitates implementation. A developer intending to implement a certain service or type of service in a given environment need only implement the smaller set of options and parameters specified in the profile, and is given a number of additional rules that restrict or simplify the required processing of data.

This European Passenger Information Profile (EPIP) for NeTEx is for exchanging passenger information; it describes a minimal information set to feed passenger information services in a

European wide and multimodal context. It covers basic network and timetable data as explained further below.

Profiles – a Rationale

Standards are by their nature and definition, consensus documents. In the case of the CEN and ISO standards, and more particularly in the field of traffic applications, these are established at an international level, with a significant number of different stakeholders involved in their development and discussion. This means that CEN and ISO standards take into account requirements that are far beyond many local implementations of such standards. Implementing a standard for a complex data model (such as that for transport) represents a significant investment, so care is taken to achieve a comprehensive and well abstracted solution and standards are written to have with the longest possible life and stability.

These factors tend to result in standards documents being large and detailed, consequently requiring significant effort to read and understand – and this is certainly the case for Transmodel and NeTEx. It may also be difficult to see how the standard can best applied in practice, since there are many subtle choices to make out of all the possibilities and there is insufficient space to include extensive examples in the formal documentation.

Another cause of complexity is that standards such as NeTEx and SIRI (since they were developed to harmonise different national standards), include features and options whose purpose is to ensure compatibility with the different systems developed in specific countries. For example, SIRI includes services dedicated to the advanced management of connection guarantees, as implemented in the German VDV standard, but used only in a few countries such as Switzerland and Germany; NeTEx also includes features to help compatibility with practices peculiar to particular countries, such as are found in the French NEPTUNE, British TransXChange, Swedish NOPTIS, etc. standards.

In addition, local or national specificities may require the specific use of a specific data sets and specific identifier systems for particular information. For example, the UK has a national system for the identification of stops (NaPTAN), which is naturally required to be used within NeTEx and SIRI exchanges, but which is not relevant for other European countries except in a few cross-border services.

Finally, some elements proposed by the standards are optional and relevant only for a particular business context: so that it needs to be decided if these items are relevant for a particular implementation or not.

A profile is intended to address some of the above issues by offering a predefined set of choices for use in specific context, and setting out additional explicit rules that help to simplify implementation.

Additionally, a profile can be accompanied by the definition of specific testing procedures to assess the conformance of the implemented solution with the profile.

A profile remains fully compliant with the standard; it merely implements a subset, using a well-defined code system.

From a practical point of view, profiles can be seen as a set of implementation guidelines; instead of having to face the challenge of analysing the whole standard, discovering the relevant parts for a given application, and then adjusting optional values and parameters for the intended application, a profile

can be specified to address the needs of a particular application and then used for any subsequent similar initiatives.

The European Passenger Information Profile (EPIP)

The EPIP focuses on information relevant for feeding passenger information services, it therefore excludes operational information that is not relevant for this purpose. Fare information, apart from basic Tariff zones, though relevant for passengers, is also considered as out of scope, but will be addressed by a future separate profile.

Typical use cases for the Passenger Information Profile are:

- provision of data to a journey planner.
- provision of data to a mapping tool to show the network on a map (possibly interactive).
- provision of data to timetable printing/visualisation tools.
- provision of data to a stop or line finder.

The profile has been designed to be as concise as possible and to focus on the data elements needed to fulfil the EC's *Priority action A of ITS-Directive*.

- This means that features specific to a particular country will not in general not be included (the profile is designed to be sharable across Europe, and data sets compliant with it are expected to be usable by any NeTEx conformant passenger information system in Europe).
- Each country may also define a further national NeTEx Profile (for internal use nationally), extending the European profile and providing additional information.
- In the interests of simplicity, a number of the more complex features specific to certain modes have also been omitted from the formal profile, for example boarding position on train platforms.
- The EPIP is divided into three parts:
- **Common core elements** that are shared by the two other profile parts given in this document and that may also be reused later on by other future profiles (Fare Profile, Accessibility Profile, etc.)
- **Stop Profile**, describing the STOP PLACES and their hierarchy.
- **Network and Timetables Profile**, describing the network topology and all related timing information (timetables).

Dividing the profile into three parts allows for a modular implementation, with a minimal overlap between separate documents and their corresponding components. The modularisation also facilitates the separate exchange of stop data from that of timetable and other information (but it is, of course, still possible to exchange them together). One of the reasons for this partition is that there are more and more countries developing separate national or regional stop database registries who require the ability to exchange only the stop description.

The EPIP supports certain common features that are important in a European context:

- The ability to exchange translations of text elements in multiple alternative national languages.
- Basic accessibility information about sites and services.

CEN/TS 16614-4:2020 (E)

Data consistency and Quality

One of the goals of a profile is to simplify and enhance interoperability. However, mere syntactic compliance with the EPIP profile alone will not guarantee interoperability; the data being exchanged must also be of good quality, that is, complete and self-consistent as data, -- and correspond to the external reality it is meant to be describing.

The profile therefore also includes a set of consistency and quality checking rules. Following these rules will not, of course, necessarily guarantee the absolute quality of any dataset (nor will it validate the data against the real-world), but will prevent many of the basic quality issues that are commonly encountered. A number of rules may be controlled automatically, thus for example, it is possible to check that a SERVICE JOURNEY has PASSING TIMES for each stop, and that these are plausibly spaced; but other quality measures cannot necessarily be checked. For example, the lack of a STOP PLACE name can be detected, as can the use of a duplicate, but not whether it is actually the correct one in use in the real-world.

NeTEx versions

The EPIP is specified for the revised version 1.1 of NeTEx, issued in 2019. It may also be used with the original version 1.0 of NeTEx, issued in 2014, though certain elements are of course lacking.

If recourse to the NeTEx specification is needed, it is strongly recommended that the 1.1 version is used as it contains numerous clarifications and corrections to the original 1.0 document.

1 Scope

This document is a profile of CEN/TS 16614 series. It focuses on information relevant to feed passenger information services and excludes operational and fares information.

NeTEx is dedicated to the exchange of scheduled data (network, timetable and fare information) based on Transmodel V6 (EN 12986) and SIRI (CEN/TS 15531-4/5 and EN 15531-1/2/3) and supports information exchange of relevance to public transport services for passenger information and AVMS systems.

As for most data exchange standards, defining subsets of data and dedicated rules for some specific use case is of great help for implementers and for the overall interoperability. This subset is usually called profile and this profile targets passenger information as only use case.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 12896, *Road transport and traffic telematics - Public transport - Reference data model (Transmodel) Parts 1 to 9*

CEN/TS 16614-1, *Network and Timetable Exchange (NeTEx) - Network description*

CEN/TS 16614-2, *Network and Timetable Exchange (NeTEx) - Timing information*

CEN/TS 16614-3, *Network and Timetable Exchange (NeTEx) - Fare description*

koniec náhľadu – text d'alej pokračuje v platenej verzii STN