

| | | |
|------------|---|--|
| STN | Súčasti pre nízkonapäťové prepäťové ochranné prístroje Časť 331: Prevádzkové požiadavky a skúšobné metódy pre varistory na báze oxidov kovov (MOV) | STN EN IEC 61643-331 34 1395 |
|------------|---|--|

Components for low-voltage surge protection - Part 331: Performance requirements and test methods for metal oxide varistors (MOV)

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 08/20

Obsahuje: EN IEC 61643-331:2020, IEC 61643-331:2020

Oznámením tejto normy sa od 23.04.2023 ruší
STN EN IEC 61643-331 (34 1395) z februára 2019

131343

EUROPEAN STANDARD

EN IEC 61643-331

NORME EUROPÉENNE

EUROPÄISCHE NORM

May 2020

ICS 31.040

Supersedes EN IEC 61643-331:2018 and all of its amendments and corrigenda (if any)

English Version

Components for low-voltage surge protection - Part 331:
Performance requirements and test methods for metal oxide
varistors (MOV)
(IEC 61643-331:2020)

Composants pour parafoudres basse tension - Partie 331:
Exigences de performance et méthodes d'essai pour les
varistances à oxyde métallique (MOV)
(IEC 61643-331:2020)

Bauelemente für Überspannungsschutzgeräte für
Niederspannung - Teil 331: Leistungsanforderungen und
Prüfverfahren für Metalloxidvaristoren (MOV)
(IEC 61643-331:2020)

This European Standard was approved by CENELEC on 2020-04-23. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 61643-331:2020 (E)**European foreword**

The text of document 37B/211/FDIS, future edition 3 of IEC 61643-331, prepared by SC 37B "Components for low-voltage surge protection" of IEC/TC 37 "Surge arresters" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61643-331:2020.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2021-01-23
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2023-04-23

This document supersedes EN IEC 61643-331:2018 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61643-331:2020 was approved by CENELEC as a European Standard without any modification.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

| <u>Publication</u> | <u>Year</u> | <u>Title</u> | <u>EN/HD</u> | <u>Year</u> |
|--------------------|-------------|---|-------------------|-------------|
| IEC 60068-1 | 2013 | Environmental testing - Part 1: General and guidance | EN 60068-1 | 2014 |
| IEC 60068-2-6 | 2007 | Environmental testing - Part 2-6: Tests - Test Fc: Vibration (sinusoidal) | EN 60068-2-6 | 2008 |
| IEC 60068-2-14 | 2009 | Environmental testing - Part 2-14: Tests - Test N: Change of temperature | EN 60068-2-14 | 2009 |
| IEC 60068-2-20 | 2008 | Environmental testing - Part 2-20: Tests - Test T: Test methods for solderability and resistance to soldering heat of devices with leads | EN 60068-2-20 | 2008 |
| IEC 60068-2-21 | 2006 | Environmental testing - Part 2-21: Tests - Test U: Robustness of terminations and integral mounting devices | EN 60068-2-21 | 2006 |
| IEC 60068-2-27 | 2008 | Environmental testing - Part 2-27: Tests - Test Ea and guidance: Shock | EN 60068-2-27 | 2009 |
| IEC 60068-2-52 | 2017 | Environmental testing - Part 2-52: Tests - Test Kb: Salt mist, cyclic (sodium chloride solution) | EN IEC 60068-2-52 | 2018 |
| IEC 61000-4-2 | 2008 | Electromagnetic compatibility (EMC) - Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test | EN 61000-4-2 | 2009 |
| IEC 61643-11 (mod) | 2011 | Low-voltage surge protective devices - Part 11: Surge protective devices connected to low-voltage power systems - Requirements and test methods | EN 61643-11 | 2012 |
| | | | + A11 | 2018 |



IEC 61643-331

Edition 3.0 2020-03

INTERNATIONAL STANDARD



**Components for low-voltage surge protection –
Part 331: Performance requirements and test methods for metal oxide varistors
(MOV)**



**THIS PUBLICATION IS COPYRIGHT PROTECTED****Copyright © 2020 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.



IEC 61643-331

Edition 3.0 2020-03

INTERNATIONAL STANDARD



**Components for low-voltage surge protection –
Part 331: Performance requirements and test methods for metal oxide varistors
(MOV)**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 31.040.20

ISBN 978-2-8322-7905-2

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

| | |
|--|----|
| FOREWORD | 5 |
| 1 Scope | 7 |
| 2 Normative references | 7 |
| 3 Terms, definitions, symbols and abbreviated terms | 8 |
| 3.1 Terms and definitions | 8 |
| 3.1.1 Ratings | 8 |
| 3.1.2 Characteristics | 9 |
| 3.2 Symbols and abbreviated terms used in this document | 11 |
| 3.2.1 Symbols | 11 |
| 3.2.2 Abbreviated terms | 11 |
| 4 Service conditions | 12 |
| 4.1 Operating and storage temperature ranges | 12 |
| 4.2 Altitude or atmospheric pressure range | 12 |
| 4.3 Relative Humidity | 12 |
| 5 Mechanical requirements and materials | 12 |
| 5.1 Robustness of terminations | 12 |
| 5.2 Solderability | 12 |
| 5.3 Marking | 12 |
| 6 General | 13 |
| 6.1 Failure rates | 13 |
| 6.2 Test standard atmospheric conditions | 13 |
| 7 Electrical requirements | 13 |
| 7.1 Varistor voltage (V_V) | 13 |
| 7.2 Maximum AC (DC) continuous voltage ($V_{M(AC)} / V_{M(DC)}$) | 13 |
| 7.3 Standby current (I_D) | 13 |
| 7.4 Capacitance (C_V) | 13 |
| 7.5 Clamping voltage (V_C) | 13 |
| 7.6 Electrostatic discharge (ESD) (for SMD type MOV only) | 15 |
| 7.7 Rated impulse energy | 15 |
| 7.8 Nominal discharge current (I_n) | 15 |
| 7.9 Endurance | 15 |
| 7.10 Limited current temporary overvoltage | 15 |
| 8 Standard design test criteria | 16 |
| 8.1 General | 16 |
| 8.2 Ratings | 16 |
| 8.2.1 Single-impulse maximum current (I_{TM}) | 16 |
| 8.2.2 Next impulse | 16 |
| 8.2.3 Maximum Continuous voltage (V_M) | 17 |
| 8.3 Electrical Characteristics | 17 |
| 8.3.1 Clamping voltage (V_C) | 17 |
| 8.3.2 Standby current (I_D) | 17 |
| 8.3.3 Varistor voltage (V_V) | 17 |
| 8.3.4 Capacitance (C_V) | 18 |
| 8.3.5 Rated energy | 18 |
| 8.4 Varistor Rating Assurance Testing | 18 |

| | | |
|---|---|----|
| 8.5 | ESD test | 19 |
| 9 | Nominal discharge current and limited current temporary overvoltage..... | 19 |
| 9.1 | Thermally protected varistors – Sequence of tests | 19 |
| 9.2 | Temperature and humidity cycle conditioning..... | 19 |
| 9.3 | Nominal discharge current (I_n) test description | 20 |
| 9.3.1 | General | 20 |
| 9.3.2 | Pass/fail criteria..... | 22 |
| 9.4 | Limited current temporary overvoltage test description and procedure for thermally protected varistors | 22 |
| 9.4.1 | General | 22 |
| 9.4.2 | Sample preparation | 23 |
| 9.4.3 | Test conditions | 23 |
| 9.4.4 | Pass/fail criteria..... | 23 |
| 9.5 | Dielectric testing | 24 |
| 9.5.1 | Test conditions for thermally protected MOV..... | 24 |
| 9.5.2 | Setup from foil to leads..... | 25 |
| 9.5.3 | Pass criteria | 25 |
| 9.6 | Insulation Resistance..... | 25 |
| Annex A (informative) MOV testing according to the IEC 61643-11:2011 Surge protective devices for the Class I, II and III | | 26 |
| A.1 | General..... | 26 |
| A.2 | MOV selection | 26 |
| A.3 | Cross reference list of abbreviations, descriptions and definitions | 26 |
| A.4 | Operating duty test | 27 |
| A.4.1 | General | 27 |
| A.4.2 | Class I and II operating duty tests (8.4.4.3) | 32 |
| A.4.3 | Additional duty test for test class I | 33 |
| A.4.4 | Class III operating duty tests | 33 |
| A.4.5 | Pass criteria for all operating duty tests and for the additional duty test for test class I..... | 34 |
| A.4.6 | Preferred parameters of impulse discharge current I_{imp} used for Class I additional duty tests..... | 34 |
| A.4.7 | Preferred values of impulse discharge current I_n used for Class I and Class II residual voltage and operating duty tests | 35 |
| A.4.8 | Preferred values of combination generator waveshape used for Class III tests | 35 |
| Annex B (informative) IEC 61051 Varistors for use in electronic equipment | | 38 |
| Annex C (normative) Accelerated Endurance screening test | | 39 |
| C.1 | Accelerated endurance screening test | 39 |
| C.2 | Preparation of sample..... | 39 |
| C.3 | Test conditions | 39 |
| C.4 | Refer to test circuit diagram as shown in Figure C.1. | 39 |
| C.5 | Pass criteria..... | 40 |
| Annex D (informative) Proposed test method of MTTF – Mean time to failure (MTTF) | | 41 |
| D.1 | Sampling plans | 41 |
| D.2 | Total test hours..... | 41 |
| D.3 | Samples..... | 41 |
| D.4 | Test set-up | 42 |
| D.5 | Intermediate measurements | 42 |
| D.6 | Failure criteria..... | 42 |

| | | |
|------------|--|----|
| D.7 | Acceptance criteria | 42 |
| Figure 1 | – V - I characteristic of an MOV | 10 |
| Figure 2 | – Symbol for MOV | 11 |
| Figure 3 | – Symbol for thermally protected MOV | 11 |
| Figure 4 | – Test circuit for single-impulse maximum current | 16 |
| Figure 5 | – Test circuit for measuring standby current | 17 |
| Figure 6 | – Test circuit for measuring varistor voltage (V_V) | 18 |
| Figure 7 | – Varistor rating assurance test setup | 19 |
| Figure 8 | – Nominal discharge current test flowchart | 21 |
| Figure 9 | – Sequence of the I_n Test | 22 |
| Figure 10 | – Temporary overvoltage limited current test procedure flowchart | 24 |
| Figure A.1 | – Flow chart of the operating duty test | 28 |
| Figure A.2 | – Test set-up for operating duty test | 29 |
| Figure A.3 | – Flow chart of testing to determine the measured limiting voltage | 31 |
| Figure A.4 | – Operating duty test timing diagram for test classes I and II | 32 |
| Figure A.5 | – Additional duty test timing diagram for test class I | 33 |
| Figure A.6 | – Operating duty test timing diagram for test class III | 34 |
| Figure C.1 | – Circuit of accelerated ageing test | 39 |
| Figure D.1 | – Test Circuit of MTTF | 42 |
| Table 1 | – Typical Voltage ratings for disc types | 14 |
| Table 2 | – Typical Voltage Ratings for SMD types | 15 |
| Table 3 | – Test voltages for dielectric strength Between Test voltage | 25 |
| Table A.1 | – Abbreviations, descriptions and definitions | 27 |
| Table A.2 | – Preferred parameters for class I test | 34 |
| Table A.3 | – Preferred values for class I and class II tests | 35 |
| Table A.4 | – Preferred values for class III tests | 36 |
| Table C.1 | – Current in V_T measurement | 39 |
| Table D.1 | – Sampling plans | 41 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMPONENTS FOR LOW-VOLTAGE SURGE PROTECTION –**Part 331: Performance requirements and test methods
for metal oxide varistors (MOV)**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61643-331 has been prepared by subcommittee 37B: Components for low-voltage surge protection, of IEC technical committee 37: Surge arresters.

This third edition cancels and replaces the second edition published in 2017. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) a Varistor MCOV rating assurance test;
- b) an energy rating test (2ms);
- c) revised Dielectric strength and insulation resistance tests.

The text of this International Standard is based on the following documents:

| FDIS | Report on voting |
|--------------|------------------|
| 37B/211/FDIS | 37B/214/RVD |

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 61643 series, under the general title *Components for low-voltage surge protective devices*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

COMPONENTS FOR LOW-VOLTAGE SURGE PROTECTION –

Part 331: Performance requirements and test methods for metal oxide varistors (MOV)

1 Scope

This part of IEC 61643 is a test specification for metal oxide varistors (MOV), which are used for applications up to 1 000 V AC or 1 500 V DC in power lines, or telecommunication, or signalling circuits. They are designed to protect apparatus or personnel, or both, from high transient voltages.

This document applies to MOVs having two electrodes and hybrid surge protection components. This document also does not apply to mountings and their effect on the MOV's characteristics. Characteristics given apply solely to the MOV mounted only in the ways described for the tests.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1:2013, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-6:2007, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-14:2009, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-20:2008, *Environmental testing – Part 2-20: Tests – Test T: Test methods for solderability and resistance to soldering heat of devices with leads*

IEC 60068-2-21:2006, *Environmental testing – Part 2-21: Tests – Test U: Robustness of terminations and integral mounting devices*

IEC 60068-2-27:2008, *Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock*

IEC 60068-2-52:2017 *Environmental testing – Part 2-52: Tests – Test Kb: Salt mist, cyclic (sodium chloride solution)*

IEC 61643-11:2011, *Low-voltage surge protective devices – Part 11: Surge protective devices connected to low-voltage power systems – Requirements and test methods*

IEC 61000-4-2:2008, *Electromagnetic compatibility (EMC) – Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN