

| | | |
|------------|---|-------------------------|
| STN | Plynny vodík Flaše a tuby pre stacionárne sklady | STN EN 17533 |
| | | 69 7220 |

Gaseous hydrogen - Cylinders and tubes for stationary storage

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola označená vo Vestníku ÚNMS SR č. 11/20

Obsahuje: EN 17533:2020

131394

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 17533

June 2020

ICS 23.020.30; 71.100.20

English Version

Gaseous hydrogen - Cylinders and tubes for stationary
storage

Hydrogène gazeux - Bouteilles et tubes pour stockage
stationnaire

Gasförmiger Wasserstoff - Flaschen und Großflaschen
zur ortsfesten Lagerung

This European Standard was approved by CEN on 13 August 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

| | |
|---|----|
| European foreword | 5 |
| Introduction..... | 6 |
| 1 Scope | 7 |
| 2 Normative references | 7 |
| 3 Terms, definitions and symbols | 9 |
| 3.1 Terms and definitions..... | 9 |
| 3.2 Symbols | 13 |
| 4 Specified service conditions | 14 |
| 4.1 Maximum allowable working pressure..... | 14 |
| 4.2 Maximum allowable energy content | 14 |
| 4.3 Maximum and minimum allowable temperature..... | 14 |
| 4.4 Pressure cycle life..... | 14 |
| 4.5 Shallow pressure cycle life | 14 |
| 4.6 Effective pressure cycle count and maximum number of pressure cycles allowed in service..... | 14 |
| 4.7 Service life | 15 |
| 5 Additional service conditions | 15 |
| 5.1 Environmental conditions..... | 15 |
| 5.2 Fire conditions..... | 15 |
| 6 Information to be recorded | 16 |
| 6.1 General | 16 |
| 6.2 Statement of service | 16 |
| 6.3 Design drawings and information..... | 17 |
| 6.4 Stress analysis report..... | 17 |
| 6.5 Material property data | 17 |
| 6.6 Manufacturing data..... | 18 |
| 6.7 Retention of records..... | 18 |
| 7 Material properties..... | 18 |
| 7.1 Compatibility..... | 18 |
| 7.2 Steel | 18 |
| 7.3 Stainless steels..... | 18 |
| 7.4 Aluminium alloys..... | 18 |
| 7.5 Fibre material | 18 |
| 7.6 Resins..... | 19 |
| 7.7 Plastic liner material..... | 19 |
| 8 Requirements for new designs | 19 |
| 8.1 General considerations | 19 |
| 8.2 Construction and workmanship..... | 22 |
| 8.3 Qualification of new designs..... | 24 |
| 8.4 Production and batch tests | 34 |
| 8.5 Markings | 38 |
| 8.6 Preparation for dispatch..... | 39 |
| 9 Requirements for existing design standards..... | 40 |
| Annex A (normative) Test methods and acceptance criteria | 41 |
| A.1 Hydrogen compatibility tests | 41 |

| | | |
|------------------------------|---|-----------|
| A.2 | Hydrogen sensitivity tests | 41 |
| A.3 | Tensile properties of plastics | 44 |
| A.4 | Softening temperature of plastics | 44 |
| A.5 | Resin properties tests | 44 |
| A.6 | Hydrostatic burst pressure test | 44 |
| A.7 | Ambient temperature pressure cycling for cycle life definition | 45 |
| A.8 | Leak-before-break (LBB) test | 46 |
| A.9 | Bonfire test | 46 |
| A.10 | High strain impact test | 47 |
| A.11 | Accelerated stress rupture test | 47 |
| A.12 | Extreme temperature pressure cycling | 47 |
| A.13 | Permeation test | 48 |
| A.14 | Boss torque test | 48 |
| A.15 | Hydrogen gas cycling test | 48 |
| A.16 | Hardness test | 49 |
| A.17 | Hydraulic test | 49 |
| A.18 | Leak test | 49 |
| A.19 | Coating tests | 49 |
| A.20 | Coating batch tests | 50 |
| A.21 | Impact damage test | 50 |
| Annex B (normative) | Use of existing and approved design standards for stationary storage | 52 |
| B.1 | General | 52 |
| B.2 | Requirements | 52 |
| B.3 | Marking | 55 |
| B.4 | Certificate | 55 |
| B.5 | Examples of calculation for MAWP | 55 |
| B.6 | Cycle life calculation | 56 |
| Annex C (informative) | Verification of stress ratios using strain gauges | 57 |
| Annex D (informative) | Non-destructive examination (NDE) defect size by flawed pressure vessel cycling | 58 |
| Annex E (informative) | Manufacturer's instructions for handling, use and inspection of pressure vessels | 59 |
| E.1 | General | 59 |
| E.2 | Distribution | 59 |
| E.3 | Reference to existing codes, standards and regulations | 59 |
| E.4 | Pressure vessel handling | 59 |

| | | |
|--|--|----|
| E.5 | Installation..... | 59 |
| E.6 | Use of pressure vessels..... | 60 |
| E.7 | In-service inspection | 60 |
| Annex F (informative) Fatigue life evaluation using Goodman diagrams..... | | 61 |
| F.1 | Purpose | 61 |
| F.2 | Developing an S-N diagram..... | 61 |
| F.3 | Equivalent pressure cycling..... | 62 |
| F.4 | Developing a Goodman diagram | 62 |
| Annex G (informative) Optional bonfire test..... | | 66 |
| G.1 | General | 66 |
| G.2 | Cylinder test..... | 66 |
| G.3 | PRD test..... | 67 |
| G.4 | Vent test | 68 |
| G.5 | System assessment..... | 68 |
| G.6 | Generation of a safety envelope and actual cylinder/PRD performance..... | 68 |
| Annex H (informative) Information on factor of safety | | 70 |
| H.1 | Purpose | 70 |
| H.2 | Background..... | 70 |
| H.3 | Recommended safety factor | 70 |
| H.4 | Discussion | 70 |
| H.5 | Conclusions..... | 72 |
| H.6 | Recommendations..... | 72 |
| H.7 | Further reading | 72 |
| Annex I (informative) Guidance for evaluation of pressure vessels designed according to other standards | | 73 |
| Bibliography | | 76 |

European foreword

This document (EN 17533:2020) has been prepared by Technical Committee CEN/TC 23 "Transportable gas cylinders", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2020, and conflicting national standards shall be withdrawn at the latest by December 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

As the use of gaseous hydrogen evolves from the chemical industry into various emerging applications, such as fuel for fuel cells, internal combustion engines and other speciality hydrogen applications, new requirements are foreseen for seamless and composite pressure vessels, including higher number of pressure cycles.

Requirements covering pressure vessels for stationary storage of compressed gaseous hydrogen are listed in this document and are mainly intended to maintain or improve the level of safety for this application.

1 Scope

This document specifies the requirements for the design, manufacture and testing of standalone or manifolded (for some specific tests such as bonfire) cylinders, tubes and other pressure vessels of steel, stainless steel, aluminium alloys or of non-metallic construction material. These are intended for the stationary storage of gaseous hydrogen of up to a maximum water capacity of 10 000 l and a maximum allowable working pressure not exceeding 110 MPa, of seamless metallic construction (Type 1) or of composite construction (Types 2, 3 and 4), hereafter referred to as pressure vessels.

This document is not applicable to Type 2 and 3 vessels with welded liners.

This document is not applicable to pressure vessels used for solid, liquid hydrogen or hybrid cryogenic-high pressure hydrogen storage applications.

This document is not applicable to external piping which can be designed according to recognized standards.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN ISO 306, *Plastics — Thermoplastic materials — Determination of Vicat softening temperature (VST)*

EN ISO 527-2, *Plastics — Determination of tensile properties — Part 2: Test conditions for moulding and extrusion plastics*

EN ISO 1519, *Paints and varnishes — Bend test (cylindrical mandrel)*

EN ISO 2808, *Paints and varnishes — Determination of film thickness*

EN ISO 2812-1, *Paints and varnishes — Determination of resistance to liquids — Part 1: Immersion in liquids other than water*

EN ISO 4624, *Paints and varnishes — Pull-off test for adhesion*

EN ISO 6272-2, *Paints and varnishes — Rapid-deformation (impact resistance) tests — Part 2: Falling-weight test, small-area indenter*

EN ISO 6506-1, *Metallic materials — Brinell hardness test — Part 1: Test method*

EN ISO 7225, *Gas cylinders — Precautionary labels*

EN ISO 7866, *Gas cylinders — Refillable seamless aluminium alloy gas cylinders — Design, construction and testing*

EN ISO 9227, *Corrosion tests in artificial atmospheres — Salt spray tests*

EN ISO 9809-1, *Gas cylinders — Refillable seamless steel gas cylinders — Design, construction and testing — Part 1: Quenched and tempered steel cylinders with tensile strength less than 1 100 MPa*

EN 17533:2020 (E)

EN ISO 9809-2, *Gas cylinders — Refillable seamless steel gas cylinders — Design, construction and testing — Part 2: Quenched and tempered steel cylinders with tensile strength greater than or equal to 1 100 MPa*

EN ISO 9809-3, *Gas cylinders — Refillable seamless steel gas cylinders — Design, construction and testing — Part 3: Normalized steel cylinders*

ISO 9809-4, *Gas cylinders — Refillable seamless steel gas cylinders — Design, construction and testing — Part 4: Stainless steel cylinders with an Rm value of less than 1 100 MPa*

EN ISO 11114-1, *Gas cylinders — Compatibility of cylinder and valve materials with gas contents — Part 1: Metallic materials*

EN ISO 11114-2, *Gas cylinders — Compatibility of cylinder and valve materials with gas contents — Part 2: Non-metallic materials*

EN ISO 11114-4, *Transportable gas cylinders — Compatibility of cylinder and valve materials with gas contents — Part 4: Test methods for selecting steels resistant to hydrogen embrittlement*

ISO 11119-1, *Gas cylinders — Refillable composite gas cylinders and tubes — Design, construction and testing — Part 1: Hoop wrapped fibre reinforced composite gas cylinders and tubes up to 450 l*

ISO 11119-2, *Gas cylinders — Refillable composite gas cylinders and tubes — Design, construction and testing — Part 2: Fully wrapped fibre reinforced composite gas cylinders and tubes up to 450 l with load-sharing metal liners*

ISO 11119-3, *Gas cylinders — Refillable composite gas cylinders and tubes — Design, construction and testing — Part 3: Fully wrapped fibre reinforced composite gas cylinders and tubes up to 450L with non-load-sharing metallic or non-metallic liners*

EN ISO 11120, *Gas cylinders — Refillable seamless steel tubes of water capacity between 150 l and 3000 l — Design, construction and testing*

EN ISO 11357-2, *Plastics — Differential scanning calorimetry (DSC) — Part 2: Determination of glass transition temperature*

EN ISO 11439, *Gas cylinders — High pressure cylinders for the on-board storage of natural gas as a fuel for automotive vehicles*

ISO 12108, *Metallic materials — Fatigue testing — Fatigue crack growth method*

EN ISO 14130, *Fibre-reinforced plastic composites — Determination of apparent interlaminar shear strength by short-beam method*

EN ISO 16474-1, *Paints and varnishes — Methods of exposure to laboratory light sources — Part 1: General guidance*

EN ISO 16474-3, *Paints and varnishes — Methods of exposure to laboratory light sources — Part 3: Fluorescent UV lamps*

EN 13322-2, *Transportable gas cylinders — Refillable welded steel gas cylinders — Design and construction — Part 2: Stainless steel*

ASTM D3170/D3170M - 14, *Standard Test Method for Chipping Resistance of Coatings*

ASTM E647, *Standard Test Method for Measurement of Fatigue Crack Growth Rates*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN