

STN	Komunikačné siete a systémy automatizácie elektrických staníc Časť 7-3: Základná komunikačná štruktúra Všeobecné triedy údajov Zmena A1	STN EN 61850-7-3/A1
		33 4850

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 08/20

STN EN 61850-7-3 z októbra 2011 sa bez tejto zmeny A1 môže používať do 16. 3. 2023.

Obsahuje: EN 61850-7-3:2011/A1:2020, IEC 61850-7-3:2010/AMD1:2020

131479

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 61850-7-3:2011/A1

March 2020

ICS 33.200

English Version

Communication networks and systems for power utility
automation - Part 7-3: Basic communication structure - Common
data classes
(IEC 61850-7-3:2010/A1:2020)

Réseaux et systèmes de communication pour
l'automatisation des systèmes électriques - Partie 7-3:
Structure de communication de base - Classes de données
communes
(IEC 61850-7-3:2010/A1:2020)

Kommunikationsnetze und -systeme für die
Automatisierung in der elektrischen Energieversorgung -
Teil 7-3: Grundlegende Kommunikationsstruktur -
Gemeinsame Datenklassen
(IEC 61850-7-3:2010/A1:2020)

This amendment A1 modifies the European Standard EN 61850-7-3:2011; it was approved by CENELEC on 2020-03-16. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this amendment the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN 61850-7-3:2011/A1:2020 (E)**European foreword**

The text of document 57/2101/FDIS, future IEC 61850-7-3/A1, prepared by IEC/TC 57 "Power systems management and associated information exchange" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61850-7-3:2011/A1:2020.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2020-12-16
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2023-03-16

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association.

Endorsement notice

The text of the International Standard IEC 61850-7-3:2010/A1:2020 was approved by CENELEC as a European Standard without any modification.

Annex ZA
(normative)

**Normative references to international publications
with their corresponding European publications**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

Replace the reference to IEEE C37.118 with the following reference:

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC/IEEE 60255-118-1	-	Measuring relays and protection equipment - Part 118-1: Synchrophasor for power systems - Measurements	-	-

Add the following references:

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60255-151	2009	Measuring relays and protection equipment - Part 151: Functional requirements for over/under current protection	EN 60255-151	2009
IEC/TS 61850-7-7	-	Communication networks and systems for power utility automation - Part 7-7: Machine-processable format of IEC 61850-related data models for tools	-	-
IEC/TS 62351-6 ¹	-	Power systems management and associated information exchange - Data and communications security - Part 6: Security for IEC 61850	-	-

¹ Under preparation. Stage at the time of publication: IEC/PRVC 62351-6:2020.



IEC 61850-7-3

Edition 2.0 2020-02

INTERNATIONAL STANDARD

NORME INTERNATIONALE



AMENDMENT 1

AMENDEMENT 1

**Communication networks and systems for power utility automation –
Part 7-3: Basic communication structure – Common data classes**

**Réseaux et systèmes de communication pour l'automatisation des systèmes
électriques –
Partie 7-3: Structure de communication de base – Classes de données
communes**





THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
 3, rue de Varembé
 CH-1211 Geneva 20
 Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
 The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and definitions clause of IEC publications issued between 2002 and 2015. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et définitions des publications IEC parues entre 2002 et 2015. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.



IEC 61850-7-3

Edition 2.0 2020-02

INTERNATIONAL STANDARD

NORME INTERNATIONALE



AMENDMENT 1

AMENDEMENT 1

**Communication networks and systems for power utility automation –
Part 7-3: Basic communication structure – Common data classes**

**Réseaux et systèmes de communication pour l'automatisation des systèmes
électriques –
Partie 7-3: Structure de communication de base – Classes de données
communes**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 33.200

ISBN 978-2-8322-7345-6

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

FOREWORD

This amendment has been prepared by IEC technical committee 57: Power systems management and associated information exchange.

This second edition cancels and replaces the first edition, published in 2003.

Compared to the first edition, this second edition:

- defines new common data classes used for new standards defining object models for other domains based on IEC 61850 and for the representation of statistical and historical data;
- provides clarifications and corrections to the first edition of IEC 61850-7-3;

Compared to the second edition, this first revision of the second edition:

- a) provides clarifications and corrections to the second edition of IEC 61850-7-3, based on the tissues = { 690, 691, 692, 697, 698, 707, 709, 711, 722, 814, 816, 819, 832, 839, 846, 868, 887, 919, 924, 925, 926, 929, 953, 954, 962, 968, 996, 1078, 1079, 1122, 1127, 1184, 1187, 1189, 1220, 1233, 1240, 1242, 1247, 1253, 1265, 1270, 1311, 1372, 1387, 1388, 1403, 1430, 1438, 1578, 1581, 1598, 1602, 1623 };
- b) includes semantic of attributes within tables in Clauses 6 and 7 and thus removes the need for explicit semantic definition in Clause 8;
- c) Clause 8 now contains definitions of newly introduced explicit enumerated types (with tables); this is fully backward compatible as the value of the literals have not changed;
- d) some subclauses in Clause 7 have different numbering because of introduction of some abstract types (that group common attributes for several concrete types);
- e) first subclause under any CDC group in Clause 7, that contained the tables with applicable services with respect to functional constraints, have been removed; that information is explicitly defined in IEC 61850-7-2 with functional constraints, and temporarily included as Annex B, Functional constraints;
- f) contents of 6.2.7 and 6.2.8 have been moved to the normative Annex D of IEC 61850-7-2: Clarification on usage of quality;
- g) implements extension introduced by IEC 62351-6 for security;
- h) presence conditions have been redesigned and renamed to support their uniform usage in all of the IEC 61850-7-xxx series as necessary. Below is the table containing the old and the new presence conditions:

new	original	Notes
M	M	
O	O	
MOcond(condID)	Various C, C1, ...	In IEC 61850-7-4
MFcond(condID)	Various C, C1, ...	In IEC 61850-7-4
OFcond(condID)	Various C, C1, ...	In IEC 61850-7-4
MFsubst	PICS_SUBST	
AtLeastOne(1)	GC_1	
AtMostOne	GC_1_EXCL	
AllOrNonePerGroup(n)	GC_2_n	
AllOnlyOneGroup(n)	GC_2_XOR_n	
MO(sibling)	GC_CON_attr	
MOIn0	AC_LNO_M	
MFIn0	AC_LNO_EX	

new	original	Notes
MOrootLD	C1 in CommonLN	
MOInNs	AC_DLD_M	
MOdataNs	AC_DL_N_M	
MOcdcNs	AC_DL_NDA_M	
MFscaledAV	AC_SCAV	
MFscaledMagV	AC_SCAV	
MFscaledAngV	AC_SCAV	
MA1OrNonePerGroup(n)	AC_ST	
O	AC_CO_O	Documentation provided in ControllableCDC class.
	AC_SG_M	Split into explicit subtype, no need for presence condition.
	AC_SG_O	Split into explicit subtype, no need for presence condition.
	AC_SG_C1	Split into explicit subtype, no need for presence condition.
	AC_NS_G_M	Split into explicit subtype, no need for presence condition.
	AC_NS_G_O	Split into explicit subtype, no need for presence condition.
	AC_NS_G_C1	Split into explicit subtype, no need for presence condition.
MOrms	AC_RMS_M	
O	AC_CLC_O	Eliminated presence condition on Vector.ang in favour of documenting the relevant DO (in IEC 61850-7-4).

Clauses 5 to 8 and their subclauses, replacement for Annex A, Annex B and XML enumerations from Annex D are automatically generated from the UML model.

The text of this amendment is based on the following documents:

FDIS	Report on voting
57/2101/FDIS	57/2132/RVD

Full information on the voting for the approval of this amendment can be found in the report on voting indicated in the above table.

A list of all parts in the IEC 61850 series, published under the general title: *Communication networks and systems for power utility automation*, can be found on the IEC website.

Contrary to usual IEC practice, for ease of use in this case, all tables and figures (including those which have been added since Edition 2) have been numbered consecutively in the amendment and the consolidated version.

This IEC standard includes Code Components i.e. components that are intended to be directly processed by a computer. Such content is any text found between the markers <CODE BEGINS> and <CODE ENDS>, or otherwise is clearly labeled in this standard as a Code Component. In the current version of this document, such indication is made at the beginning of each concerned top-level clause.

The purchase of this IEC standard carries a copyright license for the purchaser to sell software containing Code Components from this standard directly to end users and to end users via distributors, subject to IEC software licensing conditions, which can be found at: <http://www.iec.ch/CCv1>.

If any updates are required to the published code component that needs to apply immediately and can not wait for an amendment (i.e. fixing a major problem), a new release of the Code

Component will be issued and distributed through the IEC WebSite. Any new release of the Code Component related to this part will supersede any previously published Code Component including the one published within the current document.

This publication contains attached nsd files which compose the Code Component of this part. These files are intended to be used as a complement and do not form an integral part of this standard.

The committee has decided that the contents of this amendment and the base publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This document is part of a set of specifications, that details layered substation communication architecture. This architecture has been chosen to provide abstract definitions of classes and services such that the specifications are independent of specific protocol stacks and objects. The mapping of these abstract classes and services to communication stacks is outside the scope of IEC 61850-7-x and may be found in IEC 61850-8-x (station bus) and IEC 61850-9-x (process bus).

IEC 61850-7-1 gives an overview of this communication architecture. This part of IEC 61850 defines constructed attributed classes and common data classes related to applications in the power system using IEC 61850 modeling concepts such as substations, hydro power or distributed energy resources. These common data classes are used in IEC 61850-7-4 to define compatible dataObject classes. The SubDataObjects, DataAttributes or SubAttributes of the instances of dataObject are accessed using services defined in IEC 61850-7-2.

This part of IEC 61850 is used to specify the abstract common data class and constructed attribute class definitions. These abstract definitions are mapped into concrete object definitions that are to be used for a particular protocol (for example MMS, ISO 9506 series).

Some restructuration of the document was done between Edition 2 and Ed 2.1. The following table provides a cross reference.

	IEC 61850-7-3:2007A		IEC 61850-7-3:2007B
Clause/ Subclause number	Name	Clause/ Subclause number	Name
	FOREWORD		FOREWORD
	INTRODUCTION		INTRODUCTION
1	Scope	1	Scope
2	Normative references	2	Normative references
3	Terms and definitions	3	Terms and definitions
4	Abbreviated terms	4	Abbreviated terms
5	Conditions for attribute inclusion	5	Conditions for element inclusion
6	Constructed attribute classes	6	Constructed attribute classes
6.1	General	6.1	General
6.2	Quality		<i>moved to IEC 61850-7-2</i>
6.3	Analogue value		<i>moved to Subclause 6.11</i>
6.4	Configuration of analogue value	6.2	Configuration of analogue value (ScaledValueConfig)
6.5	Range configuration	6.3	Range configuration (RangeConfig)
6.6	Step position with transient indication	6.4	Step position with transient indication (ValWithTrans)
6.7	Pulse configuration	6.5	Pulse configuration (PulseConfig)
6.8	Originator		<i>moved to IEC 61850-7-2</i>
6.9	Unit definition	6.6	Unit definition (Unit)
6.10	Vector definition	6.7	Vector definition (Vector)
6.11	Point definition	6.8	Point definition (Point)
6.12	CtlModels definition		<i>moved to Clause 8</i>
6.13	SboClasses definition		<i>moved to Clause 8</i>
6.14	Cell	6.9	Cell (Cell)
6.15	CalendarTime definition	6.10	Calendar time definition (CalendarTime)

	IEC 61850-7-3:2007A		IEC 61850-7-3:2007B
Clause/ Subclause number	Name	Clause/ Subclause number	Name
		6.11	Analogue value
		6.11.1	General
		6.11.2	Analogue value (AnalogueValue)
		6.11.3	Analogue value control (AnalogueValueCtl)
		6.11.4	Analogue float value control (AnalogueValueCtlF)
		6.11.5	Analogue integer value control (AnalogueValueCtlInt)
7	Common data class specifications	7	Common data class specifications
7.1	General	7.1	General
7.2	Name spaces		
		7.2	Modelling introduction
		7.2.1	General
		7.2.2	<<abstract>> Common attributes for primitive CDC (BasePrimitiveCDC)
		7.2.3	<<abstract>> Common attributes for composed CDC (BaseComposedCDC)
		7.2.4	<<abstract>> Substitution (SubstitutionCDC)
7.3	Common data class specifications for status information	7.3	Status information
		7.3.1	General
7.3.1	Application of services		<i>moved to Annex B</i>
7.3.2	Single point status (SPS)	7.3.2	Single point status (SPS)
7.3.3	Double point status (DPS)	7.3.3	Double point status (DPS)
7.3.4	Integer status (INS)	7.3.4	<<statistics>> Integer status (INS)
7.3.5	Enumerated status (ENS)	7.3.5	<<abstract>> Enumerated status (ENS)
7.3.6	Protection activation information (ACT)	7.3.6	Protection activation information (ACT)
7.3.7	Directional protection activation information (ACD)	7.3.7	Directional protection activation information (ACD)
7.3.8	Security violation counting (SEC)	7.3.8	Security violation counting (SEC)
7.3.9	Binary counter reading (BCR)	7.3.9	<<statistics>> Binary counter reading (BCR)
7.3.10	Histogram (HST)	7.3.10	Histogram (HST)
7.3.11	Visible string status (VSS)	7.3.11	Visible string status (VSS)
		7.3.12	Object reference status (ORS)
		7.3.13	Time value status (TCS)
7.4	Common data class specifications for measurand information	7.4	Measurand information
7.4.1	Application of services		<i>moved to Annex B</i>
		7.4.1	General
		7.4.2	<<abstract,statistics>> Common harmonic measurand information (HarmonicMeasurandCDC)
7.4.2	Measured value (MV)	7.4.3	<<statistics>> Measured value (MV)
7.4.3	Complex measured value (CMV)	7.4.4	<<statistics>> Complex measured value (CMV)

	IEC 61850-7-3:2007A		IEC 61850-7-3:2007B
Clause/ Subclause number	Name	Clause/ Subclause number	Name
7.4.4	Sampled value (SAV)	7.4.5	<<statistics>> Sampled value (SAV)
7.4.5	Phase to ground/neutral related measured values of a three-phase system (WYE)	7.4.6	<<statistics>> Phase to ground/neutral related measured values of a three-phase system (WYE)
7.4.6	Phase to phase related measured values of a three-phase system (DEL)	7.4.7	<<statistics>> Phase to phase related measured values of a three-phase system (DEL)
7.4.7	Sequence (SEQ)	7.4.8	<<statistics>> Sequence (SEQ)
7.4.8	Harmonic value (HMV)	7.4.9	<<statistics>> Harmonic value (HMV)
7.4.9	Harmonic value for WYE (HWYE)	7.4.10	<<statistics>> Harmonic value for WYE (HWYE)
7.4.10	Harmonic value for DEL (HDEL)	7.4.11	<<statistics>> Harmonic value for DEL (HDEL)
7.5	Common data class specifications for controls	7.5	Controls
7.5.1	Application of services		<i>moved to Annex B</i>
		7.5.1	General
		7.5.2	<<abstract>> Controllable testing (ControlTestingCDC)
7.5.2	Controllable single point (SPC)	7.5.3	Controllable single point (SPC)
7.5.3	Controllable double point (DPC)	7.5.4	Controllable double point (DPC)
7.5.4	Controllable integer status (INC)	7.5.5	<<statistics>> Controllable integer status (INC)
7.5.5	Controllable enumerated status (ENC)	7.5.6	<<abstract>> Controllable enumerated status (ENC)
7.5.6	Binary controlled step position information (BSC)	7.5.7	<<statistics>> Binary controlled step position information (BSC)
7.5.7	Integer controlled step position information (ISC)	7.5.8	<<statistics>> Integer controlled step position information (ISC)
7.5.8	Controllable analogue process value (APC)	7.5.9	<<statistics>> Controllable analogue process value (APC)
7.5.9	Binary controlled analog process value (BAC)	7.5.10	<<statistics>> Binary controlled analogue process value (BAC)
7.6	Common data class specifications for status settings	7.6	Status settings
7.6.1	Application of services		<i>moved to Annex B</i>
		7.6.1	General
7.6.2	Single point setting (SPG)	7.6.2	Single point setting
7.6.3	Integer status setting (ING)	7.6.3	Integer status setting
7.6.4	Enumerated status setting (ENG)	7.6.4	Enumerated status setting
7.6.5	Object reference setting (ORG)	7.6.5	Object reference setting
7.6.6	Time setting group (TSG)	7.6.6	Time setting
7.6.7	Currency setting group (CUG)	7.6.7	Currency setting
7.6.8	Visible string setting (VSG)	7.6.8	Visible string setting
7.7	Common data class specifications for analogue settings	7.7	Analogue settings
7.7.1	Application of services		<i>moved to Annex B</i>
		7.7.1	General

	IEC 61850-7-3:2007A		IEC 61850-7-3:2007B
Clause/ Subclause number	Name	Clause/ Subclause number	Name
7.7.2	Analogue setting (ASG)	7.7.2	Analogue setting
7.7.3	Setting curve (CURVE)	7.7.3	Setting curve
7.7.4	Curve shape setting (CSG)	7.7.4	Curve shape setting
7.8	Common data class specifications for description information	7.8	Description information
7.8.1	Application of services		<i>moved to Annex B</i>
		7.8.1	General
7.8.2	Device name plate (DPL)	7.8.2	Device name plate (DPL)
7.8.3	Logical node name plate (LPL)	7.8.3	Logical node name plate (LPL)
7.8.4	Curve shape description (CSD)	7.8.4	Curve shape description (CSD)
		7.8.5	Visible string description (VSD)
	<i>moved from IEC 61850-7-2</i>	7.9	Service tracking
8	Data attribute semantic		<i>moved to content of tables</i>
		8	Enumerated data attribute types
Annex A	Value range for units and multiplier	Annex A	Value range for units and multiplier
Annex B	Functional constraints	Annex B	Functional constraints
Annex C	Tracking of configuration revisions	Annex C	Tracking of configuration revisions
Annex D	SCL enumerations	Annex D	SCL enumerations
		Annex E	Conditions for element presence
		Annex F	Compatibility of the different revisions of the standard

1 Scope

Move the existing content of Clause 1 to new Subclause 1.1 General.

Add the following new Subclauses 1.2 and 1.3:

1.2 Namespace name and version

This new section is mandatory for any IEC 61850 namespace (as defined by IEC 61850-7-1:2011).

The parameters which are identifying this new release of this namespace are:

- Namespace Version: 2007
- Namespace Revision: B
- Namespace name: “IEC 61850-7-3:2007B”
- Namespace release: 3
- Namespace release date: 2019-10-02

IEC 61850-7-3 depends on IEC 61850-7-2:2007B latest release

The table below provides an overview of all published versions of this namespace.

Edition	Publication date	Webstore	Namespace
Edition 1.0	2003-05	IEC 61850-7-3:2003	IEC 61850-7-3:2003
Edition 2.0	2010-12	IEC 61850-7-3:2010	IEC 61850-7-3:2007
Amendment 1 of Edition 2.0	2020-02	IEC 61850-7-3:2010/AMD1:2020	IEC 61850-7-3:2007B
Edition 2.1	2020-02	IEC 61850-7-3:2010+AMD1:2020 CSV	IEC 61850-7-3:2007B

1.3 Code Component distribution

The Code Component will be available in light and full version:

- Full version will contain definition of the whole LNs defined in this standard with the documentation associated and access will be restricted to purchaser of this part
- Light version will not contain the documentation but will contain the whole definition of the LNs as per full version, and this light version will be freely accessible on the IEC website for download, but the usage remains under the licensing conditions.

The link for downloading the light version of this code component is:

http://www.iec.ch/public/TC57/supportdocuments/IEC_61850-7-3.NSD.2007B3.light.zip

The Code Components for IEC 61850 data models (like basic types, presence conditions, ... definition in this IEC standard) are available as the file format NSD defined by standard IEC 61850-7-7.

The Code Component(s) included in this IEC standard are potentially subject to maintenance works and user shall select the latest release in the repository located at:
<http://www.iec.ch/TC57/supportdocuments>

The latest version/release of the document will be found by selecting the file IEC_61850-7-2.NSD.{VersionStateInfo}.light.zip with the filed VersionStateInfo of the highest value.

Each Code Component is a ZIP package containing the electronic representation of the Code Component itself, with a file describing the content of the package (IECManifest.xml).
The IECManifest contains different sections giving information on:

- The copyright notice
- The identification of the code component
- The publication related to the code component
- The list of the electronic files which compose the code component
- An optional list of history files to track changes during the evolution process of the code component

The life cycle of a code component is not restricted to the life cycle of the related publication. The publication life cycle goes through two stages, Version (corresponding to an edition) and Revision (corresponding to an amendment). A third publication stage (Release) allows publication of Code Component without need to publish an amendment.

This is useful when InterOp Tissues need to be fixed. Then a new release of the Code Component will be released, which supersedes the previous release, and distributed through the IEC TC57 web site.

2 Normative references

Replace existing reference to IEEE C37.118 with the following new reference:

IEC/IEEE 60255-118-1, Measuring relays and protection equipment – Part 118-1: Synchrophasor for power systems – Measurements

Add the following new references:

IEC 60255-151:2009, Measuring relays and protection equipment - Part 151: Functional requirements for over/under current protection

IEC TS 61850-7-7, Communication networks and systems for power utility automation - Part 7-7: Machine-processable format of IEC 61850-related data models for tools

IEC TS 62351-6:–, Power systems management and associated information exchange data and communication security – Part 6: Security for IEC 61850¹

koniec náhľadu – text d'alej pokračuje v platenej verzii STN

¹ Under preparation. Stage at the time of publication: IEC/PRVC 62351-6:2020.