

STN	Vláknová optika Východiskové podmienky pre viacvidové vlákna Požiadavky na východiskové podmienky pre meranie viacvidového tlmenia	STN EN IEC 62614-1 35 9214
------------	---	--

Fibre optics - Multimode launch conditions - Part 1: Launch condition requirements for measuring multimode attenuation

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 10/20

Obsahuje: EN IEC 62614-1:2020, IEC 62614-1:2020

Oznámením tejto normy sa od 15.07.2023 ruší
STN EN 62614 (35 9214) z júla 2011

131798

EUROPEAN STANDARD

EN IEC 62614-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2020

ICS 33.180.01

Supersedes EN 62614:2010 and all of its amendments
and corrigenda (if any)

English Version

**Fibre optics - Multimode launch conditions - Part 1: Launch
condition requirements for measuring multimode attenuation
(IEC 62614-1:2020)**Fibres optiques - Exigences des conditions d'injection pour
la mesure de l'affaiblissement en multimodal
(IEC 62614-1:2020)Lichtwellenleiter – Mehrmoden Anregungsbedingungen -
Teil 1: Anforderungen an die Anregungsbedingungen für
Mehrmoden-Dämpfungsmessungen
(IEC 62614-1:2020)

This European Standard was approved by CENELEC on 2020-07-15. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 62614-1:2020 (E)**European foreword**

The text of document 86C/1625/CDV, future edition 1 of IEC 62614-1, prepared by SC 86C "Fibre optic systems and active devices" of IEC/TC 86 "Fibre optics" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62614-1:2020.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2021-04-15
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2023-07-15

This document supersedes EN 62614:2010 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62614-1:2020 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60793-2-10:2019	NOTE	Harmonized as EN IEC 60793-2-10:2019 (not modified)
IEC 61280-4-1:2019	NOTE	Harmonized as EN IEC 61280-4-1:2019 (not modified)
IEC 61745	NOTE	Harmonized as EN 61745
IEC 61755-6-2	NOTE	Harmonized as EN IEC 61755-6-2

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61280-1-4	-	Fibre optic communication subsystem test procedures - Part 1-4: General communication subsystems - Light source encircled flux measurement method	EN 61280-1-4	-



IEC 62614-1

Edition 1.0 2020-06

INTERNATIONAL STANDARD



Fibre optics – Multimode launch conditions – Part 1: Launch condition requirements for measuring multimode attenuation



**THIS PUBLICATION IS COPYRIGHT PROTECTED****Copyright © 2020 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.



IEC 62614-1

Edition 1.0 2020-06

INTERNATIONAL STANDARD



Fibre optics – Multimode launch conditions – Part 1: Launch condition requirements for measuring multimode attenuation

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.180.01

ISBN 978-2-8322-8398-1

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references	5
3 Terms and definitions	5
4 Background on multimode launch conditions	6
5 Test source launch	7
5.1 General.....	7
5.2 Encircled flux	7
5.3 Encircled flux template illustration.....	7
5.4 Encircled flux target for attenuation measurement.....	8
5.5 Harmonization of multimode launch conditions to eliminate wavelength bias.....	9
5.6 Uncertainties expectations	10
5.7 Encircled flux limits	10
5.8 Practical limitations of multimode launch conditions	11
Bibliography.....	12
Figure 1 – EF template illustration for 50 µm core fibre cabling at 850 nm	8
Figure 2 – Wavelength comparison	9
Table 1 – EF target for 50 µm core fibre at 850 nm	8
Table 2 – EF target for 50 µm core fibre at 1 300 nm	8
Table 3 – EF target for 62,5 µm fibre at 850 nm	9
Table 4 – EF target for 62,5 µm fibre at 1 300 nm	9
Table 5 – Attenuation, threshold tolerance and confidence level	10

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIBRE OPTICS – MULTIMODE LAUNCH CONDITIONS –**Part 1: Launch condition requirements for
measuring multimode attenuation**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62614-1 has been prepared by subcommittee 86C: Fibre optic systems and active devices, of IEC technical committee 86: Fibre optics.

This first edition cancels and replaces IEC 62614, published in 2010, and constitutes a technical revision.

This edition includes the following significant technical changes with respect to IEC 62614:

- a) increase of the value of the uncertainty attenuation variation coefficient Y for 50 μm core fibre at 1 300 nm, due to launch conditions, to twice the previous value;
- b) changes to 3.4, 5.6, including Table 5, and some references to remain consistent with IEC 61280-4-1:2019;
- c) changes to multimode fibre references to be consistent with IEC 60793-2-10:2019.

The text of this International Standard is based on the following documents:

CDV	Report on voting
86C/1625/CDV	86C/1654A/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62614 series, published under the general title *Fibre optics – Multimode launch conditions*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

FIBRE OPTICS – MULTIMODE LAUNCH CONDITIONS –

Part 1: Launch condition requirements for measuring multimode attenuation

1 Scope

This part of IEC 62614 describes the launch condition requirements used for measuring multimode attenuation in passive components and in installed cable plants.

In this document, the fibre types that are addressed include category A1-OM_x, where $x = 2, 3, 4$ and 5 ($50\ \mu\text{m}/125\ \mu\text{m}$), and A1-OM₁ ($62,5\ \mu\text{m}/125\ \mu\text{m}$) multimode fibres, as specified in IEC 60793-2-10. The nominal test wavelengths detailed are 850 nm and 1 300 nm. This document can be suitable for multimode attenuation measurements for other multimode categories and/or other wavelengths, but the source condition for other categories and wavelengths are not defined here.

The purpose of these requirements is as follows:

- to ensure consistency of field measurements when different types of test equipment are used;
- to ensure consistency of factory measurements when different types of test equipment are used;
- to ensure consistency of field measurements when compared with factory measurements.

This document describes launch condition requirements for optical attenuation using sources with a controlled encircled flux (EF).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61280-1-4, *Fibre optic communication subsystem test procedures – Part 1-4: General communication subsystems – Light source encircled flux measurement method*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN