ICS 01.040.01, 01.110 SLOVENSKÁ TECHNICKÁ NORMA December 2020

STN	**Normalizovaná registrácia a prenos ontológií pre výrobky pomocou tabuliek Časť 8: Rozhranie služby web pre dátové balíky**	**STN EN IEC 62656-8** 01 3705

Standardized product ontology register and transfer by data parcels - Part 8: Web service interface for data parcels

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 11/20

Obsahuje: EN IEC 62656-8:2020, IEC 62656-8:2020

131878

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN IEC 62656-8

August 2020

ICS 01.040.01; 01.110

English Version

Standardized product ontology register and transfer by data parcels - Part 8: Web service interface for data parcels (IEC 62656-8:2020)

Enregistrement d'ontologie de produits normalisés et transfert par paquets de données - Partie 8: Interface de service Web pour les paquets de données (IEC 62656-8:2020)

Standardisierte Übertragung und Registrierung von Ontologien für Produkte mittels Datenpaketen - Teil 8: Webservice-Schnittstelle für Datenpakete (IEC 62656-8:2020)

This European Standard was approved by CENELEC on 2020-07-29. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 62656-8:2020 (E)

European foreword

The text of document 3D/342/FDIS, future edition 1 of IEC 62656-8, prepared by SC 3D "Classes, Properties and Identification of products - Common Data Dictionary (CDD)" of IEC/TC 3 "Documentation, graphical symbols and representations of technical information" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62656-8:2020.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2021-04-29
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2023-07-29

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62656-8:2020 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated:

IEC 61360-2:2012	NOTE	Harmonized as EN 61360-2:2013 (not modified)

Annex ZA
(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

Publication	Year	Title	EN/HD	Year
IEC 62656-1	2014	Standardized product ontology register and transfer by spreadsheets - Part 1: Logical structure for data parcels	EN 62656-1	2015
ISO/IEC 21778	-	Information technology - The JSON data interchange syntax	-	-
ISO 639-1	-	Codes for the representation of names of languages - Part 1: Alpha-2 code	-	-
ISO 3166-1	-	Codes for the representation of names of countries and their subdivisions - Part 1: Country codes	-	-
ISO 8601-1	-	Date and time - Representations for information interchange - Part 1: Basic rules	-	-
ISO 8601-2	-	Date and time - Representations for information interchange - Part 2: Extensions	-	-
ISO 13584-32	-	Industrial automation systems and integration - Parts library - Part 32: Implementation resources: OntoML: Product ontology markup language	-	-

IEC 62656-8

Edition 1.0 2020-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE

colour inside

Standardized product ontology register and transfer by data parcels – Part 8: Web service interface for data parcels

Enregistrement d'ontologie de produits normalises et transfert par paquets de données – Partie 8: Interface de service Web pour les paquets de données

IEC 62656-8:2020-06(en-fr)

IEC 62656-8

Edition 1.0 2020-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Standardized product ontology register and transfer by data parcels – Part 8: Web service interface for data parcels

Enregistrement d'ontologie de produits normalises et transfert par paquets de données – Partie 8: Interface de service Web pour les paquets de données

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 01.040.01; 01.110 ISBN 978-2-8322-8469-8

CONTENTS

FOREWORD 6
INTRODUCTION 8
1 Scope 10
2 Normative references 10
3 Terms, definitions and abbreviated terms 11
3.1 Terms and definitions 11
3.2 Abbreviated terms 13
4 Use scenarios 13
4.1 Holistic use scenario 13
4.2 Use scenario between server and client 14
4.3 Use scenario between servers 15
5 Parcel web service specification 16
5.1 General 16
5.2 Exception 16
5.2.1 General 16
5.2.2 Naming convention for an exception 17
5.2.3 Standard-defined exceptions 17
5.3 Search scope 18
5.4 Parcel registration service 20
5.4.1 General 20
5.4.2 Request message 20
5.4.3 Response message 22
5.4.4 Exception 23
5.5 Parcel resolution service 23
5.5.1 General 23
5.5.2 Request message 24
5.5.3 Response message 27
5.5.4 Exception 27
5.6 Parcel subscription service 28
5.6.1 General 28
5.6.2 Request message 28
5.6.3 Response message 29
5.6.4 Exception 29
5.6.5 Specification of change notification 29
6 Specification of parcel data representation in a web service message 30
6.1 General 30
6.2 Basic data representation 30
6.3 Reserved keywords 31
6.3.1 Keyword indicating conjunctive parcels 31
6.3.2 Keyword indicating parcel ontology layer of a set of data parcels 31
6.3.3 Keyword indicating header section 31
6.3.4 Keyword indicating class header section 31
6.3.5 Keyword indicating schema header section 32
6.3.6 Keyword indicating data section 32
6.3.7 Keyword indicating default supplier in data section 32
6.3.8 Keyword indicating default version in data section 32

6.4 Additional instructions to data parcels for parcel web services 32
6.4.1 Codification mode 32
6.4.2 Intended language 33
6.4.3 Default value 33
6.5 Description of instructions 34
7 Data representation in JSON 35
7.1 Basic structure of data representation in JSON 35
7.2 Reserved JSON name indicating an array of data parcels 37
7.3 JSON names for class header section 37
7.3.1 JSON name indicating the instruction "#CLASS_ID" 37
7.3.2 JSON name indicating the instruction "#PARCEL_MODE" 37
7.3.3 JSON name indicating the instruction "#PARCEL_ID" 37
7.3.4 JSON name indicating the instruction "#DEFAULT_SUPPLIER" 37
7.3.5 JSON name indicating the instruction "#DEFAULT_VERSION" 38
7.3.6 JSON name indicating the instruction "#OBJECT_ID_NAME" 38
7.3.7 JSON name indicating the instruction "#ID_ENCODE" 38
7.3.8 JSON name indicating the instruction "#PWS_CODIFICATION_MODE" 38
7.3.9 JSON name indicating the instruction "#INTENDED_LANGUAGE" 38
7.4 JSON names for schema header section 38
7.4.1 Basic structure of data representation for schema header section in JSON 38
7.4.2 JSON names for the schema header section 39
7.5 Data representation for data section in JSON 40
7.5.1 Vertical JSON notation for data section 40
7.5.2 Lateral JSON notation for data section 40
7.6 Character encode 40
8 Data representation in XML 41
8.1 Basic structure of data representation in XML 41
8.2 Reserved keyword indicating data parcel 42
8.3 XML elements for class header section 42
8.3.1 XML element indicating the instruction "#CLASS_ID" 42
8.3.2 XML element indicating the instruction "#PARCEL_MODE" 42
8.3.3 XML element indicating the instruction "#PARCEL_ID" 42
8.3.4 XML element indicating the instruction "#DEFAULT_SUPPLIER" 42
8.3.5 XML element indicating the instruction "#DEFAULT_VERSION" 42
8.3.6 XML element indicating the instruction "#OBJECT_ID_NAME" 43
8.3.7 XML element indicating the instruction "#ID_ENCODE" 43
8.3.8 XML element indicating the instruction "#PWS_CODIFICATION_MODE" 43
8.3.9 XML element indicating the instruction "#INTENDED_LANGUAGE" 43
8.4 XML elements for schema header section 43
8.4.1 Basic structure of data representation for schema header section in XML 43
8.4.2 XML elements of schema header section 44
8.5 XML elements and attributes for data section 45
8.5.1 Vertical XML notation of data section 45
8.5.2 Lateral XML notation of data section 46
8.6 Character encode 48
Annex A (normative) Schema 49
A.1 JSON schema 49

A.1.1 Vertical JSON schema 49
A.1.2 Lateral JSON schema 51
A.1.3 Exception JSON schema 53
A.2 XML schema 54
A.2.1 Vertical XML schema 54
A.2.2 Lateral XML schema 57
A.2.3 Exception XML schema 59
Annex B (normative) Web service representation 60
B.1 Web service representation in WADL 60
B.2 Web service representation in WSDL 64
Annex C (informative) Examples of data representation 68
C.1 Example data parcel 68
C.2 Example of data representation in JSON notation 69
C.2.1 Example of data representation in vertical JSON notation 69
C.2.2 Example of data representation in lateral JSON notation 70
C.3 Example of data representation in XML notation 71
C.3.1 Example of data representation in vertical XML notation 71
C.3.2 Example of data representation in lateral XML notation 73
Annex D (informative) Descriptions of the instructions of "optional – informative" 75
Bibliography 76

Figure 1 – Holistic use scenario of parcel web services 14
Figure 2 – Parcel resolution and registration services between a server and a client 15
Figure 3 – Parcel subscription service between registries 16
Figure 4 – Tree structure of exceptions 17
Figure 5 – Example of structural view of the use of search scope modifiers 19
Figure 6 – Example of a parcel sheet view of the use of search scope modifiers 20
Figure 7 – Overview of parcel resolution service 24
Figure 8 – Basic structure of a data representation for a conjunctive set of data parcels 31
Figure 9 – Example of the use of default values 34
Figure 10 – Basic structure of data representation in JSON 36
Figure 11 – Basic structure of data representation for schema header section in JSON 39
Figure 12 – Basic structure of data representation in XML 41
Figure 13 – Basic structure of data representation for schema header section in XML 44
Figure 14 – Structure of data representation for data section in the vertical XML notation 45
Figure 15 – Structure of data representation for data section in lateral XML notation 47
Figure A.1 – Vertical JSON schema 49
Figure A.2 – Lateral JSON schema 51
Figure A.3 – Exception JSON schema 53
Figure A.4 – Vertical XML schema 54
Figure A.5 – Lateral XML schema 57
Figure A.6 – Exception XML schema 59
Figure B.1 – Web service representation in WADL 60
Figure B.2 – Web service representation in WSDL 64

Figure C.1 – Example of data representation in vertical JSON notation 69
Figure C.2 – Example of data representation in lateral JSON notation 70
Figure C.3 – Example of data representation in vertical XML notation 71
Figure C.4 – Example of data representation in lateral XML notation 73

Table 1 – Standard-defined exceptions for parcel web services 18
Table 2 – Specification of search scope modifiers 19
Table 3 – Structure of a request message of the parcel registration service 20
Table 4 – Structure of a response message of the parcel registration service 22
Table 5 – Structure of a request message of the parcel resolution service 25
Table 6 – Structure of a response message of the parcel resolution service 27
Table 7 – Structure of a request message of the parcel subscription service 28
Table 8 – Structure of a response message of the parcel subscription service 29
Table 9 – Specification of a notification 30
Table 10 – Description of the instructions specified in IEC 62656-1 35
Table 11 – Description of the instructions specified in this document 35
Table C.1 – Example data parcel 68
Table D.1 – Descriptions of the instructions of "optional – informative" 75

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

STANDARDIZED PRODUCT ONTOLOGY REGISTER AND TRANSFER BY DATA PARCELS –

Part 8: Web service interface for data parcels

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62656-8 has been prepared by subcommittee 3D: Classes, Properties and Identification of products – Common Data Dictionary (CDD), of IEC technical committee 3: Documentation, graphical symbols and representations of technical information.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
3D/342/FDIS	3D/346/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62656 series, published under the general title *Standardized product ontology register and transfer by data parcels*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

For a description of products and services throughout their lifecycle, an enhanced data interoperability with reduced human interventions is an ultimate goal of developing international standards for intelligent production systems. In attaining this goal, an industrial ontology is expected to play a significant role by allowing components of systems to talk to each other, namely machine-machine understanding, about their functions, capabilities, structures and their configurations.

The parcellized ontology model defined in IEC 62656-1, also known by its acronym "POM", is a generic ontology model with quadruple layers to capture different types of ontology models by sorting elements into categories of homogeneous collection of ontological entities, such as classes (concepts), properties, relations, enumerations, terms (constants), data types, etc. At the second layer from the top, named the Meta-Ontology (MO) layer, 11 types of category are defined. Each layer is a collection of categories, while each category is represented by a relational table-like matrix called "data parcel" whose meta data (attributes) are embodied as a selection of instances of the immediate upper layer. The top layer of the POM, named the Axiomatic Ontology (AO) layer, comprises two data parcels only, which conjointly define the "concept of concepts" by classes and properties, which is an information technology (IT) embodiment of the math-logical notion of the class (i.e., "concept") itself.

Other parts of the IEC 62656 series, which are collectively known as "Parcel standards", are intended as a specialization of the POM for a specific purpose.

IEC 62656-2 [1][1] is a guide for domain experts to apply the POM in order to capture a data dictionary from the definitions available in product standards in a form conformant to the IEC 61360-2 [2] and ISO 13584-42 [3] dictionary schema (i.e., common data dictionary model, or CDDM) and using the specification of a part of IEC 62656-1 as an official data interface for the IEC 61360-4 database known as the IEC CDD (Common Data Dictionary), enabling the uploading and downloading of the dictionary to and from the IEC CDD. A referential implementation of IEC 62656-1 is available as a tool, free of charge for standardization purposes.

IEC 62656-3 is intended as a mapping specification between a standard data model of the "Smart-Grid" domain, with acronym CIM (Common Information Model), and an extended, or rather generalized data model of the IEC CDD, namely, the POM. The CIM comprises the IEC 61968/IEC 61970/IEC 62325 series of International Standards. Thus, the IEC CDD can accommodate the CIM provided the IEC CDD sufficiently implements the POM as the data interface or database. Alternatively, this mapping inevitably entails a small but significant extension of the IEC CDD, without which the accommodation of the CIM into the IEC CDD is infeasible. Nevertheless, nothing needs to be added to or subtracted from the tool which is currently used as a data interface for the IEC CDD and which fully embodies IEC 62656-1.

IEC 62656-5 is intended as an interface for the description of activities as an ontology conformant to IEC 62656-1, thus opening a way to store definitions available from activity-centric International Standards, for instance IEC 62224-3, as an ontology. IEC 62656-5 can also be applied to the description of non-manufacturing use scenarios, such as for the description of activities of natural hazard management or electronic tourist guidance or navigation, with a harmonious integration of activities with related products and services.

This means a common ontology repository ("COR") based on the POM can store both IEC CDD and CIM types of data dictionaries or ontologies. Furthermore it can smoothly bridge the differences and fill the gaps covering ontologies of different provenances.

---

1 Numbers in square brackets refer to the Bibliography.

Future parts of the IEC 62656 series are expected to shed light on a new spectrum of applications for the COR based on the POM.

Above all, this document specifies a description of basic web services for semantic repositories based on the POM, whilst an advanced type of web interface, including complex enquiry about products as well as query forwarding to another repository, is left to a future part of the series, to be developed.

STANDARDIZED PRODUCT ONTOLOGY REGISTER AND TRANSFER BY DATA PARCELS –

Part 8: Web service interface for data parcels

1 Scope

This part of IEC 62656 specifies a web service interface to exchange data parcel(s) conformant to IEC 62656-1, between a parcel server and a parcel client or between parcel servers. This interface comprises three basic services: a registration service, resolution service and subscription service.

This document includes the following:

– holistic use scenario;
– detailed specification of the three basic services;
– JSON [1] and XML [5] notation schemas for data parcel(s).

The following items are outside the scope of this document:

– user identification and authorization;
– query language for a data parcel;
– transportation protocol;
– data and communication security techniques.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62656-1:2014, *Standardized product ontology register and transfer by spreadsheets – Part 1: Logical structure for data parcels*

ISO/IEC 21778, *Information technology – The JSON data interchange syntax*

ISO 639-1, *Codes for the representation of names of languages – Part 1: Alpha-2 code*

ISO 3166-1, *Codes for the representation of names of countries and their subdivisions – Part 1: Country codes*

ISO 8601-1, *Date and time – Representations for information interchange – Part 1: Basic rules*

ISO 8601-2, *Date and time – Representations for information interchange – Part 2: Extensions*

ISO 13584-32, *Industrial automation systems and integration – Parts library – Part 32: Implementation resources: OntoML: Product ontology markup language*