

STN	Zariadenia a integrácia do podnikových systémov Funkčné bloky (FB) na riadenie procesov a jazyk na popis elektronických zariadení (EDDL) Časť 5: Knižnica preddefinovaných štandardných podprogramov jazyka EDDL	STN EN IEC 61804-5 01 3756
------------	---	--

Devices and intergration in enterprise systems - Function blocks (FB) for process control and electronic device description language (EDDL)
- Part 5: EDDL Builtin library

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 11/20

Obsahuje: EN IEC 61804-5:2020, IEC 61804-5:2020

Oznámením tejto normy sa od 29.07.2023 ruší
STN EN 61804-5 (01 3756) z februára 2016

131883

EUROPEAN STANDARD

EN IEC 61804-5

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2020

ICS 25.040.40; 35.240.50

Supersedes EN 61804-5:2015 and all of its amendments
and corrigenda (if any)

English Version

**Devices and intergration in enterprise systems - Function blocks
(FB) for process control and electronic device description
language (EDDL) - Part 5: EDDL Built-in library
(IEC 61804-5:2020)**

Les dispositifs et leur intégration dans les systèmes de l'entreprise - Blocs fonctionnels (FB) pour les procédés industriels et le langage de description électronique de produit (EDDL) - Partie 5: Bibliothèque de Built-in EDDL (IEC 61804-5:2020)

Funktionsbausteine für die Prozessautomation und elektronische Gerätebeschreibungssprache - Teil 5: Bibliothek vorgefertigter Unterprogramme (IEC 61804-5:2020)

This European Standard was approved by CENELEC on 2020-07-29. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 61804-5:2020 (E)**European foreword**

The text of document 65E/634/CDV, future edition 2 of IEC 61804-5, prepared by SC 65E "Devices and integration in enterprise systems" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61804-5:2020.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2021-04-29
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2023-07-29

This document supersedes EN 61804-5:2015 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61804-5:2020 was approved by CENELEC as a European Standard without any modification.

Annex ZA **(normative)**

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61804-3	2020	Devices and integration in enterprise systems - Function blocks (FB) for process control and electronic device description language (EDDL) - Part 3: EDDL syntax and semantics	EN IEC 61804-3	2020
ISO/IEC 9899	-	Information technology - Programming languages - C	-	-
IEEE 754	-	IEEE Standard for Floating-Point Arithmetic	-	-



IEC 61804-5

Edition 2.0 2020-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Devices and integration in enterprise systems – Function blocks (FB) for process control and electronic device description language (EDDL) – Part 5: EDDL Built-in library

Les dispositifs et leur intégration dans les systèmes de l'entreprise – blocs fonctionnels (FB) pour les procédés industriels et le langage de description électronique de produit (EDDL) – Partie 5: Bibliothèque de Built-in EDDL



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.



IEC 61804-5

Edition 2.0 2020-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Devices and integration in enterprise systems – Function blocks (FB) for process control and electronic device description language (EDDL) – Part 5: EDDL Builtin library

Les dispositifs et leur intégration dans les systèmes de l'entreprise – blocs fonctionnels (FB) pour les procédés industriels et le langage de description électronique de produit (EDDL) – Partie 5: Bibliothèque de Builtin EDDL

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040.40; 35.240.50

ISBN 978-2-8322-8446-9

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	20
INTRODUCTION.....	23
1 Scope.....	24
2 Normative references	24
3 Terms, definitions, acronyms and abbreviated terms	24
3.1 Terms and definitions.....	24
3.2 Acronyms and abbreviated terms	24
4 Conventions for builtin descriptions	25
5 Builtin categories	26
5.1 Overview.....	26
5.2 User interface builtins	36
5.3 Communication builtins	37
5.4 Action builtins	39
6 EDDL builtin library.....	42
6.1 General.....	42
6.2 User interface builtins	42
6.2.1 Builtin ACKNOWLEDGE	42
6.2.2 Builtin acknowledge	43
6.2.3 Builtin DELAY	44
6.2.4 Builtin delay.....	44
6.2.5 Builtin delayfor.....	45
6.2.6 Builtin delayfor2.....	46
6.2.7 Builtin DISPLAY.....	48
6.2.8 Builtin display	49
6.2.9 Builtin display_bitenum	49
6.2.10 Builtin display_builtin_error.....	50
6.2.11 Builtin display_comm_error.....	50
6.2.12 Builtin display_comm_status.....	51
6.2.13 Builtin display_device_status	52
6.2.14 Builtin display_dynamics.....	52
6.2.15 Builtin display_dynamics2.....	53
6.2.16 Builtin display_message	54
6.2.17 Builtin display_message2	55
6.2.18 Builtin display_response_code.....	57
6.2.19 Builtin display_response_status.....	58
6.2.20 Builtin display_xmtr_status	58
6.2.21 Builtin edit_device_value	59
6.2.22 Builtin edit_device_value2	60
6.2.23 Builtin edit_local_value	62
6.2.24 Builtin edit_local_value2	63
6.2.25 Builtin get_acknowledgement	64
6.2.26 Builtin get_acknowledgement2.....	65
6.2.27 Builtin GET_DEV_VAR_VALUE	66
6.2.28 Builtin get_dev_var_value.....	67
6.2.29 Builtin GET_LOCAL_VAR_VALUE	68
6.2.30 Builtin get_local_var_value	68

6.2.31	Builtin Menu	69
6.2.32	Builtin MenuDisplay (version A)	70
6.2.33	Builtin MenuDisplay (version B)	71
6.2.34	Builtin PUT_MESSAGE.....	72
6.2.35	Builtin put_message	73
6.2.36	Builtin SELECT_FROM_LIST.....	75
6.2.37	Builtin select_from_list.....	76
6.2.38	Builtin select_from_menu.....	76
6.2.39	Builtin select_from_menu2.....	78
6.2.40	Prompt string formats	79
6.3	Communication builtins	80
6.3.1	Builtin abort_on_all_comm_errors.....	80
6.3.2	Builtin ABORT_ON_ALL_COMM_STATUS	81
6.3.3	Builtin ABORT_ON_ALL_DEVICE_STATUS	81
6.3.4	Builtin ABORT_ON_ALL_RESPONSE_CODES.....	82
6.3.5	Builtin abort_on_all_response_codes.....	82
6.3.6	Builtin ABORT_ON_COMM_ERROR.....	83
6.3.7	Builtin abort_on_comm_error.....	83
6.3.8	Builtin ABORT_ON_COMM_STATUS	84
6.3.9	Builtin ABORT_ON_DEVICE_STATUS	85
6.3.10	Builtin ABORT_ON_NO_DEVICE (deprecated)	85
6.3.11	Builtin ABORT_ON_RESPONSE_CODE.....	86
6.3.12	Builtin abort_on_response_code.....	87
6.3.13	Builtin ext_send_command	87
6.3.14	Builtin ext_send_command_trans	88
6.3.15	Builtin fail_on_all_comm_errors	89
6.3.16	Builtin fail_on_all_response_codes	90
6.3.17	Builtin fail_on_comm_error	90
6.3.18	Builtin fail_on_response_code	91
6.3.19	Builtin get_more_status	92
6.3.20	Builtin IGNORE_ALL_COMM_STATUS.....	92
6.3.21	Builtin IGNORE_ALL_DEVICE_STATUS.....	93
6.3.22	Builtin IGNORE_ALL_RESPONSE_CODES.....	93
6.3.23	Builtin IGNORE_COMM_ERROR.....	94
6.3.24	Builtin IGNORE_COMM_STATUS.....	95
6.3.25	Builtin IGNORE_DEVICE_STATUS.....	95
6.3.26	Builtin IGNORE_NO_DEVICE (deprecated)	96
6.3.27	Builtin IGNORE_RESPONSE_CODE	96
6.3.28	Builtin read_value.....	97
6.3.29	Builtin read_value2.....	97
6.3.30	Builtin ReadCommand	98
6.3.31	Builtin retry_on_all_comm_errors.....	99
6.3.32	Builtin RETRY_ON_ALL_COMM_STATUS.....	99
6.3.33	Builtin RETRY_ON_ALL_DEVICE_STATUS.....	100
6.3.34	Builtin RETRY_ON_ALL_RESPONSE_CODES.....	100
6.3.35	Builtin retry_on_all_response_codes	101
6.3.36	Builtin RETRY_ON_COMM_ERROR.....	102
6.3.37	Builtin retry_on_comm_error.....	102
6.3.38	Builtin RETRY_ON_COMM_STATUS.....	103

6.3.39	Builtin RETRY_ON_DEVICE_STATUS.....	103
6.3.40	Builtin RETRY_ON_NO_DEVICE (deprecated)	104
6.3.41	Builtin RETRY_ON_RESPONSE_CODE	105
6.3.42	Builtin retry_on_response_code.....	105
6.3.43	Builtin send.....	106
6.3.44	Builtin send_all_values	107
6.3.45	Builtin send_command.....	107
6.3.46	Builtin send_command_trans	108
6.3.47	Builtin send_trans	108
6.3.48	Builtin send_value	109
6.3.49	Builtin send_value2	110
6.3.50	Builtin SET_NUMBER_OF_RETRIES	111
6.3.51	Builtin WriteCommand	111
6.3.52	Builtin XMTR_ABORT_ON_ALL_COMM_STATUS	112
6.3.53	Builtin XMTR_ABORT_ON_ALL_DATA	112
6.3.54	Builtin XMTR_ABORT_ON_ALL_DEVICE_STATUS	113
6.3.55	Builtin XMTR_ABORT_ON_ALL_RESPONSE_CODES	113
6.3.56	Builtin XMTR_ABORT_ON_COMM_ERROR	114
6.3.57	Builtin XMTR_ABORT_ON_COMM_STATUS	114
6.3.58	Builtin XMTR_ABORT_ON_DATA	115
6.3.59	Builtin XMTR_ABORT_ON_DEVICE_STATUS	116
6.3.60	Builtin XMTR_ABORT_ON_NO_DEVICE (deprecated)	116
6.3.61	Builtin XMTR_ABORT_ON_RESPONSE_CODE	117
6.3.62	Builtin XMTR_IGNORE_ALL_COMM_STATUS	117
6.3.63	Builtin XMTR_IGNORE_ALL_DATA	118
6.3.64	Builtin XMTR_IGNORE_ALL_DEVICE_STATUS	118
6.3.65	Builtin XMTR_IGNORE_ALL_RESPONSE_CODES	119
6.3.66	Builtin XMTR_IGNORE_COMM_ERROR	119
6.3.67	Builtin XMTR_IGNORE_COMM_STATUS	120
6.3.68	Builtin XMTR_IGNORE_DATA	120
6.3.69	Builtin XMTR_IGNORE_DEVICE_STATUS	121
6.3.70	Builtin XMTR_IGNORE_NO_DEVICE (deprecated).....	121
6.3.71	Builtin XMTR_IGNORE_RESPONSE_CODE.....	122
6.3.72	Builtin XMTR_RETRY_ON_ALL_COMM_STATUS	123
6.3.73	Builtin XMTR_RETRY_ON_ALL_DATA	123
6.3.74	Builtin XMTR_RETRY_ON_ALL_DEVICE_STATUS	124
6.3.75	Builtin XMTR_RETRY_ON_ALL_RESPONSE_CODES	124
6.3.76	Builtin XMTR_RETRY_ON_COMM_ERROR	125
6.3.77	Builtin XMTR_RETRY_ON_COMM_STATUS	125
6.3.78	Builtin XMTR_RETRY_ON_DATA	126
6.3.79	Builtin XMTR_RETRY_ON_DEVICE_STATUS	126
6.3.80	Builtin XMTR_RETRY_ON_NO_DEVICE (deprecated).....	127
6.3.81	Builtin XMTR_RETRY_ON_RESPONSE_CODE.....	127
6.4	Action builtins	128
6.4.1	Builtin fgetval.....	128
6.4.2	Builtin fsetval.....	128
6.4.3	Builtin get_date	129
6.4.4	Builtin get_double	130
6.4.5	Builtin get_float.....	130

6.4.6	Builtin get_signed	131
6.4.7	Builtin get_string.....	132
6.4.8	Builtin get_unsigned	132
6.4.9	Builtin igetval.....	133
6.4.10	Builtin isetval	133
6.4.11	Builtin isOffline	134
6.4.12	Builtin lgetval.....	134
6.4.13	Builtin lsetval	135
6.4.14	Builtin put_date	135
6.4.15	Builtin put_double.....	136
6.4.16	Builtin put_float.....	137
6.4.17	Builtin put_signed	137
6.4.18	Builtin put_string.....	138
6.4.19	Builtin put_unsigned	139
6.4.20	Builtin sgetval	139
6.4.21	Builtin ssetval	140
6.5	Variable access builtins	140
6.5.1	Builtin assign.....	140
6.5.2	Builtin assign_double.....	141
6.5.3	Builtin assign_float	142
6.5.4	Builtin assign_int	142
6.5.5	Builtin assign_var	143
6.5.6	Builtin assign2	143
6.5.7	Builtin dassign	145
6.5.8	Builtin fassign	145
6.5.9	Builtin float_value	145
6.5.10	Builtin fvar_value	146
6.5.11	Builtin get_date_value	146
6.5.12	Builtin get_date_value2	147
6.5.13	Builtin get_double_value.....	148
6.5.14	Builtin get_double_value2.....	149
6.5.15	Builtin get_float_value	150
6.5.16	Builtin get_float_value2	151
6.5.17	Builtin get_signed_value.....	152
6.5.18	Builtin get_signed_value2.....	152
6.5.19	Builtin get_string_value	153
6.5.20	Builtin get_string_value2.....	154
6.5.21	Builtin get_unsigned_value	155
6.5.22	Builtin get_unsigned_value2	156
6.5.23	Builtin iassign	157
6.5.24	Builtin int_value	157
6.5.25	Builtin ivar_value	158
6.5.26	Builtin lassign	158
6.5.27	Builtin long_value	159
6.5.28	Builtin lvar_value	159
6.5.29	Builtin put_date_value	159
6.5.30	Builtin put_date_value2	160
6.5.31	Builtin put_double_value.....	161
6.5.32	Builtin put_double_value2.....	162

6.5.33	Builtin put_float_value	163
6.5.34	Builtin put_float_value2	164
6.5.35	Builtin put_signed_value	165
6.5.36	Builtin put_signed_value2	165
6.5.37	Builtin put_string_value	166
6.5.38	Builtin put_string_value2	167
6.5.39	Builtin put_unsigned_value	168
6.5.40	Builtin put_unsigned_value2	169
6.5.41	Builtin ret_double_value	170
6.5.42	Builtin ret_double_value2	171
6.5.43	Builtin ret_float_value	171
6.5.44	Builtin ret_float_value2	172
6.5.45	Builtin ret_signed_value	172
6.5.46	Builtin ret_signed_value2	173
6.5.47	Builtin ret_unsigned_value	174
6.5.48	Builtin ret_unsigned_value2	174
6.5.49	Builtin vassign	175
6.6	Normal termination builtins	175
6.6.1	Builtin discard_on_exit	175
6.6.2	Builtin save_on_exit	176
6.6.3	Builtin save_values	177
6.6.4	Builtin send_on_exit	178
6.7	Abnormal termination builtins	179
6.7.1	Builtin abort	179
6.7.2	Builtin add_abort_method (version A)	179
6.7.3	Builtin add_abort_method (version B)	180
6.7.4	Builtin method_abort	180
6.7.5	Builtin pop_abort_method	181
6.7.6	Builtin process_abort	181
6.7.7	Builtin push_abort_method	182
6.7.8	Builtin remove_abort_method (version A)	182
6.7.9	Builtin remove_abort_method (version B)	183
6.7.10	Builtin remove_all_abort_methods	183
6.8	String builtins	184
6.8.1	Builtin atof	184
6.8.2	Builtin atoi	184
6.8.3	Builtin BUILD_MESSAGE	185
6.8.4	Builtin dictionary_string	185
6.8.5	Builtin ftoa	186
6.8.6	Builtin get_comm_error_string	186
6.8.7	Builtin get_dictionary_string	187
6.8.8	Builtin get_enum_string	188
6.8.9	Builtin get_response_code_string	188
6.8.10	Builtin get_rspcode_string	189
6.8.11	Builtin get_rspcode_string_by_id	190
6.8.12	Builtin get_status_code_string (deprecated)	190
6.8.13	Builtin get_status_string	191
6.8.14	Builtin get_stddict_string	192
6.8.15	Builtin get_variable_string	192

6.8.16	Builtin itoa (version A)	193
6.8.17	Builtin itoa (version B)	193
6.8.18	Builtin strleft	194
6.8.19	Builtin strcmp	194
6.8.20	Builtin strlen	195
6.8.21	Builtin strlwr	196
6.8.22	Builtin strmid	196
6.8.23	Builtin strright	197
6.8.24	Builtin strstr	197
6.8.25	Builtin strtrim	198
6.8.26	Builtinstrupr	199
6.8.27	Builtin trunc	199
6.9	Date time builtins	200
6.9.1	Builtin AddTime	200
6.9.2	Builtin DATE_AND_TIME_VALUE_to_string	200
6.9.3	Builtin Date_to_DayOfMonth	201
6.9.4	Builtin DATE_to_days	201
6.9.5	Builtin Date_to_Month	202
6.9.6	Builtin DATE_to_string	202
6.9.7	Builtin Date_To_Time	203
6.9.8	Builtin Date_to_Year	203
6.9.9	Builtin days_to_DATE	204
6.9.10	Builtin DELAY_TIME	204
6.9.11	Builtin DiffTime	204
6.9.12	Builtin From_DATE_AND_TIME_VALUE	205
6.9.13	Builtin From_TIME_VALUE	205
6.9.14	Builtin GetCurrentDate	206
6.9.15	Builtin GetCurrentDateAndTime	206
6.9.16	Builtin GetCurrentTime	207
6.9.17	Builtin GET_TICK_COUNT	207
6.9.18	Builtin Make_Time	207
6.9.19	Builtin seconds_to_TIME_VALUE	208
6.9.20	Builtin seconds_to_TIME_VALUE8	209
6.9.21	Builtin Time_To_Date	209
6.9.22	Builtin TIME_VALUE_to_Hour	209
6.9.23	Builtin TIME_VALUE_to_Minute	210
6.9.24	Builtin TIME_VALUE_to_Second	210
6.9.25	Builtin TIME_VALUE_to_seconds	211
6.9.26	Builtin TIME_VALUE_to_string	211
6.9.27	Builtin timet_to_string	212
6.9.28	Builtin timet_to_TIME_VALUE	213
6.9.29	Builtin timet_To_TIME_VALUE	213
6.9.30	Builtin timet_to_TIME_VALUE8	214
6.9.31	Builtin To_Date	214
6.9.32	Builtin To_Date_and_Time	215
6.9.33	Builtin To_Time	215
6.9.34	Builtin To_TIME_VALUE	216
6.9.35	Builtin To_TIME_VALUE8	216
6.10	Diagnostic builtins	217

6.10.1	Builtin get_comm_error.....	217
6.10.2	Builtin get_dds_error	217
6.10.3	Builtin get_response_code.....	218
6.11	Math builtins	219
6.11.1	Builtin abs	219
6.11.2	Builtin acos.....	219
6.11.3	Builtin asin.....	220
6.11.4	Builtin atan	220
6.11.5	Builtin ByteToDouble	221
6.11.6	Builtin ByteToFloat	221
6.11.7	Builtin ByteToLong	222
6.11.8	Builtin ByteToShort.....	222
6.11.9	Builtin cbrt	223
6.11.10	Builtin ceil.....	223
6.11.11	Builtin cos.....	224
6.11.12	Builtin cosh.....	224
6.11.13	Builtin DoubleToByte	225
6.11.14	Builtin drand	225
6.11.15	Builtin dseed.....	226
6.11.16	Builtin exp	226
6.11.17	Builtin FloatToByte	226
6.11.18	Builtin floor	227
6.11.19	Builtin fmod	227
6.11.20	Builtin fpclassify.....	228
6.11.21	Builtin is_NaN.....	229
6.11.22	Builtin log	229
6.11.23	Builtin log10.....	229
6.11.24	Builtin log2	230
6.11.25	Builtin LongToByte	230
6.11.26	Builtin nan	231
6.11.27	Builtin NaN_value	232
6.11.28	Builtin nanf	232
6.11.29	Builtin pow.....	233
6.11.30	Builtin round	233
6.11.31	Builtin ShortToByte.....	234
6.11.32	Builtin sin.....	234
6.11.33	Builtin sinh.....	235
6.11.34	Builtin sqrt	235
6.11.35	Builtin tan	235
6.11.36	Builtin tanh	236
6.12	List builtins	236
6.12.1	Builtin get_date_lelem	236
6.12.2	Builtin get_date_lelem2	237
6.12.3	Builtin get_double_lelem.....	238
6.12.4	Builtin get_double_lelem2.....	239
6.12.5	Builtin get_float_lelem	240
6.12.6	Builtin get_float_lelem2	241
6.12.7	Builtin get_signed_lelem.....	242
6.12.8	Builtin get_signed_lelem2.....	242

6.12.9	Builtin get_string_lelem	243
6.12.10	Builtin get_string_lelem2.....	244
6.12.11	Builtin get_unsigned_lelem	245
6.12.12	Builtin get_unsigned_lelem2.....	246
6.12.13	Builtin ListDeleteElementAt (version A).....	247
6.12.14	Builtin ListDeleteElementAt (version B).....	248
6.12.15	Builtin ListDeleteElementAt2.....	248
6.12.16	Builtin ListInsert (version A).....	249
6.12.17	Builtin ListInsert (version B).....	250
6.12.18	Builtin ListInsert2.....	250
6.13	Translation builtins.....	251
6.13.1	Builtin DICT_ID.....	251
6.13.2	Builtin get_block_instance_by_object_index	252
6.13.3	Builtin get_block_instance_by_tag	253
6.13.4	Builtin get_block_instance_count.....	254
6.13.5	Builtin get_resolve_status.....	254
6.13.6	Builtin ITEM_ID	255
6.13.7	Builtin MEMBER_ID.....	255
6.13.8	Builtin ObjectReference	256
6.13.9	Builtin resolve_array_ref.....	257
6.13.10	Builtin resolve_array_ref2.....	258
6.13.11	Builtin resolve_block_ref.....	258
6.13.12	Builtin resolve_block_ref2.....	259
6.13.13	Builtin resolve_list_ref	260
6.13.14	Builtin resolve_local_ref.....	260
6.13.15	Builtin resolve_local_ref2.....	261
6.13.16	Builtin resolve_param_list_ref.....	262
6.13.17	Builtin resolve_param_ref	262
6.13.18	Builtin resolve_param_ref2	263
6.13.19	Builtin resolve_record_ref.....	264
6.13.20	Builtin resolve_record_ref2.....	264
6.13.21	Builtin VARID.....	265
6.14	Block transfer builtins	265
6.14.1	Builtin abortTransferPort.....	265
6.14.2	Builtin closeTransferPort.....	266
6.14.3	Builtin fGetByte	266
6.14.4	Builtin get_transfer_status	267
6.14.5	Builtin openTransferPort.....	268
6.14.6	Builtin readItemFromDevice.....	268
6.14.7	Builtin writeItemToDevice	269
6.15	File builtins	269
6.15.1	Builtin browseIdentity.....	269
6.15.2	Builtin re_read_file.....	270
6.15.3	Builtin re_write_file	270
6.16	Identification builtins	271
6.16.1	Builtin GET_DD_REVISION	271
6.16.2	Builtin GET_DEVICE_REVISION	271
6.16.3	Builtin GET_DEVICE_TYPE.....	271
6.16.4	Builtin GET_MANUFACTURER.....	272

6.17	Development support builtins	272
6.17.1	Builtin _ERROR.....	272
6.17.2	Builtin _TRACE.....	273
6.17.3	Builtin _WARNING.....	273
6.17.4	Builtin LOG_MESSAGE	274
6.18	DDL references.....	274
6.18.1	Direct referencing of VARIABLES.....	274
6.18.2	Accessing standard dictionary strings	275
6.18.3	String support using DD_STRING	276
6.18.4	Referencing DD item attributes	276
6.19	Method functions	277
7	Builtins return codes.....	278
Figure 1 – A sample METHOD		278
Figure 2 – DD_STRING parameters passed by reference		278
Table 1	– Format for the builtin overview table.....	25
Table 2	– Contents of the builtin overview table	25
Table 3	– Format for the builtins lexical element tables	25
Table 4	– Contents of the lexical element table	26
Table 5	– Builtin overview	26
Table 6	– Usage of builtins	36
Table 7	– User interface builtins.....	36
Table 8	– Communication builtins	37
Table 9	– Action builtins.....	39
Table 10	– Builtin ACKNOWLEDGE	43
Table 11	– Builtin acknowledge.....	43
Table 12	– Builtin DELAY.....	44
Table 13	– Builtin delay	45
Table 14	– Builtin delayfor	45
Table 15	– Builtin delayfor2	47
Table 16	– Builtin DISPLAY	48
Table 17	– Builtin display	49
Table 18	– Builtin display_bitenum.....	49
Table 19	– Builtin display_builtin_error	50
Table 20	– Builtin display_comm_error	51
Table 21	– Builtin display_comm_status	51
Table 22	– Builtin display_device_status.....	52
Table 23	– Builtin display_dynamics	53
Table 24	– Builtin display_dynamics2	54
Table 25	– Builtin display_message	55
Table 26	– Builtin display_message2	56
Table 27	– Builtin display_response_code	57
Table 28	– Builtin display_response_status.....	58

Table 29 – Builtin display_xmtr_status	59
Table 30 – Builtin edit_device_value	59
Table 31 – Builtin edit_device_value2	61
Table 32 – Builtin edit_local_value	62
Table 33 – Builtin edit_local_value2	64
Table 34 – Builtin get_acknowledgement	65
Table 35 – Builtin get_acknowledgement2	66
Table 36 – Builtin GET_DEV_VAR_VALUE	67
Table 37 – Builtin get_dev_var_value	68
Table 38 – Builtin GET_LOCAL_VAR_VALUE	68
Table 39 – Builtin get_local_var_value	69
Table 40 – Builtin Menu	70
Table 41 – Builtin MenuDisplay	71
Table 42 – Builtin MenuDisplay	72
Table 43 – Builtin PUT_MESSAGE	73
Table 44 – Builtin put_message	74
Table 45 – Builtin SELECT_FROM_LIST	75
Table 46 – Builtin select_from_list	76
Table 47 – Builtin select_from_menu	77
Table 48 – Builtin select_from_menu2	79
Table 49 – Format options	80
Table 50 – Builtin abort_on_all_comm_errors	80
Table 51 – Builtin ABORT_ON_ALL_COMM_STATUS	81
Table 52 – Builtin ABORT_ON_ALL_DEVICE_STATUS	82
Table 53 – Builtin ABORT_ON_ALL_RESPONSE_CODES	82
Table 54 – Builtin abort_on_all_response_codes	83
Table 55 – Builtin ABORT_ON_COMM_ERROR	83
Table 56 – Builtin abort_on_comm_error	84
Table 57 – Builtin ABORT_ON_COMM_STATUS	84
Table 58 – Builtin ABORT_ON_DEVICE_STATUS	85
Table 59 – Builtin ABORT_ON_NO_DEVICE	86
Table 60 – Available abort and retry masks	86
Table 61 – Builtin ABORT_ON_RESPONSE_CODE	87
Table 62 – Builtin abort_on_response_code	87
Table 63 – Builtin ext_send_command	88
Table 64 – Builtin ext_send_command_trans	89
Table 65 – Builtin fail_on_all_comm_errors	90
Table 66 – Builtin fail_on_all_response_codes	90
Table 67 – Builtin fail_on_comm_error	91
Table 68 – Builtin fail_on_response_code	91
Table 69 – Builtin get_more_status	92
Table 70 – Builtin IGNORE_ALL_COMM_STATUS	93
Table 71 – Builtin IGNORE_ALL_DEVICE_STATUS	93

Table 72 – Builtin IGNORE_ALL_RESPONSE_CODES.....	94
Table 73 – Builtin IGNORE_COMM_ERROR.....	94
Table 74 – Builtin IGNORE_COMM_STATUS	95
Table 75 – Builtin IGNORE_DEVICE_STATUS	96
Table 76 – Builtin IGNORE_NO_DEVICE.....	96
Table 77 – Builtin IGNORE_RESPONSE_CODE	97
Table 78 – Builtin read_value.....	97
Table 79 – Builtin read_value2.....	98
Table 80 – Builtin ReadCommand	99
Table 81 – Builtin retry_on_all_comm_errors	99
Table 82 – Builtin RETRY_ON_ALL_COMM_STATUS	100
Table 83 – Builtin RETRY_ON_ALL_DEVICE_STATUS	100
Table 84 – Builtin RETRY_ON_ALL_RESPONSE_CODES.....	101
Table 85 – Builtin retry_on_all_response_codes	101
Table 86 – Builtin RETRY_ON_COMM_ERROR.....	102
Table 87 – Builtin retry_on_comm_error	103
Table 88 – Builtin RETRY_ON_COMM_STATUS	103
Table 89 – Builtin RETRY_ON_DEVICE_STATUS	104
Table 90 – Builtin RETRY_ON_NO_DEVICE.....	104
Table 91 – Builtin RETRY_ON_RESPONSE_CODE.....	105
Table 92 – Builtin retry_on_response_code	106
Table 93 – Builtin send	106
Table 94 – Builtin send_all_values	107
Table 95 – Builtin send_command	108
Table 96 – Builtin send_command_trans.....	108
Table 97 – Builtin send_trans.....	109
Table 98 – Builtin send_value	110
Table 99 – Builtin send_value2	111
Table 100 – Builtin SET_NUMBER_OF_RETRIES	111
Table 101 – Builtin WriteCommand	112
Table 102 – Builtin XMTR_ABORT_ON_ALL_COMM_STATUS.....	112
Table 103 – Builtin XMTR_ABORT_ON_ALL_DATA.....	113
Table 104 – Builtin XMTR_ABORT_ON_ALL_DEVICE_STATUS.....	113
Table 105 – Builtin XMTR_ABORT_ON_ALL_RESPONSE_CODES.....	114
Table 106 – Builtin XMTR_ABORT_ON_COMM_ERROR.....	114
Table 107 – Builtin XMTR_ABORT_ON_COMM_STATUS.....	115
Table 108 – Builtin XMTR_ABORT_ON_DATA.....	115
Table 109 – Builtin XMTR_ABORT_ON_DEVICE_STATUS.....	116
Table 110 – Builtin XMTR_ABORT_ON_NO_DEVICE	117
Table 111 – Builtin XMTR_ABORT_ON_RESPONSE_CODE	117
Table 112 – Builtin XMTR_IGNORE_ALL_COMM_STATUS	118
Table 113 – Builtin XMTR_IGNORE_ALL_DATA.....	118
Table 114 – Builtin XMTR_IGNORE_ALL_DEVICE_STATUS	119

Table 115 – Builtin XMTR_IGNORE_ALL_RESPONSE_CODES	119
Table 116 – Builtin XMTR_IGNORE_COMM_ERROR	120
Table 117 – Builtin XMTR_IGNORE_COMM_STATUS	120
Table 118 – Builtin XMTR_IGNORE_DATA	121
Table 119 – Builtin XMTR_IGNORE_DEVICE_STATUS	121
Table 120 – Builtin XMTR_IGNORE_NO_DEVICE	122
Table 121 – Builtin XMTR_IGNORE_RESPONSE_CODE	122
Table 122 – Builtin XMTR_RETRY_ON_ALL_COMM_STATUS	123
Table 123 – Builtin XMTR_RETRY_ON_ALL_DATA	123
Table 124 – Builtin XMTR_RETRY_ON_ALL_DEVICE_STATUS	124
Table 125 – Builtin XMTR_RETRY_ON_ALL_RESPONSE_CODES	125
Table 126 – Builtin XMTR_RETRY_ON_COMM_ERROR	125
Table 127 – Builtin XMTR_RETRY_ON_COMM_STATUS	126
Table 128 – Builtin XMTR_RETRY_ON_DATA	126
Table 129 – Builtin XMTR_RETRY_ON_DEVICE_STATUS	127
Table 130 – Builtin XMTR_RETRY_ON_NO_DEVICE	127
Table 131 – Builtin XMTR_RETRY_ON_RESPONSE_CODE	128
Table 132 – Builtin fgetval	128
Table 133 – Builtin fsetval	129
Table 134 – Builtin get_date	129
Table 135 – Builtin get_double	130
Table 136 – Builtin get_float	131
Table 137 – Builtin get_signed	131
Table 138 – Builtin get_string	132
Table 139 – Builtin get_unsigned	133
Table 140 – Builtin igetval	133
Table 141 – Builtin isetval	134
Table 142 – Builtin isOffline	134
Table 143 – Builtin lgetval	135
Table 144 – Builtin lsetval	135
Table 145 – Builtin put_date	136
Table 146 – Builtin put_double	136
Table 147 – Builtin put_float	137
Table 148 – Builtin put_signed	138
Table 149 – Builtin put_string	138
Table 150 – Builtin put_unsigned	139
Table 151 – Builtin sgetval	140
Table 152 – Builtin ssetval	140
Table 153 – Builtin assign	141
Table 154 – Builtin assign_double	141
Table 155 – Builtin assign_float	142
Table 156 – Builtin assign_int	142
Table 157 – Builtin assign_var	143

Table 158 – Builtin assign2.....	144
Table 159 – Builtin dassign.....	145
Table 160 – Builtin fassign.....	145
Table 161 – Builtin float_value.....	146
Table 162 – Builtin fvar_value.....	146
Table 163 – Builtin get_date_value.....	147
Table 164 – Builtin get_date_value2.....	148
Table 165 – Builtin get_double_value.....	149
Table 166 – Builtin get_double_value2.....	150
Table 167 – Builtin get_float_value.....	150
Table 168 – Builtin get_float_value2.....	151
Table 169 – builtin get_signed_value.....	152
Table 170 – Builtin get_signed_value2.....	153
Table 171 – Builtin get_string_value.....	154
Table 172 – Builtin get_string_value2.....	155
Table 173 – Builtin get_unsigned_value.....	156
Table 174 – Builtin get_unsigned_value2.....	157
Table 175 – Builtin iassign.....	157
Table 176 – Builtin int_value.....	158
Table 177 – Builtin ivar_value.....	158
Table 178 – Builtin lassign.....	158
Table 179 – Builtin long_value.....	159
Table 180 – Builtin lvar_value.....	159
Table 181 – Builtin put_date_value.....	160
Table 182 – Builtin put_date_value2.....	161
Table 183 – Builtin put_double_value.....	162
Table 184 – Builtin put_double_value2.....	163
Table 185 – Builtin put_float_value.....	163
Table 186 – Builtin put_float_value2.....	164
Table 187 – Builtin put_signed_value.....	165
Table 188 – Builtin put_signed_value2.....	166
Table 189 – Builtin put_string_value.....	167
Table 190 – Builtin put_string_value2.....	168
Table 191 – Builtin put_unsigned_value.....	169
Table 192 – Builtin put_unsigned_value2.....	170
Table 193 – Builtin ret_double_value.....	171
Table 194 – Builtin ret_double_value2.....	171
Table 195 – Builtin ret_float_value.....	172
Table 196 – Builtin ret_float_value2.....	172
Table 197 – Builtin ret_signed_value.....	173
Table 198 – Builtin ret_signed_value2.....	173
Table 199 – Builtin ret_unsigned_value.....	174
Table 200 – Builtin ret_unsigned_value2.....	174

Table 201 – Builtin vassign	175
Table 202 – Builtin discard_on_exit	176
Table 203 – Builtin save_on_exit	177
Table 204 – Builtin save_values.....	177
Table 205 – Builtin send_on_exit	178
Table 206 – Builtin abort.....	179
Table 207 – Builtin add_abort_method	179
Table 208 – Builtin add_abort_method	180
Table 209 – Builtin method_abort	181
Table 210 – Builtin pop_abort_method	181
Table 211 – Builtin process_abort.....	182
Table 212 – Builtin push_abort_method	182
Table 213 – Builtin remove_abort_method	183
Table 214 – Builtin remove_abort_method	183
Table 215 – Builtin remove_all_abort_methods	184
Table 216 – Builtin atof	184
Table 217 – Builtin atoi	185
Table 218 – Builtin BUILD_MESSAGE	185
Table 219 – Builtin dictionary_string	186
Table 220 – Builtin ftoa	186
Table 221 – Builtin get_comm_error_string	187
Table 222 – Builtin get_dictionary_string.....	187
Table 223 – Builtin get_enum_string	188
Table 224 – Builtin get_response_code_string	189
Table 225 – Builtin get_rspcode_string	190
Table 226 – Builtin get_rspcode_string_by_id	190
Table 227 – Builtin get_status_code_string	191
Table 228 – Builtin get_status_string	191
Table 229 – Builtin get_stddict_string	192
Table 230 – Builtin get_variable_string	193
Table 231 – Builtin itoa (version A)	193
Table 232 – Builtin itoa (version B)	194
Table 233 – Builtin strleft	194
Table 234 – Builtin strcmp	195
Table 235 – Builtin strlen	195
Table 236 – Builtin strlwr	196
Table 237 – Builtin strmid	197
Table 238 – Builtin strright	197
Table 239 – Builtin strstr	198
Table 240 – Builtin strtrim	198
Table 241 – Builtinstrupr	199
Table 242 – Builtin trunc	199
Table 243 – Builtin AddTime	200

Table 244 – Builtin DATE_AND_TIME_VALUE_to_string	201
Table 245 – Builtin Date_to_DayOfMonth.....	201
Table 246 – Builtin DATE_to_days.....	202
Table 247 – Builtin Date_to_Month	202
Table 248 – Builtin DATE_to_string	203
Table 249 – Builtin Date_To_Time	203
Table 250 – Builtin Date_to_Year.....	203
Table 251 – Builtin days_to_DATE.....	204
Table 252 – Builtin DELAY_TIME.....	204
Table 253 – Builtin DiffTime.....	205
Table 254 – Builtin From_DATE_AND_TIME_VALUE.....	205
Table 255 – Builtin From_TIME_VALUE.....	206
Table 256 – Builtin GetCurrentDate	206
Table 257 – Builtin GetCurrentDateAndTime.....	206
Table 258 – Builtin GetCurrentTime	207
Table 259 – Builtin GET_TICK_COUNT	207
Table 260 – Builtin Make_Time	208
Table 261 – Builtin seconds_to_TIME_VALUE	208
Table 262 – Builtin seconds_to_TIME_VALUE	209
Table 263 – Builtin Time_To_Date	209
Table 264 – Builtin TIME_VALUE_to_Hour	210
Table 265 – Builtin TIME_VALUE_to_Minute	210
Table 266 – Builtin TIME_VALUE_to_Second	211
Table 267 – Builtin TIME_VALUE_to_seconds	211
Table 268 – Builtin TIME_VALUE_to_string	212
Table 269 – Builtin timet_to_string.....	213
Table 270 – Builtin timet_to_TIME_VALUE	213
Table 271 – Builtin timet_To_TIME_VALUE	214
Table 272 – Builtin timet_to_TIME_VALUE8	214
Table 273 – Builtin To_Date.....	214
Table 274 – Builtin To_Date_and_Time	215
Table 275 – Builtin To_Time	215
Table 276 – Builtin To_TIME_VALUE.....	216
Table 277 – Builtin To_TIME_VALUE8.....	216
Table 278 – Builtin get_comm_error.....	217
Table 279 – Builtin get_dds_error	218
Table 280 – Builtin get_response_code	219
Table 281 – Builtin abs	219
Table 282 – Builtin acos.....	220
Table 283 – Builtin asin	220
Table 284 – Builtin atan	221
Table 285 – Builtin ByteToDouble	221
Table 286 – Builtin ByteToFloat	222

Table 287 – Builtin ByteToLong	222
Table 288 – Builtin ByteToShort.....	223
Table 289 – Builtin cbrt	223
Table 290 – Builtin ceil	223
Table 291 – Builtin cos	224
Table 292 – Builtin cosh.....	224
Table 293 – Builtin DoubleToByte	225
Table 294 – Builtin drand	225
Table 295 – Builtin dseed	226
Table 296 – Builtin exp	226
Table 297 – Builtin FloatToByte	227
Table 298 – Builtin floor	227
Table 299 – Builtin fmod	228
Table 300 – Builtin fpclassify	228
Table 301 – Builtin is_NaN.....	229
Table 302 – Builtin log	229
Table 303 – Builtin log10	230
Table 304 – Builtin log2	230
Table 305 – Builtin LongToByte	231
Table 306 – Builtin nan	231
Table 307 – Builtin NaN_value.....	232
Table 308 – Builtin nanf	233
Table 309 – Builtin pow.....	233
Table 310 – Builtin round	233
Table 311 – Builtin ShortToByte.....	234
Table 312 – Builtin sin	234
Table 313 – Builtin sinh	235
Table 314 – Builtin sqrt	235
Table 315 – Builtin tan	236
Table 316 – Builtin tanh	236
Table 317 – Builtin get_date_lelem	237
Table 318 – Builtin get_date_lelem2	238
Table 319 – Builtin get_double_lelem	239
Table 320 – Builtin get_double_lelem2.....	240
Table 321 – Builtin get_float_lelem	240
Table 322 – Builtin get_float_lelem2	241
Table 323 – Builtin get_signed_lelem.....	242
Table 324 – Builtin get_signed_lelem2.....	243
Table 325 – Builtin get_string_lelem	244
Table 326 – Builtin get_string_lelem2	245
Table 327 – Builtin get_unsigned_lelem	246
Table 328 – Builtin get_unsigned_lelem2.....	247
Table 329 – Builtin ListDeleteElementAt	248

Table 330 – Builtin ListDeleteElementAt	248
Table 331 – Builtin ListDeleteElementAt2	249
Table 332 – Builtin ListInsert.....	250
Table 333 – Builtin ListInsert.....	250
Table 334 – Builtin ListInsert2.....	251
Table 335 – Builtin DICT_ID	252
Table 336 – Builtin get_block_instance_by_object_index	252
Table 337 – Builtin get_block_instance_by_tag	253
Table 338 – Builtin get_block_instance_count.....	254
Table 339 – Builtin get_resolve_status.....	255
Table 340 – Builtin ITEM_ID	255
Table 341 – Builtin MEMBER_ID.....	256
Table 342 – Builtin ObjectReference	256
Table 343 – Builtin resolve_array_ref.....	257
Table 344 – Builtin resolve_array_ref2.....	258
Table 345 – Builtin resolve_block_ref.....	259
Table 346 – Builtin resolve_block_ref2.....	260
Table 347 – Builtin resolve_list_ref	260
Table 348 – Builtin resolve_local_ref	261
Table 349 – Builtin resolve_local_ref2.....	261
Table 350 – Builtin resolve_param_list_ref.....	262
Table 351 – Builtin resolve_param_ref	263
Table 352 – Builtin resolve_param_ref2.....	263
Table 353 – Builtin resolve_record_ref.....	264
Table 354 – Builtin resolve_record_ref2.....	265
Table 355 – Builtin VARID	265
Table 356 – Builtin abortTransferPort.....	266
Table 357 – Builtin closeTransferPort	266
Table 358 – Builtin fGetByte	267
Table 359 – Builtin get_transfer_status	267
Table 360 – Builtin openTransferPort.....	268
Table 361 – Builtin readItemFromDevice.....	268
Table 362 – Builtin writeItemToDevice	269
Table 363 – Builtin browseIdentity	269
Table 364 – Builtin re_read_file	270
Table 365 – Builtin re_write_file	270
Table 366 – Builtin GET_DD_REVISION.....	271
Table 367 – Builtin GET_DEVICE_REVISION	271
Table 368 – Builtin GET_DEVICE_TYPE	272
Table 369 – Builtin GET_MANUFACTURER.....	272
Table 370 – Builtin _ERROR.....	273
Table 371 – Builtin _TRACE	273
Table 372 – Builtin _WARNING.....	274

Table 373 – Builtin LOG_MESSAGE	274
Table 374 – Referencable EDD item attributes	276
Table 375 – Contents of the return codes description table	279
Table 376 – Return code descriptions	279
Table 377 – Return code descriptions	279

INTERNATIONAL ELECTROTECHNICAL COMMISSION

DEVICES AND INTEGRATION IN ENTERPRISE SYSTEMS – FUNCTION BLOCKS (FB) FOR PROCESS CONTROL AND ELECTRONIC DEVICE DESCRIPTION LANGUAGE (EDDL) –

Part 5: EDDL Built-in library

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61804-5 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation.

This second edition cancels and replaces the first edition published in 2015. This edition constitutes a technical revision.

This edition was developed by merging material from multiple variants of existing EDDL specifications including those from FieldComm Group (Foundation™ Fieldbus¹, HART®²), PROFIBUS™³ Nutzerorganisation e.V. (PNO), and ISA100_Wireless™⁴ Compliance Institute (ISA100 WCI). As a result, the formatting and numbering of this edition may be different from any of the individual specifications from which this edition was derived.

This edition includes the following significant technical changes with respect to the previous edition:

- Communication profiles ISA100 and GPE were added.
- The following builtins have been deprecated:
 - ABORT_ON_NO_DEVICE
 - IGNORE_NO_DEVICE
 - RETRY_ON_NO_DEVICE
 - XMTR_ABORT_ON_NO_DEVICE
 - XMTR_IGNORE_NO_DEVICE
 - XMTR_RETRY_ON_NO_DEVICE
 - get_status_code_string

The text of this International Standard is based on the following documents:

CDV	Report on voting
65E/634/CDV	65E/691/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61804 series, published under the general title *Devices and integration in enterprise systems – Function blocks (FB) for process control and electronic device description language (EDDL)*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

¹ FOUNDATION™ Fieldbus is the trademark of FieldComm Group. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the product named. Equivalent products may be used if they can be shown to lead to the same results.

² HART® is the registered trademark of FieldComm Group. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the product named. Equivalent products may be used if they can be shown to lead to the same results.

³ PROFIBUS and PROFINET are the trademarks of the PROFIBUS Nutzerorganisation e.V. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the product named. Equivalent products may be used if they can be shown to lead to the same results.

⁴ ISA100_Wireless™ is the trademark of ISA100 Wireless Compliance Institute. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the product named. Equivalent products may be used if they can be shown to lead to the same results.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of IEC 61804

- contains a list of builtins that can be used inside of EDDL methods;
- defines the functionality and parameters for each builtin;
- describes how EDDL variables can be referenced from inside EDDL methods;

EDDL features are limited by profile for each of the communication technologies. The descriptions in this part of IEC 61804 refer to these features in a general sense and not all communication technologies will support all of the features described. The profile definitions in the overview of this part and in IEC 61804-3 are referred to in order to understand the features supported by each communication technology.

DEVICES AND INTEGRATION IN ENTERPRISE SYSTEMS – FUNCTION BLOCKS (FB) FOR PROCESS CONTROL AND ELECTRONIC DEVICE DESCRIPTION LANGUAGE (EDDL) –

Part 5: EDDL Builtin library

1 Scope

This part of IEC 61804 specifies the EDDL builtin library and provides the profiles of the various fieldbuses.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61804-3:2020, *Devices and integration in enterprise systems – Function blocks (FB) for process control and electronic device description language (EDDL) – Part 3: EDDL syntax and semantics*

ISO/IEC 9899, *Information technology – Programming Languages – C*

IEEE 754, *IEEE Standard for Binary Floating-Point Arithmetic*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN