

| | | |
|------------|---|--|
| STN | Zariadenia a integrácia do podnikových systémov Funkčné bloky (FB) na riadenie procesov a jazyk na popis elektronických zariadení (EDDL) Časť 3: Syntax a sémantika EDDL | STN EN IEC 61804-3 01 3756 |
|------------|---|--|

Devices and integration in enterprise systems - Function blocks (FB) for process control and electronic device description language (EDDL)
- Part 3: EDDL syntax and semantics

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 11/20

Obsahuje: EN IEC 61804-3:2020, IEC 61804-3:2020

Oznámením tejto normy sa od 29.07.2023 ruší
STN EN 61804-3 (01 3756) z februára 2016

131885

EUROPEAN STANDARD

EN IEC 61804-3

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2020

ICS 25.040.40; 35.240.50

Supersedes EN 61804-3:2015 and all of its amendments
and corrigenda (if any)

English Version

**Devices and integration in enterprise systems - Function blocks
(FB) for process control and electronic device description
language (EDDL) - Part 3: EDDL syntax and semantics
(IEC 61804-3:2020)**

Les dispositifs et leur intégration dans les systèmes de
l'entreprise - Blocs fonctionnels (FB) pour les procédés
industriels et le langage de description électronique de
produit (EDDL) - Partie 3: Sémantique et syntaxe EDDL
(IEC 61804-3:2020)

Funktionsbausteine für die Prozessautomation und
elektronische Gerätebeschreibungssprache - Teil 3:
Elektronische Gerätebeschreibungssprache (EDDL)
(IEC 61804-3:2020)

This European Standard was approved by CENELEC on 2020-07-29. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 61804-3:2020 (E)**European foreword**

The text of document 65E/631/CDV, future edition 4 of IEC 61804-3, prepared by SC 65E "Devices and integration in enterprise systems" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61804-3:2020.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2021-04-29
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2023-07-29

This document supersedes EN 61804-3:2015 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61804-3:2020 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

| | | |
|-----------------------|------|--|
| IEC 61131-3 | NOTE | Harmonized as EN 61131-3 |
| IEC 61360 (series) | NOTE | Harmonized as EN 61360 (series) |
| IEC 61499-1:2012 | NOTE | Harmonized as EN 61499-1:2013 (not modified) |
| IEC 61784-1 | NOTE | Harmonized as EN IEC 61784-1 |
| IEC 61784-2 | NOTE | Harmonized as EN IEC 61784-2 |
| IEC 61987 (series) | NOTE | Harmonized as EN IEC 61987 (series) |
| ISO/IEC 2382 (series) | NOTE | Harmonized as EN 17054 (series) |

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

| <u>Publication</u> | <u>Year</u> | <u>Title</u> | <u>EN/HD</u> | <u>Year</u> |
|--------------------|-------------|--|-----------------------------|-------------|
| IEC 60050-351 | - | International Electrotechnical Vocabulary - Part 351: Control technology | - | - |
| IEC 61804-2 | - | Function blocks (FB) for process control and electronic device description language (EDDL) - Part 2: Specification of FB concept | EN IEC 61804-2 | - |
| IEC 61804-4 | - | Devices and integration in enterprise systems - Function blocks (FB) for process control and electronic device description language (EDDL) - Part 4: EDD interpretation | EN IEC 61804-4 ¹ | - |
| IEC 61804-5 | - | Devices and intergration in enterprise systems - Function blocks (FB) for process control and electronic device description language (EDDL) - Part 5: EDDL Builtin library | EN IEC 61804-5 ² | - |
| IEC 62541-4 | - | OPC Unified Architecture - Part 4: Services | - | - |
| ISO/IEC 7498-1 | - | Information technology - Open Systems Interconnection - Basic reference model: The basic model | - | - |
| ISO/IEC 8859-1 | - | Information technology - 8-bit single-byte coded graphic character sets - Part-1: Latin alphabet No. 1 | - | - |

¹ To be published. Stage at the time of publication: prEN IEC 61804-4:2018.

² To be published. Stage at the time of publication: prEN IEC 61804-5:2018.

EN IEC 61804-3:2020 (E)

| | | | | |
|--------------------|--------|--|---------------|---|
| ISO/IEC 9834-8 | - | Information technology - Procedures for the operation of object identifier registration authorities - Part 8: Generation of universally unique identifiers (UUIDs) and their use in object identifiers | - | - |
| ISO/IEC 9899 | 1999 | Programming languages - C | - | - |
| ISO/IEC 10646 | - | Information technology - Universal Coded Character Set (UCS) | - | - |
| ISO/IEC 10918-1 | - | Information technology; digital compression and coding of continuous-tone still images; requirements and guidelines | - | - |
| ISO/IEC 15948 | - | Information technology - Computer graphics and image processing - Portable Network Graphics (PNG) - Functional specification | - | - |
| ISO 639 | series | Code for the representation of names of languages | - | - |
| ISO 3166-1 | - | Codes for the representation of names of countries and their subdivisions - Part 1: Country codes | EN ISO 3166-1 | - |
| ISO/TS 29002-5 | - | Industrial automation systems and integration - Exchange of characteristic data - Part 5: Identification scheme | - | - |
| IEEE 754 | - | IEEE Standard for Floating-Point Arithmetic | - | - |
| RFC 3629 | - | UTF-8, User Datagram Protocol | - | - |
| W3C Recommendation | - | Cascading Style Sheets Level 2 Specification | - | - |



IEC 61804-3

Edition 4.0 2020-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Devices and integration in enterprise systems – Function blocks (FB) for process control and electronic device description language (EDDL) – Part 3: EDDL syntax and semantics

Les dispositifs et leur intégration dans les systèmes de l'entreprise – Blocs fonctionnels (FB) pour les procédés industriels et le langage de description électronique de produit (EDDL) – Partie 3: Sémantique et syntaxe EDDL



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.



IEC 61804-3

Edition 4.0 2020-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Devices and integration in enterprise systems – Function blocks (FB) for process control and electronic device description language (EDDL) – Part 3: EDDL syntax and semantics

Les dispositifs et leur intégration dans les systèmes de l'entreprise – Blocs fonctionnels (FB) pour les procédés industriels et le langage de description électronique de produit (EDDL) – Partie 3: Sémantique et syntaxe EDDL

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040.40; 35.240.50

ISBN 978-2-8322-8468-1

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

| | |
|---|----|
| FOREWORD..... | 21 |
| INTRODUCTION..... | 24 |
| 1 Scope..... | 25 |
| 2 Normative references | 25 |
| 3 Terms, definitions, abbreviated terms and acronyms | 26 |
| 3.1 Terms and definitions..... | 26 |
| 3.2 Abbreviated terms and acronyms | 28 |
| 4 Conformance statement..... | 29 |
| 5 EDD and EDDL model | 29 |
| 5.1 Overview of EDD and EDDL..... | 29 |
| 5.2 EDD architecture | 29 |
| 5.3 Concepts of EDD | 29 |
| 5.4 Principles of the EDD development process..... | 30 |
| 5.4.1 General | 30 |
| 5.4.2 EDD source generation..... | 30 |
| 5.4.3 EDD preprocessing..... | 31 |
| 5.4.4 EDD compilation..... | 31 |
| 5.5 Interrelations between the lexical structure and formal definitions | 31 |
| 5.6 Builtins..... | 31 |
| 5.7 Profiles | 31 |
| 6 Conventions | 31 |
| 6.1 General..... | 31 |
| 6.2 Conventions for basic construct description | 32 |
| 6.3 Conventions for lexical structure | 32 |
| 7 Overview | 33 |
| 7.1 EDDL features | 33 |
| 7.2 Syntax representation | 34 |
| 7.3 EDD language elements | 34 |
| 7.4 Basic construction elements..... | 34 |
| 7.4.1 General | 34 |
| 7.4.2 AXIS..... | 34 |
| 7.4.3 BLOB..... | 34 |
| 7.4.4 BLOCK_A..... | 35 |
| 7.4.5 BLOCK_B..... | 35 |
| 7.4.6 CHART | 35 |
| 7.4.7 COLLECTION..... | 35 |
| 7.4.8 COMMAND..... | 36 |
| 7.4.9 COMPONENT..... | 36 |
| 7.4.10 COMPONENT_FOLDER..... | 37 |
| 7.4.11 COMPONENT_REFERENCE..... | 37 |
| 7.4.12 COMPONENT_RELATION..... | 37 |
| 7.4.13 EDIT_DISPLAY | 38 |
| 7.4.14 FILE | 38 |
| 7.4.15 GRAPH..... | 38 |
| 7.4.16 GRID | 39 |
| 7.4.17 IMAGE..... | 39 |

| | | |
|--------|--------------------------------------|----|
| 7.4.18 | IMPORT | 39 |
| 7.4.19 | INTERFACE | 39 |
| 7.4.20 | LIKE | 39 |
| 7.4.21 | LIST | 40 |
| 7.4.22 | MENU | 40 |
| 7.4.23 | METHOD | 41 |
| 7.4.24 | PLUGIN | 41 |
| 7.4.25 | RECORD | 41 |
| 7.4.26 | REFERENCE_ARRAY | 42 |
| 7.4.27 | Relations | 42 |
| 7.4.28 | RESPONSE_CODES | 43 |
| 7.4.29 | SOURCE | 43 |
| 7.4.30 | TEMPLATE | 44 |
| 7.4.31 | VALUE_ARRAY | 44 |
| 7.4.32 | VARIABLE | 44 |
| 7.4.33 | VARIABLE_LIST | 45 |
| 7.4.34 | WAVEFORM | 45 |
| 7.5 | Common attributes | 46 |
| 7.6 | Special elements | 46 |
| 7.7 | Rules for instances | 46 |
| 7.8 | Rules for a list of VARIABLES | 46 |
| 8 | EDD identification information | 47 |
| 8.1 | General structure | 47 |
| 8.2 | DD_REVISION | 48 |
| 8.3 | DEVICE_REVISION | 48 |
| 8.4 | DEVICE_TYPE | 49 |
| 8.5 | EDD_PROFILE | 49 |
| 8.6 | EDD_VERSION | 50 |
| 8.7 | LAYOUT_TYPE | 50 |
| 8.8 | MANUFACTURER | 50 |
| 8.9 | MANUFACTURER_EXT | 51 |
| 9 | Data modelling | 51 |
| 9.1 | VARIABLE | 51 |
| 9.1.1 | General structure | 51 |
| 9.1.2 | CLASS | 53 |
| 9.1.3 | CONSTANT_UNIT | 56 |
| 9.1.4 | DEFAULT_VALUE | 57 |
| 9.1.5 | INITIAL_VALUE | 57 |
| 9.1.6 | POST_EDIT_ACTIONS | 58 |
| 9.1.7 | POST_READ_ACTIONS | 58 |
| 9.1.8 | POST_RQSTUPDATE_ACTIONS | 59 |
| 9.1.9 | POST_USERCHANGE_ACTIONS | 59 |
| 9.1.10 | POST_WRITE_ACTIONS | 60 |
| 9.1.11 | PRE_EDIT_ACTIONS | 60 |
| 9.1.12 | PRE_READ_ACTIONS | 60 |
| 9.1.13 | PRE_WRITE_ACTIONS | 61 |
| 9.1.14 | REFRESH_ACTIONS | 61 |
| 9.1.15 | TYPE | 62 |
| 9.2 | REFERENCE_ARRAY | 81 |

| | | |
|---------|--------------------------|-----|
| 9.2.1 | General structure..... | 81 |
| 9.2.2 | ELEMENTS | 84 |
| 9.2.3 | item-type | 84 |
| 9.3 | VALUE_ARRAY | 84 |
| 9.3.1 | General structure..... | 84 |
| 9.3.2 | NUMBER_OF_ELEMENTS | 85 |
| 9.3.3 | TYPE..... | 86 |
| 9.4 | LIST..... | 87 |
| 9.4.1 | General structure..... | 87 |
| 9.4.2 | CAPACITY..... | 88 |
| 9.4.3 | COUNT..... | 88 |
| 9.4.4 | TYPE..... | 89 |
| 9.5 | COLLECTION | 90 |
| 9.5.1 | General structure..... | 90 |
| 9.5.2 | item-type | 91 |
| 9.6 | FILE..... | 92 |
| 9.6.1 | General structure..... | 92 |
| 9.6.2 | IDENTITY | 93 |
| 9.6.3 | ON_UPDATE_ACTIONS | 94 |
| 9.6.4 | SHARED..... | 94 |
| 9.7 | Relations | 95 |
| 9.7.1 | REFRESH | 95 |
| 9.7.2 | SEMANTIC_MAP..... | 96 |
| 9.7.3 | UNIT..... | 98 |
| 9.7.4 | WRITE_AS_ONE | 99 |
| 9.8 | BLOB..... | 100 |
| 9.8.1 | General structure..... | 100 |
| 9.8.2 | IDENTITY | 101 |
| 10 | Communication..... | 102 |
| 10.1 | COMMAND | 102 |
| 10.1.1 | General structure..... | 102 |
| 10.1.2 | Command addressing..... | 103 |
| 10.1.3 | API | 104 |
| 10.1.4 | BLOCK_B..... | 104 |
| 10.1.5 | HEADER..... | 105 |
| 10.1.6 | INDEX | 105 |
| 10.1.7 | NUMBER | 105 |
| 10.1.8 | OPERATION..... | 106 |
| 10.1.9 | SLOT | 107 |
| 10.1.10 | SUB_SLOT..... | 107 |
| 10.1.11 | TRANSACTION | 108 |
| 10.2 | RECORD | 114 |
| 10.3 | RESPONSE_CODES | 115 |
| 10.4 | VARIABLE_LIST | 116 |
| 11 | User interface..... | 117 |
| 11.1 | MENU..... | 117 |
| 11.1.1 | General structure..... | 117 |
| 11.1.2 | ACCESS..... | 118 |
| 11.1.3 | EXIT_ACTIONS..... | 119 |

| | | |
|---------|-------------------------------------|-----|
| 11.1.4 | INIT_ACTIONS | 119 |
| 11.1.5 | ITEMS | 119 |
| 11.1.6 | POST_EDIT_ACTIONS | 121 |
| 11.1.7 | POST_READ_ACTIONS | 122 |
| 11.1.8 | POST_WRITE_ACTIONS | 122 |
| 11.1.9 | PRE_EDIT_ACTIONS | 123 |
| 11.1.10 | PRE_READ_ACTIONS | 123 |
| 11.1.11 | PRE_WRITE_ACTIONS | 123 |
| 11.1.12 | STYLE | 124 |
| 11.1.13 | Sequence diagrams for actions | 125 |
| 11.2 | EDIT_DISPLAY | 127 |
| 11.2.1 | General structure | 127 |
| 11.2.2 | EDIT_ITEMS | 127 |
| 11.2.3 | DISPLAY_ITEMS | 128 |
| 11.2.4 | POST_EDIT_ACTIONS | 128 |
| 11.2.5 | PRE_EDIT_ACTIONS | 129 |
| 11.3 | IMAGE | 129 |
| 11.3.1 | General structure | 129 |
| 11.3.2 | LINK | 131 |
| 11.3.3 | PATH | 131 |
| 11.4 | GRID | 132 |
| 11.4.1 | General structure | 132 |
| 11.4.2 | ORIENTATION | 134 |
| 11.4.3 | VECTORS | 135 |
| 11.5 | CHART | 136 |
| 11.5.1 | General structure | 136 |
| 11.5.2 | CYCLE_TIME | 143 |
| 11.5.3 | LENGTH | 144 |
| 11.5.4 | TYPE | 144 |
| 11.5.5 | Sequence diagram for actions | 146 |
| 11.5.6 | CHART legend/help rules | 147 |
| 11.6 | SOURCE | 149 |
| 11.6.1 | General structure | 149 |
| 11.6.2 | EXIT_ACTIONS | 150 |
| 11.6.3 | INIT_ACTIONS | 151 |
| 11.6.4 | REFRESH_ACTIONS | 151 |
| 11.6.5 | Y_AXIS | 152 |
| 11.7 | AXIS | 152 |
| 11.7.1 | General structure | 152 |
| 11.7.2 | MIN_VALUE, MAX_VALUE | 153 |
| 11.7.3 | SCALING | 154 |
| 11.7.4 | CONSTANT_UNIT | 154 |
| 11.8 | GRAPH | 155 |
| 11.8.1 | General structure | 155 |
| 11.8.2 | CYCLE_TIME | 163 |
| 11.8.3 | X_AXIS | 164 |
| 11.8.4 | Sequence diagram for actions | 164 |
| 11.9 | WAVEFORM | 165 |
| 11.9.1 | General structure | 165 |

| | | |
|---------|--------------------------|-----|
| 11.9.2 | EXIT_ACTIONS | 167 |
| 11.9.3 | INIT_ACTIONS | 167 |
| 11.9.4 | KEY_POINTS | 168 |
| 11.9.5 | REFRESH_ACTIONS | 169 |
| 11.9.6 | TYPE | 169 |
| 11.9.7 | Y_AXIS | 172 |
| 11.10 | PLUGIN | 173 |
| 11.10.1 | General structure | 173 |
| 11.10.2 | UUID | 173 |
| 12 | METHODs | 174 |
| 12.1 | General structure | 174 |
| 12.2 | ACCESS | 175 |
| 12.3 | CLASS | 176 |
| 12.4 | TYPE | 177 |
| 13 | Device modelling | 178 |
| 13.1 | BLOCK_A | 178 |
| 13.1.1 | General structure | 178 |
| 13.1.2 | AXIS_ITEMS | 180 |
| 13.1.3 | CHARACTERISTICS | 181 |
| 13.1.4 | CHARTS | 181 |
| 13.1.5 | CHART_ITEMS | 182 |
| 13.1.6 | COLLECTION_ITEMS | 182 |
| 13.1.7 | EDIT_DISPLAY_ITEMS | 182 |
| 13.1.8 | FILES | 183 |
| 13.1.9 | FILE_ITEMS | 183 |
| 13.1.10 | GRAPHS | 183 |
| 13.1.11 | GRAPH_ITEMS | 184 |
| 13.1.12 | GRIDS | 184 |
| 13.1.13 | GRID_ITEMS | 184 |
| 13.1.14 | IMAGE_ITEMS | 185 |
| 13.1.15 | ITEM_ARRAY_ITEMS | 185 |
| 13.1.16 | LISTS | 185 |
| 13.1.17 | LIST_ITEMS | 186 |
| 13.1.18 | LOCAL_PARAMETERS | 186 |
| 13.1.19 | MENUS | 186 |
| 13.1.20 | MENU_ITEMS | 187 |
| 13.1.21 | METHODS | 187 |
| 13.1.22 | METHOD_ITEMS | 188 |
| 13.1.23 | PARAMETERS | 188 |
| 13.1.24 | PARAMETER_LISTS | 188 |
| 13.1.25 | PLUGINS | 189 |
| 13.1.26 | PLUGIN_ITEMS | 189 |
| 13.1.27 | REFRESH_ITEMS | 190 |
| 13.1.28 | SEMANTIC_MAP_ITEMS | 190 |
| 13.1.29 | SOURCE_ITEMS | 190 |
| 13.1.30 | UNIT_ITEMS | 191 |
| 13.1.31 | WAVEFORM_ITEMS | 191 |
| 13.1.32 | WRITE_AS_ONE_ITEMS | 191 |
| 13.2 | BLOCK_B | 192 |

| | | |
|---------|--------------------------|-----|
| 13.2.1 | General structure..... | 192 |
| 13.2.2 | NUMBER..... | 192 |
| 13.2.3 | TYPE..... | 193 |
| 13.3 | LIKE..... | 193 |
| 13.4 | IMPORT..... | 194 |
| 13.5 | TEMPLATE..... | 197 |
| 13.5.1 | General structure..... | 197 |
| 13.5.2 | DEFAULT_VALUES..... | 198 |
| 13.6 | COMPONENT..... | 199 |
| 13.6.1 | General structure..... | 199 |
| 13.6.2 | BYTE_ORDER..... | 200 |
| 13.6.3 | CAN_DELETE..... | 201 |
| 13.6.4 | CHECK_CONFIGURATION..... | 201 |
| 13.6.5 | COMPONENT_RELATIONS..... | 201 |
| 13.6.6 | CONNECTION_POINT..... | 202 |
| 13.6.7 | DETECT..... | 202 |
| 13.6.8 | EDD..... | 202 |
| 13.6.9 | INITIAL_VALUES..... | 203 |
| 13.6.10 | REDUNDANCY..... | 203 |
| 13.6.11 | SCAN..... | 204 |
| 13.6.12 | SCAN_LIST..... | 204 |
| 13.6.13 | PRODUCT_URI..... | 204 |
| 13.7 | COMPONENT_FOLDER..... | 205 |
| 13.8 | COMPONENT_REFERENCE..... | 205 |
| 13.9 | COMPONENT_RELATION..... | 206 |
| 13.9.1 | General structure..... | 206 |
| 13.9.2 | COMPONENTS..... | 207 |
| 13.9.3 | RELATION_TYPE..... | 208 |
| 13.9.4 | ADDRESSING..... | 209 |
| 13.9.5 | MAXIMUM_NUMBER..... | 210 |
| 13.9.6 | MINIMUM_NUMBER..... | 210 |
| 13.9.7 | REQUIRED_INTERFACE..... | 210 |
| 13.10 | INTERFACE..... | 211 |
| 13.10.1 | General structure..... | 211 |
| 13.10.2 | DECLARATION..... | 211 |
| 14 | Common attributes..... | 212 |
| 14.1 | CLASSIFICATION..... | 212 |
| 14.2 | COMPONENT_PARENT..... | 214 |
| 14.3 | COMPONENT_PATH..... | 214 |
| 14.4 | DEFINITION..... | 214 |
| 14.5 | EMPHASIS..... | 215 |
| 14.6 | HANDLING..... | 216 |
| 14.7 | HEIGHT..... | 216 |
| 14.8 | HELP..... | 217 |
| 14.9 | LABEL..... | 218 |
| 14.10 | LINE_COLOR..... | 218 |
| 14.11 | LINE_TYPE..... | 219 |
| 14.12 | MEMBERS..... | 220 |
| 14.13 | PRIVATE..... | 221 |

| | | |
|-------|---|-----|
| 14.14 | PROTOCOL | 221 |
| 14.15 | RESPONSE_CODES | 222 |
| 14.16 | SUPPLIED_INTERFACE | 223 |
| 14.17 | VALIDITY | 223 |
| 14.18 | VISIBILITY | 223 |
| 14.19 | WIDTH | 224 |
| 14.20 | WRITE_MODE | 224 |
| 15 | Redefinitions | 225 |
| 15.1 | Overview | 225 |
| 15.2 | AXIS | 227 |
| 15.3 | BLOB | 228 |
| 15.4 | BLOCK_A | 228 |
| 15.5 | BLOCK_B | 230 |
| 15.6 | CHART | 230 |
| 15.7 | COLLECTION | 230 |
| 15.8 | COMMAND | 231 |
| 15.9 | COMPONENT | 231 |
| 15.10 | COMPONENT_FOLDER | 232 |
| 15.11 | COMPONENT_REFERENCE | 233 |
| 15.12 | COMPONENT_RELATION | 233 |
| 15.13 | EDIT_DISPLAY | 234 |
| 15.14 | FILE | 234 |
| 15.15 | GRAPH | 235 |
| 15.16 | GRID | 235 |
| 15.17 | IMAGE | 236 |
| 15.18 | INTERFACE | 236 |
| 15.19 | LIST | 237 |
| 15.20 | MENU | 237 |
| 15.21 | METHOD | 238 |
| 15.22 | PLUGIN | 239 |
| 15.23 | RECORD | 239 |
| 15.24 | REFERENCE_ARRAY | 239 |
| 15.25 | RESPONSE_CODES | 240 |
| 15.26 | SOURCE | 240 |
| 15.27 | TEMPLATE | 241 |
| 15.28 | VALUE_ARRAY | 241 |
| 15.29 | VARIABLE | 242 |
| 15.30 | VARIABLE_LIST | 243 |
| 15.31 | WAVEFORM | 244 |
| 16 | Referencing | 245 |
| 16.1 | Referencing an EDD instance | 245 |
| 16.2 | Referencing AXIS of a GRAPH, SOURCE, WAVEFORM | 245 |
| 16.3 | Referencing bits of a BIT_ENUMERATED_VARIABLE | 245 |
| 16.4 | Referencing members of a CHART | 246 |
| 16.5 | Referencing members of a COLLECTION | 246 |
| 16.6 | Referencing COMPONENT instances | 246 |
| 16.7 | Referencing COMPONENT types | 247 |
| 16.8 | Referencing members of a FILE | 247 |
| 16.9 | Referencing members of a GRAPH | 248 |

| | | |
|---------|---|-----|
| 16.10 | Referencing elements of a LIST | 248 |
| 16.11 | Referencing members of a RECORD | 248 |
| 16.12 | Referencing elements of a REFERENCE_ARRAY | 249 |
| 16.13 | Referencing members of a SOURCE | 249 |
| 16.14 | Referencing elements of a VALUE_ARRAY | 249 |
| 16.15 | Referencing members of a VARIABLE_LISTS | 250 |
| 16.16 | Referencing BLOCK_A CHARACTERISTICS | 250 |
| 16.17 | Referencing elements of BLOCK_A LOCAL_PARAMETERS | 250 |
| 16.18 | Referencing elements of BLOCK_A PARAMETERS | 251 |
| 16.19 | Referencing elements of BLOCK_A PARAMETER_LISTS | 251 |
| 16.20 | Referencing CHARACTERISTICS of specific BLOCK_A instance | 251 |
| 16.21 | Referencing CHARTS of specific BLOCK_A instance | 252 |
| 16.22 | Referencing FILES of specific BLOCK_A instance | 252 |
| 16.23 | Referencing GRAPHS of specific BLOCK_A instance | 253 |
| 16.24 | Referencing GRIDS of specific BLOCK_A instance | 253 |
| 16.25 | Referencing LISTS of specific BLOCK_A instance | 253 |
| 16.26 | Referencing LOCAL_PARAMETERS of specific BLOCK_A instance | 254 |
| 16.27 | Referencing MENUS of specific BLOCK_A instance | 254 |
| 16.28 | Referencing METHODS of specific BLOCK_A instance | 255 |
| 16.29 | Referencing PARAMETERS of specific BLOCK_A instance | 255 |
| 16.30 | Referencing PLUGINS of specific BLOCK_A instance | 256 |
| 17 | Strings | 256 |
| 17.1 | Specifying a string as a string literal | 256 |
| 17.2 | Specifying a string as a string variable | 257 |
| 17.3 | Specifying a string as an enumeration value | 257 |
| 17.4 | Specifying a string as a dictionary reference | 257 |
| 17.5 | Referencing HELP and LABEL attributes of EDD instances | 258 |
| 17.6 | String operations | 258 |
| 18 | Conditional expression | 259 |
| 18.1 | General structure | 259 |
| 18.2 | IF conditional | 259 |
| 18.3 | SELECT conditional | 260 |
| 19 | Expression | 260 |
| 19.1 | General structure | 260 |
| 19.2 | Primary expressions | 261 |
| 19.3 | Unary expressions | 263 |
| 19.4 | Binary expressions | 264 |
| 19.4.1 | General structure | 264 |
| 19.4.2 | Multiplicative operators | 264 |
| 19.4.3 | Additive operators | 264 |
| 19.4.4 | Shift operators | 265 |
| 19.4.5 | Relational operators | 265 |
| 19.4.6 | Equality operators | 265 |
| 19.4.7 | Bitwise AND operator (&) | 265 |
| 19.4.8 | Bitwise XOR operator (^) | 266 |
| 19.4.9 | Bitwise OR operator () | 266 |
| 19.4.10 | Logical AND operator (&&) | 266 |
| 19.4.11 | Logical OR operator () | 266 |
| 19.4.12 | Conditional evaluation | 266 |

| | | |
|---------------------|---|-----|
| 20 | Text dictionary | 266 |
| Annex A (normative) | EDDL formal definition | 268 |
| A.1 | EDDL preprocessor | 268 |
| A.1.1 | General structure | 268 |
| A.1.2 | Directives | 268 |
| A.1.3 | Predefined macros | 271 |
| A.1.4 | NEWLINE characters | 272 |
| A.1.5 | Comments | 272 |
| A.2 | Conventions | 272 |
| A.2.1 | Integer constants | 272 |
| A.2.2 | Floating-point constants | 272 |
| A.2.3 | String literals | 273 |
| A.2.4 | Using language and country codes in string literals | 273 |
| A.3 | Operators | 274 |
| A.4 | Keywords | 278 |
| A.5 | Symbols and symbol scope | 282 |
| A.6 | Terminals | 282 |
| A.7 | Formal EDDL syntax | 283 |
| A.7.1 | General | 283 |
| A.7.2 | EDD identification information | 283 |
| A.7.3 | AXIS | 285 |
| A.7.4 | BLOCK_A and BLOCK_B | 286 |
| A.7.5 | CHART | 290 |
| A.7.6 | COLLECTION | 291 |
| A.7.7 | COMMAND | 292 |
| A.7.8 | COMPONENT | 295 |
| A.7.9 | COMPONENT_FOLDER | 298 |
| A.7.10 | COMPONENT_REFERENCE | 298 |
| A.7.11 | COMPONENT_RELATION | 299 |
| A.7.12 | EDIT_DISPLAY | 300 |
| A.7.13 | FILE | 302 |
| A.7.14 | GRAPH | 302 |
| A.7.15 | GRID | 302 |
| A.7.16 | IMAGE | 303 |
| A.7.17 | INTERFACE | 304 |
| A.7.18 | LIST | 304 |
| A.7.19 | IMPORT | 305 |
| A.7.20 | LIKE | 307 |
| A.7.21 | MENU | 309 |
| A.7.22 | METHOD | 310 |
| A.7.23 | RECORD | 312 |
| A.7.24 | REFERENCE_ARRAY | 312 |
| A.7.25 | Relations | 313 |
| A.7.26 | RESPONSE_CODES | 315 |
| A.7.27 | SOURCE | 316 |
| A.7.28 | TEMPLATE | 316 |
| A.7.29 | VALUE_ARRAY | 316 |
| A.7.30 | VARIABLE | 317 |
| A.7.31 | VARIABLE_LIST | 328 |

| | | |
|-----------------------|--|-----|
| A.7.32 | WAVEFORM..... | 328 |
| A.7.33 | Common attributes | 330 |
| A.7.34 | Expression | 334 |
| A.7.35 | C-Grammar..... | 336 |
| A.7.36 | Redefinition | 340 |
| A.7.37 | References | 365 |
| A.7.38 | PLUGIN | 367 |
| A.7.39 | BLOB..... | 368 |
| A.7.40 | SEMANTIC_MAP..... | 368 |
| A.8 | Formal dictionary syntax | 369 |
| Annex B (normative) | Data types..... | 370 |
| B.1 | METHOD DEFINITION data types..... | 370 |
| B.2 | VARIABLE TYPE data types | 370 |
| B.2.1 | General | 370 |
| B.2.2 | Coding of data DATE | 372 |
| B.2.3 | Coding of data DATE_AND_TIME..... | 373 |
| B.2.4 | Coding of data DURATION | 373 |
| B.2.5 | Coding of data TIME | 374 |
| B.2.6 | Coding of data TIME_VALUE..... | 374 |
| B.2.7 | Coding of PACKED_ASCII (6-BIT ASCII) DATA FORMAT..... | 375 |
| B.2.8 | Coding of BOOLEAN | 376 |
| B.2.9 | Coding of BIT_ENUMERATED..... | 376 |
| Annex C (informative) | EDD example | 378 |
| C.1 | EDD example of a temperature transmitter..... | 378 |
| C.2 | EDD example..... | 379 |
| Bibliography | | 392 |
| Figure 1 | – Position of IEC 61804 in relation to other standards and products..... | 24 |
| Figure 2 | – EDD generation process | 30 |
| Figure 3 | – BLOCK_A | 35 |
| Figure 4 | – CHART | 35 |
| Figure 5 | – COLLECTION | 36 |
| Figure 6 | – COMMAND | 36 |
| Figure 7 | – COMPONENT | 37 |
| Figure 8 | – COMPONENT_FOLDER | 37 |
| Figure 9 | – COMPONENT_REFERENCE | 37 |
| Figure 10 | – COMPONENT_RELATION | 38 |
| Figure 11 | – EDIT_DISPLAY | 38 |
| Figure 12 | – FILE..... | 38 |
| Figure 13 | – GRAPH | 39 |
| Figure 14 | – GRID..... | 39 |
| Figure 15 | – IMAGE | 39 |
| Figure 16 | – LIKE..... | 40 |
| Figure 17 | – LIST | 40 |
| Figure 18 | – MENU | 41 |
| Figure 19 | – RECORD..... | 41 |

| | |
|---|-----|
| Figure 20 – REFERENCE_ARRAY | 42 |
| Figure 21 – REFRESH | 42 |
| Figure 22 – SEMANTIC_MAP | 43 |
| Figure 23 – UNIT | 43 |
| Figure 24 – WRITE_AS_ONE..... | 43 |
| Figure 25 – SOURCE..... | 44 |
| Figure 26 – VALUE_ARRAY | 44 |
| Figure 27 – VARIABLE | 45 |
| Figure 28 – VARIABLE_LIST | 45 |
| Figure 29 – WAVEFORM | 45 |
| Figure 30 – REFERENCE_ARRAY example..... | 83 |
| Figure 31 – Abstract COMMAND definition example | 83 |
| Figure 32 – EDD examples of SEMANTIC_MAP | 98 |
| Figure 33 – Example of an item mask | 111 |
| Figure 34 – Example of a single item mask | 111 |
| Figure 35 – Mapping example with a single item mask | 112 |
| Figure 36 – Example of multiple item masks | 112 |
| Figure 37 – Mapping example with a multiple item mask | 112 |
| Figure 38 – INFO qualifier..... | 113 |
| Figure 39 – INDEX qualifier | 113 |
| Figure 40 – INFO and INDEX qualifier | 114 |
| Figure 41 – Examples of MENU STYLES..... | 125 |
| Figure 42 – MENU activation | 126 |
| Figure 43 – EDD example of an IMAGE | 130 |
| Figure 44 – EDD example of an IMAGE with the LINK attribute | 130 |
| Figure 45 – EDD example of a GRID..... | 134 |
| Figure 46 – Result of the EDD example | 134 |
| Figure 47 – Example of a chart with one curve in a dialog..... | 138 |
| Figure 48 – Example of a chart with two SOURCES | 139 |
| Figure 49 – Displaying example of a chart with two SOURCES..... | 140 |
| Figure 50 – Example of a chart with three horizontal bars | 141 |
| Figure 51 – Displaying example of a chart with three horizontal bars | 141 |
| Figure 52 – Example of a chart in a dialog | 143 |
| Figure 53 – Trend CHART types examples | 146 |
| Figure 54 – Meter CHART types examples..... | 146 |
| Figure 55 – CHART activation..... | 147 |
| Figure 56 – Legend/help for SOURCES with single and multiple VARIABLES – Y_AXIS not defined..... | 148 |
| Figure 57 – Legend/help for SOURCES arrangement of multiple SOURCES with shared Y_AXIS..... | 149 |
| Figure 58 – A graph and the visual elements | 156 |
| Figure 59 – Example of a graph | 159 |
| Figure 60 – Multiple used axes | 160 |
| Figure 61 – EDD with device-supported zooming and scrolling | 163 |

| | |
|--|-----|
| Figure 62 – GRAPH activation | 165 |
| Figure 63 – EDDL import mechanisms | 195 |
| Figure 64 – Example of TEMPLATE usage | 198 |
| Figure 65 – REQUIRED_RANGES usage..... | 208 |
| Figure 66 – NEXT_COMPONENT usage..... | 209 |
| Figure C.1 – Example of an operator screen using EDD..... | 378 |
| | |
| Table 1 – Format for the basic construct table | 32 |
| Table 2 – Contents of the basic construct table..... | 32 |
| Table 3 – Attribute usage descriptions | 32 |
| Table 4 – Rules for lexical convention..... | 33 |
| Table 5 – EDD sources | 33 |
| Table 6 – EDD identification information attributes..... | 47 |
| Table 7 – DD_REVISION attribute | 48 |
| Table 8 – DEVICE_REVISION attribute..... | 48 |
| Table 9 – DEVICE_TYPE attribute | 49 |
| Table 10 – EDD_PROFILE attribute | 49 |
| Table 11 – EDD_VERSION attribute | 50 |
| Table 12 – LAYOUT_TYPE attribute | 50 |
| Table 13 – MANUFACTURER attribute | 51 |
| Table 14 – MANUFACTURER_EXT attribute..... | 51 |
| Table 15 – VARIABLE attributes | 52 |
| Table 16 – CLASS attributes..... | 53 |
| Table 17 – CONSTANT_UNIT attribute | 56 |
| Table 18 – POST_EDIT_ACTIONS, PRE_EDIT_ACTIONS, POST_READ_ACTIONS, PRE_READ_ACTIONS, POST_WRITE_ACTIONS, PRE_WRITE_ACTIONS, REFRESH_ACTIONS attributes | 58 |
| Table 19 – POST_USERCHANGE_ACTIONS, POST_RQSTUPDATE_ACTIONS attributes | 59 |
| Table 20 – TYPE overview..... | 62 |
| Table 21 – MIN_VALUE, MAX_VALUE attribute | 63 |
| Table 22 – TYPE attributes for DOUBLE, FLOAT, INTEGER, UNSIGNED_INTEGER..... | 65 |
| Table 23 – Default display format conversion type | 65 |
| Table 24 – Default width/precision based on VARIABLE and format conversion type | 66 |
| Table 25 – TYPE attributes for DATE, DATE_AND_TIME, DURATION, TIME, TIME_VALUE..... | 69 |
| Table 26 – TYPE attributes for BIT_ENUMERATED | 71 |
| Table 27 – size attribute | 72 |
| Table 28 – status–class attributes..... | 72 |
| Table 29 – ALL, AO, DV, TV attributes | 74 |
| Table 30 – TYPE attributes for ENUMERATED | 75 |
| Table 31 – TYPE attributes for INDEX | 76 |
| Table 32 – TYPE attributes for ASCII, EUC, PACKED_ASCII, PASSWORD, VISIBLE | 78 |
| Table 33 – String handling | 78 |

| | |
|---|-----|
| Table 34 – TYPE attributes for OCTET | 79 |
| Table 35 – TYPE attributes for BITSTRING..... | 81 |
| Table 36 – REFERENCE_ARRAY attributes | 82 |
| Table 37 – ELEMENTS attribute | 84 |
| Table 38 – VALUE_ARRAY attributes | 85 |
| Table 39 – NUMBER_OF_ELEMENTS attribute | 86 |
| Table 40 – TYPE attribute..... | 86 |
| Table 41 – LIST attributes..... | 87 |
| Table 42 – CAPACITY attribute..... | 88 |
| Table 43 – COUNT attribute..... | 89 |
| Table 44 – TYPE attribute..... | 90 |
| Table 45 – COLLECTION attributes | 91 |
| Table 46 – item-type | 91 |
| Table 47 – FILE attributes..... | 93 |
| Table 48 – IDENTITY attribute | 94 |
| Table 49 – ON_UPDATE_ACTIONS attribute..... | 94 |
| Table 50 – SHARED attribute | 94 |
| Table 51 – REFRESH overview | 95 |
| Table 52 – REFRESH attributes..... | 96 |
| Table 53 – SEMANTIC_MAP overview | 97 |
| Table 54 – SEMANTIC_MAP attributes | 97 |
| Table 55 – UNIT overview..... | 99 |
| Table 56 – UNIT attributes | 99 |
| Table 57 – WRITE_AS_ONE overview | 100 |
| Table 58 – WRITE_AS_ONE attribute | 100 |
| Table 59 – BLOB attributes..... | 101 |
| Table 60 – IDENTITY attribute | 101 |
| Table 61 – COMMAND attributes | 103 |
| Table 62 – API attribute | 104 |
| Table 63 – BLOCK_B attribute | 105 |
| Table 64 – HEADER attribute | 105 |
| Table 65 – INDEX attribute | 105 |
| Table 66 – NUMBER attribute..... | 106 |
| Table 67 – OPERATION attribute..... | 106 |
| Table 68 – PROFIBUS and PROFINET communication mapping..... | 107 |
| Table 69 – SLOT attribute..... | 107 |
| Table 70 – SUB_SLOT attribute..... | 107 |
| Table 71 – TRANSACTION attributes..... | 108 |
| Table 72 – REPLY and REQUEST attributes..... | 109 |
| Table 73 – POST_RQSTRECEIVE_ACTIONS attributes | 114 |
| Table 74 – RECORD attributes | 115 |
| Table 75 – RESPONSE_CODES overview | 116 |
| Table 76 – RESPONSE_CODES attributes | 116 |

| | |
|---|-----|
| Table 77 – VARIABLE_LIST attributes | 117 |
| Table 78 – MENU attributes | 118 |
| Table 79 – ACCESS attribute | 118 |
| Table 80 – MENU ITEMS | 120 |
| Table 81 – MENU ITEMS qualifiers | 121 |
| Table 82 – EXIT_ACTIONS, INIT_ACTIONS, POST_EDIT_ACTIONS, PRE_EDIT_ACTIONS, POST_READ_ACTIONS, PRE_READ_ACTIONS, POST_WRITE_ACTIONS, PRE_WRITE_ACTIONS attributes | 122 |
| Table 83 – STYLE attribute | 124 |
| Table 84 – EDIT_DISPLAY attributes | 127 |
| Table 85 – EDIT_ITEMS attribute | 128 |
| Table 86 – DISPLAY_ITEM attributes | 128 |
| Table 87 – POST_EDIT_ACTIONS, PRE_EDIT_ACTIONS attribute | 129 |
| Table 88 – IMAGE attributes | 130 |
| Table 89 – LINK attribute | 131 |
| Table 90 – PATH attribute | 131 |
| Table 91 – Image formats | 132 |
| Table 92 – GRID attributes | 132 |
| Table 93 – ORIENTATION attribute | 135 |
| Table 94 – VECTORS attribute | 135 |
| Table 95 – CHART attributes | 137 |
| Table 96 – CYCLE_TIME attribute | 144 |
| Table 97 – LENGTH attribute | 144 |
| Table 98 – TYPE attribute | 145 |
| Table 99 – SOURCE attributes | 150 |
| Table 100 – Y_AXIS attribute | 152 |
| Table 101 – AXIS attributes | 153 |
| Table 102 – MIN_VALUE, MAX_VALUE attribute | 154 |
| Table 103 – SCALING attribute | 154 |
| Table 104 – GRAPH attributes | 157 |
| Table 105 – CYCLE_TIME attribute | 164 |
| Table 106 – X_AXIS attribute | 164 |
| Table 107 – WAVEFORM attributes | 166 |
| Table 108 – EXIT_ACTIONS, INIT_ACTIONS, REFRESH_ACTIONS attribute | 167 |
| Table 109 – KEY_POINTS attribute | 168 |
| Table 110 – X_VALUES, Y_VALUES attribute | 169 |
| Table 111 – TYPE attribute | 170 |
| Table 112 – XY attribute | 170 |
| Table 113 – YT attribute | 171 |
| Table 114 – HORIZONTAL attribute | 172 |
| Table 115 – VERTICAL attribute | 172 |
| Table 116 – Y_AXIS attribute | 173 |
| Table 117 – PLUGIN attributes | 173 |
| Table 118 – UUID attribute | 174 |

| | |
|--|-----|
| Table 119 – METHOD attributes | 175 |
| Table 120 – Parameter types | 175 |
| Table 121 – ACCESS attributes | 176 |
| Table 122 – CLASS attributes | 176 |
| Table 123 – TYPE attributes | 178 |
| Table 124 – BLOCK_A attributes | 180 |
| Table 125 – AXIS_ITEMS attribute..... | 181 |
| Table 126 – CHARACTERISTICS attribute..... | 181 |
| Table 127 – CHARTS attribute..... | 181 |
| Table 128 – CHART_ITEMS attribute..... | 182 |
| Table 129 – COLLECTION_ITEMS attribute..... | 182 |
| Table 130 – EDIT_DISPLAY_ITEMS attribute | 182 |
| Table 131 – FILES attribute | 183 |
| Table 132 – FILE_ITEMS attribute | 183 |
| Table 133 – GRAPHS attribute | 184 |
| Table 134 – GRAPH_ITEMS attribute | 184 |
| Table 135 – GRIDS attribute | 184 |
| Table 136 – GRID_ITEMS attribute | 185 |
| Table 137 – IMAGE_ITEMS attribute | 185 |
| Table 138 – ITEM_ARRAY_ITEMS attribute..... | 185 |
| Table 139 – LISTS attribute | 186 |
| Table 140 – LIST_ITEMS attribute | 186 |
| Table 141 – MENUS attribute | 187 |
| Table 142 – MENU_ITEMS attribute | 187 |
| Table 143 – METHODS attribute..... | 187 |
| Table 144 – METHOD_ITEMS attribute..... | 188 |
| Table 145 – PARAMETERS attributes..... | 188 |
| Table 146 – PARAMETER_LISTS attributes | 189 |
| Table 147 – PLUGINS attribute..... | 189 |
| Table 148 – PLUGIN_ITEMS attribute..... | 189 |
| Table 149 – REFRESH_ITEMS attribute | 190 |
| Table 150 – SEMANTIC_MAP_ITEMS attribute..... | 190 |
| Table 151 – SOURCE_ITEMS attribute | 190 |
| Table 152 – UNIT_ITEMS attribute | 191 |
| Table 153 – WAVEFORM_ITEMS attribute | 191 |
| Table 154 – WRITE_AS_ONE_ITEMS attribute..... | 191 |
| Table 155 – BLOCK_B attributes | 192 |
| Table 156 – NUMBER attributes | 193 |
| Table 157 – TYPE attributes | 193 |
| Table 158 – LIKE overview | 194 |
| Table 159 – LIKE attributes..... | 194 |
| Table 160 – IMPORT overview..... | 196 |
| Table 161 – Importing device description | 196 |

| | |
|--|-----|
| Table 162 – TEMPLATE attributes | 198 |
| Table 163 – DEFAULT_VALUES attribute | 198 |
| Table 164 – COMPONENT attributes | 200 |
| Table 165 – BYTE_ORDER attribute | 200 |
| Table 166 – CAN_DELETE attribute | 201 |
| Table 167 – CHECK_CONFIGURATION attribute | 201 |
| Table 168 – COMPONENT_RELATIONS attribute | 202 |
| Table 169 – CONNECTION_POINT attribute | 202 |
| Table 170 – DETECT attribute | 202 |
| Table 171 – EDD attribute | 203 |
| Table 172 – INITIAL_VALUES attribute | 203 |
| Table 173 – REDUNDANCY attribute | 203 |
| Table 174 – SCAN attribute | 204 |
| Table 175 – SCAN_LIST attribute | 204 |
| Table 176 – PRODUCT_URI attribute | 204 |
| Table 177 – COMPONENT_FOLDER attributes | 205 |
| Table 178 – COMPONENT_REFERENCE attributes | 206 |
| Table 179 – COMPONENT_RELATION attributes | 207 |
| Table 180 – COMPONENTS attribute | 208 |
| Table 181 – RELATION_TYPE attribute | 209 |
| Table 182 – ADDRESSING attribute | 209 |
| Table 183 – MAXIMUM_NUMBER attribute | 210 |
| Table 184 – MINIMUM_NUMBER attribute | 210 |
| Table 185 – REQUIRED_INTERFACE attribute | 210 |
| Table 186 – INTERFACE attributes | 211 |
| Table 187 – DECLARATION attribute | 212 |
| Table 188 – CLASSIFICATION attributes | 212 |
| Table 189 – COMPONENT_PARENT attribute | 214 |
| Table 190 – COMPONENT_PATH attribute | 214 |
| Table 191 – DEFINITION attribute | 215 |
| Table 192 – EMPHASIS attribute | 216 |
| Table 193 – HANDLING attribute | 216 |
| Table 194 – HEIGHT/WIDTH attribute | 217 |
| Table 195 – HELP attribute | 218 |
| Table 196 – LABEL attribute | 218 |
| Table 197 – LINE_COLOR attribute | 219 |
| Table 198 – Standard RGB color values | 219 |
| Table 199 – LINE_TYPE attribute | 220 |
| Table 200 – MEMBERS attributes | 221 |
| Table 201 – PRIVATE attributes | 221 |
| Table 202 – PROTOCOL attribute | 222 |
| Table 203 – RESPONSE_CODES attribute | 222 |
| Table 204 – SUPPLIED_INTERFACE attribute | 223 |

| | |
|---|-----|
| Table 205 – VALIDITY attributes | 223 |
| Table 206 – VISIBILITY attributes | 224 |
| Table 207 – WRITE_MODE attributes | 225 |
| Table 208 – Redefinition attributes | 227 |
| Table 209 – Redefinition rules for AXIS attributes | 228 |
| Table 210 – Redefinition rules for BLOB attributes | 228 |
| Table 211 – Redefinition rules for BLOCK_A attributes | 229 |
| Table 212 – Redefinition rules for BLOCK_B attributes | 230 |
| Table 213 – Redefinition rules for CHART attributes | 230 |
| Table 214 – Redefinition rules for COLLECTION attributes | 231 |
| Table 215 – Redefinition rules for COMMAND attributes | 231 |
| Table 216 – Redefinition rules for COMPONENT attributes | 232 |
| Table 217 – Redefinition rules for COMPONENT_FOLDER attributes | 232 |
| Table 218 – Redefinition rules for COMPONENT_REFERENCE attributes | 233 |
| Table 219 – Redefinition rules for COMPONENT_RELATION attributes | 234 |
| Table 220 – Redefinition rules for EDIT_DISPLAY attributes | 234 |
| Table 221 – Redefinition rules for FILE attributes | 235 |
| Table 222 – Redefinition rules for GRAPH attributes | 235 |
| Table 223 – Redefinition rules for GRID attributes | 236 |
| Table 224 – Redefinition rules for IMAGE attributes | 236 |
| Table 225 – Redefinition rules for INTERFACE attributes | 236 |
| Table 226 – Redefinition rules for LIST attributes | 237 |
| Table 227 – Redefinition rules for MENU attributes | 238 |
| Table 228 – Redefinition rules for METHOD attributes | 238 |
| Table 229 – Redefinition rules for PLUGIN attributes | 239 |
| Table 230 – Redefinition rules for RECORD attributes | 239 |
| Table 231 – Redefinition rules for REFERENCE_ARRAY attributes | 240 |
| Table 232 – Redefinition rules for RESPONSE_CODES attributes | 240 |
| Table 233 – Redefinition rules for SOURCE attributes | 241 |
| Table 234 – Redefinition rules for TEMPLATE attributes | 241 |
| Table 235 – Redefinition rules for VALUE_ARRAY attributes | 242 |
| Table 236 – Redefinition rules for VARIABLE attributes | 243 |
| Table 237 – Redefinition rules for VARIABLE_LIST attributes | 244 |
| Table 238 – Redefinition rules for WAVEFORM attributes | 244 |
| Table 239 – Referencing an EDD instance | 245 |
| Table 240 – Referencing AXIS of a GRAPH. SOURCE, WAVEFORM | 245 |
| Table 241 – Referencing elements of VARIABLE | 246 |
| Table 242 – Referencing members of CHART | 246 |
| Table 243 – Referencing members of COLLECTION | 246 |
| Table 244 – Referencing a COMPONENT instance | 247 |
| Table 245 – Referencing a COMPONENT type | 247 |
| Table 246 – Referencing members of FILE | 247 |
| Table 247 – Referencing members of GRAPH | 248 |

| | |
|---|-----|
| Table 248 – Referencing elements of LIST | 248 |
| Table 249 – Referencing elements of RECORD | 249 |
| Table 250 – Referencing members of REFERENCE_ARRAY | 249 |
| Table 251 – Referencing members of SOURCE | 249 |
| Table 252 – Referencing elements of VALUE_ARRAY | 250 |
| Table 253 – Referencing members of VARIABLE_LISTS | 250 |
| Table 254 – Referencing BLOCK_A CHARACTERISTICS | 250 |
| Table 255 – Referencing members of BLOCK_A LOCAL_PARAMETER..... | 251 |
| Table 256 – Referencing members of a BLOCK_A PARAMETERS..... | 251 |
| Table 257 – Referencing members of BLOCK_A PARAMETER_LISTS | 251 |
| Table 258 – Referencing CHARACTERISTICS of specific BLOCK_A instance | 252 |
| Table 259 – Referencing CHARTS of specific BLOCK_A instance | 252 |
| Table 260 – Referencing FILES of specific BLOCK_A instance | 252 |
| Table 261 – Referencing GRAPHS of specific BLOCK_A instance | 253 |
| Table 262 – Referencing GRIDS of specific BLOCK_A instance..... | 253 |
| Table 263 – Referencing LISTS of specific BLOCK_A instance | 254 |
| Table 264 – Referencing LOCAL_PARAMETERS of specific BLOCK_A instance | 254 |
| Table 265 – Referencing MENUS of specific BLOCK_A instance | 255 |
| Table 266 – Referencing METHODS of specific BLOCK_A instance | 255 |
| Table 267 – Referencing PARAMETERS of specific BLOCK_A instance | 256 |
| Table 268 – Referencing PLUGINS of specific BLOCK_A instance | 256 |
| Table 269 – String as a string literal..... | 256 |
| Table 270 – String as a string variable | 257 |
| Table 271 – String as an enumeration value | 257 |
| Table 272 – String as a dictionary reference | 258 |
| Table 273 – Referencing HELP and LABEL attributes of EDD instances | 258 |
| Table 274 – String operation..... | 258 |
| Table 275 – IF conditional..... | 259 |
| Table 276 – SELECT conditional | 260 |
| Table 277 – Primary expressions | 261 |
| Table 278 – Attribute values of VARIABLES..... | 262 |
| Table 279 – AXIS attribute values | 263 |
| Table 280 – BLOB attribute values..... | 263 |
| Table 281 – LIST attribute values | 263 |
| Table 282 – ARRAY attribute values | 263 |
| Table 283 – Unary expressions..... | 264 |
| Table 284 – Multiplicative operators..... | 264 |
| Table 285 – Additive operators | 265 |
| Table 286 – Shift operators..... | 265 |
| Table 287 – Relational operators | 265 |
| Table 288 – Equality operators | 265 |
| Table 289 – Text dictionary attributes | 267 |
| Table A.1 – Conventions for integer constants | 272 |

| | |
|--|-----|
| Table A.2 – Using escape sequences in string literals..... | 273 |
| Table A.3 – Language code examples for string literals | 274 |
| Table A.4 – Precedence and associativity for EDDL operators | 275 |
| Table A.5 – Operations for VARIABLEs or METHOD local variables | 276 |
| Table A.6 – EDDL keywords | 278 |
| Table B.1 – METHOD DEFINITION data types..... | 370 |
| Table B.2 – VARIABLE TYPEs..... | 371 |
| Table B.3 – DATE coding..... | 373 |
| Table B.4 – DATE_AND_TIME coding..... | 373 |
| Table B.5 – DURATION coding | 373 |
| Table B.6 – DURATION coding for ISA100..... | 374 |
| Table B.7 – TIME coding..... | 374 |
| Table B.8 – TIME coding for ISA100 | 374 |
| Table B.9 – TIME_VALUE coding (four octets)..... | 375 |
| Table B.10 – TIME_VALUE coding (eight octets) | 375 |
| Table B.11 – PACKED_ASCII coding | 376 |
| Table B.12 – BOOLEAN coding | 376 |
| Table B.13 – BIT_ENUMERATED coding..... | 377 |
| Table B.14 – BIT_ENUMERATED coding for FF..... | 377 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

DEVICES AND INTEGRATION IN ENTERPRISE SYSTEMS – FUNCTION BLOCKS (FB) FOR PROCESS CONTROL AND ELECTRONIC DEVICE DESCRIPTION LANGUAGE (EDDL) –

Part 3: EDDL syntax and semantics

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61804-3 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation.

This fourth edition cancels and replaces the third edition published in 2015. This edition constitutes a technical revision.

This edition was developed by merging material from multiple variants of existing EDDL specifications including those from FieldComm Group (FOUNDATION™ Fieldbus¹, HART®²), PROFIBUS™³ Nutzerorganisation e.V. (PNO), and ISA100_Wireless™⁴ Compliance Institute (ISA100 WCI). Any places where there may be a profile deviation are now indicated in the context where the related deviation is found. As a result, the formatting and numbering of this edition may be different from any of the individual specifications from which this edition was derived.

This edition includes the following significant technical changes with respect to the previous edition:

- Communication profiles ISA100 and GPE were added.
- EDD Identification Information has a new LAYOUT_TYPE attribute.
- New construct SEMANTIC_MAP was added.
- CLASS attribute values LOCAL_A and LOCAL_B were added.
- Extended LIST functionality to support device managed lists.

The text of this standard is based on the following documents:

| CDV | Report on voting |
|-------------|------------------|
| 65E/631/CDV | 65E/689/RVC |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

Headings ending with '(void)' are used to retain the numbering of previous editions.

A list of all parts in IEC 61804 series, published under the general title *Devices and integration in enterprise systems – Function blocks (FB) for process control and electronic device description language (EDDL)*, can be found on the IEC website.

Future parts of IEC 61804 will carry the new general title as cited above. Titles of existing parts will be updated at the time of the next edition.

¹ FOUNDATION™ Fieldbus is the trademark of FieldComm Group. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the product named. Equivalent products may be used if they can be shown to lead to the same results.

² HART® is the registered trademark of FieldComm Group. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the product named. Equivalent products may be used if they can be shown to lead to the same results.

³ PROFIBUS and PROFINET are the trademarks of the PROFIBUS Nutzerorganisation e.V. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the product named. Equivalent products may be used if they can be shown to lead to the same results.

⁴ ISA100_Wireless™ is the trademark of ISA100 Wireless Compliance Institute. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the product named. Equivalent products may be used if they can be shown to lead to the same results.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The EDDL fills the gap between the conceptual function block specification of IEC 61804-2 and a product implementation. It allows the manufacturers to use the same description method for devices based on different technologies and platforms. Figure 1 shows these aspects.

IEC 61804 has the general title "Devices and integration in enterprise systems – Function blocks (FB) for process control and electronic device description language (EDDL)" and consists of the following parts:

Part 2: Specification of FB concept


Part 3: EDDL syntax and semantics

Part 4: EDD interpretation

Part 5: EDDL builtin library

Part 6: Meeting the requirements for integrating fieldbus devices in engineering tools for field devices

The EDDL may also be used for the description of product properties in other domains such as industrial automation. Industrial automation may include devices such as generic digital and analog input/output modules, motion controllers, human-machine interfaces, sensors, closed-loop controllers, encoders, hydraulic valves, and programmable controllers.



IEC

Figure 1 – Position of IEC 61804 in relation to other standards and products

DEVICES AND INTEGRATION IN ENTERPRISE SYSTEMS – FUNCTION BLOCKS (FB) FOR PROCESS CONTROL AND ELECTRONIC DEVICE DESCRIPTION LANGUAGE (EDDL) –

Part 3: EDDL syntax and semantics

1 Scope

This part of IEC 61804 specifies the electronic device description language (EDDL) technology, which enables the integration of real product details using the tools of the engineering life cycle.

This document specifies EDDL as a generic language for describing the properties of automation system components. EDDL is capable of describing

- device parameters and their dependencies;
- device functions, for example, simulation mode, calibration;
- graphical representations, for example, menus;
- interactions with control devices;
- graphical representations:
 - enhanced user interface,
 - graphing system;
- persistent data store.

EDDL is used to create electronic device description (EDD) for e.g. concrete devices, common usable profiles or libraries. This EDD is used with appropriate tools to generate an interpretative code to support parameter handling, operation, and monitoring of automation system components such as remote I/Os, controllers, sensors, and programmable controllers. Tool implementation is outside the scope of this document.

This document specifies the semantic and lexical structure in a syntax-independent manner. A specific syntax is defined in Annex A, but it is possible to use the semantic model also with different syntaxes.

IEC 61804-4 specifies EDD interpretation for EDD applications and EDDs to support EDD interoperability.

IEC 61804-5 specifies the EDDL builtin library and provides the profiles of the various fieldbuses.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-351, *International Electrotechnical Vocabulary (IEV) – Part 351: Control technology*

IEC 61804-2, *Function blocks (FB) for process control – Part 2: Specification of FB concept*

IEC 61804-4, *Function blocks (FB) for process control and electronic device description language (EDDL) – Part 4: EDD interpretation*

IEC 61804-5, *Function blocks (FB) for process control and electronic device description language (EDDL) – Part 5: EDDL builtin library*

IEC 62541-4, *OPC Unified Architecture – Part 4: Services*

ISO/IEC 7498-1, *Information technology – Open Systems Interconnection – Basic Reference Model: The Basic Model*

ISO/IEC 8859-1, *Information technology – 8-bit single-byte coded graphic character sets – Part 1: Latin alphabet No. 1*

ISO/IEC 9834-8, *Information technology – Procedures for the operation of object identifier registration authorities – Part 8: Generation of universally unique identifiers (UUIDs) and their use in object identifiers*

ISO/IEC 9899:1999, *Programming languages – C*

ISO/IEC 10646, *Information technology – Universal Coded Character Set (UCS)*

ISO/IEC 10918-1, *Information technology – Digital compression and coding of continuous-tone still images: Requirements and guidelines*

ISO/IEC 15948, *Information technology – Computer graphics and image processing – Portable Network Graphics (PNG): Functional specification*

ISO 639 (all parts), *Codes for the representation of names of languages*

ISO 3166-1, *Codes for the representation of names of countries and their subdivisions – Part 1: Country codes*

ISO/TS 29002-5, *Industrial automation systems and integration – Exchange of characteristic data – Part 5: Identification scheme*

IEEE 754, *IEEE Standard for Floating-Point Arithmetic*

RFC 3629, *User Datagram Protocol*, available at <http://www.ietf.org/rfc/rfc0768.txt> [viewed 2018-12-21]

W3C Recommendation, *Cascading Style Sheets Level 2 Specification*, available at <http://www.w3.org/TR/CSS2> [viewed 2018-12-21]

koniec náhľadu – text ďalej pokračuje v platenej verzii STN