

STN	Kozmická technika Multipakčný návrh a skúška	STN EN 16603-20-01 31 0543
------------	---	--

Space engineering - Multipactor, design and test

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 02/21

Obsahuje: EN 16603-20-01:2020

Oznámením tejto normy sa ruší
STN EN 14777 (31 0530) z januára 2005

132061

EUROPEAN STANDARD**EN 16603-20-01****NORME EUROPÉENNE****EUROPÄISCHE NORM**

September 2020

ICS 49.140

Supersedes EN 14777:2004

English version

Space engineering - Multipactor, design and test

Ingénierie spatiale - Multipactor, conception et tests

Raumfahrttechnik - Multipaction, Konzeption und Test

This European Standard was approved by CEN on 17 May 2020.

CEN and CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN and CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN and CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN and CENELEC members are the national standards bodies and national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



**CEN-CENELEC Management Centre:
Rue de la Science 23, B-1040 Brussels**

Table of contents

European Foreword	6
Introduction	7
1 Scope	8
2 Normative references	9
3 Terms, definitions and abbreviated terms	10
3.1 Terms and definitions from other standards	10
3.2 Terms and definitions specific to the present standard	11
3.3 Abbreviated terms.....	13
3.4 Nomenclature	15
4 Verification	16
4.1 Verification process	16
4.2 Multipactor verification plan	18
4.2.1 Generation and updating.....	18
4.2.2 Description.....	18
4.3 Power requirements.....	19
4.3.1 General power requirements	19
4.4 Classification of equipment or component type	20
4.4.1 General classification of equipment or component type	20
4.5 Verification routes.....	22
4.6 Single carrier	23
4.6.1 General.....	23
4.6.2 Verification by analysis.....	23
4.6.3 Verification by test.....	26
4.7 Multicarrier.....	27
4.7.1 General.....	27
4.7.2 Verification by analysis.....	27
4.7.3 Verification by test.....	30
5 Design analysis	31
5.1 Overview	31

5.2	Field analysis.....	31
5.3	Multipactor design analysis.....	32
5.3.1	Frequency selection.....	32
5.3.2	Design analysis levels.....	32
5.3.3	Available data for Multipactor analysis	37
6	Multipactor - Test conditions.....	45
6.1	Cleanliness.....	45
6.2	Pressure.....	45
6.3	Temperature.....	46
6.4	Signal characteristics.....	47
6.4.1	Applicable bandwidth.....	47
6.4.2	Single-frequency test case.....	47
6.4.3	Multi-frequency test case.....	47
6.4.4	Pulsed testing.....	49
6.5	Electron seeding.....	50
6.5.1	General.....	50
6.5.2	Multipactor test in CW operation.....	50
6.5.3	Multipactor test in pulsed operation.....	50
6.5.4	Multipactor test in multi-carrier operation.....	50
6.5.5	Seeding sources.....	50
6.5.6	Seeding verification.....	51
7	Multipactor - Methods of detection.....	52
7.1	General.....	52
7.2	Detection methods.....	52
7.3	Detection method parameters.....	53
7.3.1	Verification.....	53
7.3.2	Sensitivity.....	53
7.3.3	Rise time.....	54
8	Multipactor - Test procedure.....	55
8.1	General.....	55
8.2	Test bed configuration.....	55
8.3	Test bed validation.....	56
8.4	Test sequence.....	57
8.5	Acceptance criteria.....	61
8.5.1	Definitions.....	61
8.5.2	Multipactor Free Equipment or component.....	61

EN 16603-20-01:2020 (E)

8.5.3	Steps in case of Discharges or Events during test.....	61
8.5.4	Investigation of Test Anomalies.....	66
8.6	Test procedure	66
8.7	Test reporting	67
9	Secondary electron emission yield requirements	68
9.1	General.....	68
9.2	SEY measurements justification	68
9.3	Worst case SEY measurement.....	68
9.4	SEY measurements conditions	69
9.4.1	Environmental conditions	69
9.4.2	SEY test bed conditions	69
9.4.3	SEY sample characteristics.....	70
9.5	SEY measurements procedure	70
9.5.1	SEY Measurements procedure documents	70
9.5.2	SEY measurement calibration.....	71
9.6	ECSS SEY data selection.....	71
	Annex A (informative) Multipactor document delivery per review	72
	Bibliography.....	74
Figures		
	Figure 3-1: Minimum inflexion point for Silver multipactor chart.....	12
	Figure 4-1: Verification routes per component/equipment type and qualification status for multipactor conformance	22
	Figure 5-1: Multipactor chart for standard Aluminium obtained with parameters from Table 9-1	42
	Figure 5-2: Multipactor chart for standard Copper obtained with parameters from Table 9-1.....	42
	Figure 5-3: Multipactor chart for standard Silver obtained with parameters from Table 9-1.....	43
	Figure 5-4: Multipactor chart for standard Gold obtained with parameters from Table 9-1.....	43
	Figure 5-5: Comparison of Multipactor charts for all standard materials obtained with parameters from Table 9-1	44
	Figure 8-1: Illustration of test sequence.....	60
	Figure 8-2: Illustration of test sequence following first Event	63
	Figure 8-3: Illustration of test sequence following first potential discharge	65

Tables

Table 4-1: Classification of equipment or component type according to the qualification status and heritage from a multipactor point of view (adapted from Table 5-1 of ECSS-E-ST-10-02).....	17
Table 4-2: Classification of equipment or component type according to the material and the geometry	21
Table 4-3: Analysis margins w.r.t. nominal power applicable to P1 and P2 equipment or components with Bm or Cm category verified by analysis	24
Table 4-4: Analysis margins w.r.t. nominal power applicable to P1 and P2 equipment or components with Dm category verified by analysis	25
Table 4-5: Test margins w.r.t. nominal power applicable to P1, P2 and P3 equipment or components verified by test.....	26
Table 4-6: Analysis margins applicable to P1 and P2 equipment or components with Bm or Cm category verified by analysis	28
Table 4-7: Analysis margins applicable to P1 and P2 equipment or components with Dm category verified by analysis	29
Table 4-8: Test margins w.r.t. nominal power applicable to P1, P2 and P3 equipment or components verified by test.....	30
Table 5-1: Tabulated values of the lowest breakdown voltage threshold boundary of the multipactor charts, computed with the SEY data of Table 9-1.....	38
Table 9-1: SEY parameters for Al, Cu, Au and Ag materials.....	71
Table A-1 : Multipactor deliverable document per review.....	73

European Foreword

This document (EN 16603-20-01:2020) has been prepared by Technical Committee CEN-CENELEC/TC 5 "Space", the secretariat of which is held by DIN.

This standard (EN 16603-20-01:2020) originates from ECSS-E-ST-20-01C.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2021, and conflicting national standards shall be withdrawn at the latest by March 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 14777:2004.

This document has been prepared under a standardization request given to CEN by the European Commission and the European Free Trade Association.

This document has been developed to cover specifically space systems and has therefore precedence over any EN covering the same scope but with a wider domain of applicability (e.g. : aerospace).

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

In the context of increased RF power and equipment or component miniaturization, more and more attention shall be paid to multipactor which is critical for space missions based on satellite telecommunication or navigation payloads, or active microwave instruments for Earth Observation or Science. The multipactor phenomenon is an electron avalanche discharge occurring in high vacuum initiated by primary electrons inside a RF component in presence of a high local RF voltage or electric field.

In order to verify by analysis that a RF equipment or component is multipactor free, accurate EM modelling tools are required. These tools need more and more computation resources to cope with RF equipment or components with complex geometries, advanced manufacturing techniques, new materials and processes, and complex RF signals. The verification by test also requires some up-to-date test facilities, that provide high power amplification, electron seeding techniques, multiple and accurate detection methods, ability to generate complex signals, and the ability to reproduce the space representative environment conditions.

This standard is an update of previous version of ECSS-E-20-01A Rev.1, that includes the state-of-art of new verification approaches, and associated margins.

1 Scope

This standard defines the requirements and recommendations for the design and test of RF components and equipment to achieve acceptable performance with respect to multipactor-free operation in service in space. The standard includes:

- verification planning requirements,
- definition of a route to conform to the requirements,
- design and test margin requirements,
- design and test requirements, and
- informative annexes that provide guidelines on the design and test processes.

This standard is intended to result in the effective design and verification of the multipactor performance of the equipment and consequently in a high confidence in achieving successful product operation.

This standard covers multipactor events occurring in all classes of RF satellite components and equipment at all frequency bands of interest in high vacuum conditions (pressure lower than 10^{-5} hPa). Operation in single carrier CW and pulse modulated mode are included, as well as unmodulated multi-carrier operations. A detailed clause on secondary emission yield is also included.

This standard does not include breakdown processes caused by collisional processes, such as plasma formation.

This standard is applicable to all space missions.

This standard may be tailored for the specific characteristic and constraints of a space project in conformance with ECSS-S-ST-00.

2

Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this ECSS Standard. For dated references, subsequent amendments to, or revision of any of these publications do not apply. However, parties to agreements based on this ECSS Standard are encouraged to investigate the possibility of applying the more recent editions of the normative documents indicated below. For undated references, the latest edition of the publication referred to applies.

EN reference	Reference in text	Title
EN 16601-00	ECSS-S-ST-00-01	ECSS – Glossary of terms
EN 16603-10-02	ECSS-E-ST-10-02	Space engineering –Verification
EN 16603-10-03	ECSS-E-ST-10-03	Space engineering - Testing
EN 16602-20	ECSS-Q-ST-20	Space product assurance – Quality assurance
EN 16602-20-08	ECSS-Q-ST-20-08	Space product assurance – Storage, handling and transportation of spacecraft hardware
EN 16602-70-01	ECSS-Q-ST-70-01	Space product assurance – Cleanliness and contamination control
EN 16602-70-02	ECSS-Q-ST-70-02	Space product assurance – Thermal vacuum outgassing test for the screening of space materials
	ESCC-20600	Preservation, packaging and despatch of ESCC component
	ISO 14644-1:2015	Cleanrooms and associated controlled environments – Part 1: Classification of air cleanliness by particle concentration

koniec náhľadu – text ďalej pokračuje v platenej verzii STN