

<b>STN</b>	<b>Stanovenie úplnej biodegradácie plastov vo vodnom systéme v anoxických (denitrifikačných) podmienkach</b> <b>Metóda meraním nárastu tlaku</b>	<b>STN</b> <b>EN 17417</b>  64 8019
------------	---	--

Determination of the ultimate biodegradation of plastics materials in an aqueous system under anoxic (denitrifying) conditions - Method by measurement of pressure increase

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 02/21

Obsahuje: EN 17417:2020

**132260**



EUROPEAN STANDARD

EN 17417

NORME EUROPÉENNE

EUROPÄISCHE NORM

November 2020

ICS 13.030.99; 83.080.01

English Version

Determination of the ultimate biodegradation of plastics materials in an aqueous system under anoxic (denitrifying) conditions - Method by measurement of pressure increase

Détermination de la biodégradation ultime des matériaux plastiques dans un système aqueux dans des conditions anoxiques (dénitrifiantes) - Méthode par mesure de l'augmentation de pression

Bestimmung der vollständigen Bioabbaubarkeit von Kunststoff-Materialien in wässriger Phase unter anoxischen (denitrifizierenden) Bedingungen - Verfahren mittels Messung der Druckzunahme

This European Standard was approved by CEN on 21 September 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

<b>Contents</b>	<b>Page</b>
European foreword .....	4
Introduction .....	5
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions.....	6
4 Principle.....	9
5 Equipment and materials.....	9
5.1 Pressure measurement system .....	9
5.2 Stirring platform or single magnetic stirrers.....	10
5.3 Room or incubator with a constant temperature of $(20 \pm 2)$ °C.....	10
5.4 Argon for the elimination of oxygen from the medium and the gas space.....	10
5.5 Thermometer .....	11
5.6 Membrane filter.....	11
5.7 Activated sludge from the denitrification tank of a waste water treatment plant .....	11
5.8 KOH or used for sorption .....	11
5.9 HCl used for titration .....	11
5.10 pH meter with electrodes .....	11
5.11 Pipettes, pipette tips.....	11
5.12 Photometric cuvette tests.....	11
5.13 Photometer for the procedures or cuvette tests .....	12
5.14 Analytical balance.....	12
6 Preparation.....	12
6.1 Determination of the volume of each reaction vessel .....	12
6.2 Sample preparation .....	12
6.3 Preparation of the medium.....	12
6.3.1 Reagents.....	12
6.3.2 Distilled or deionized water .....	12
6.3.3 Preparation of the concentrates.....	12
6.3.4 Preparation of the medium .....	14
6.4 Preparation of the inoculum.....	14
7 Test procedure.....	14
7.1 Start of test .....	14
7.2 Determination of the initial concentrations (analytical sample).....	16
7.2.1 Determination of pH.....	16
7.2.2 Determination of the suspended solids of the inoculum.....	16
7.2.3 Determination of ammonia-nitrogen, nitrite-nitrogen and nitrate-nitrogen (for a nitrogen balance).....	16
7.2.4 Protein determination (for a nitrogen and carbon balance).....	16
7.2.5 Determination of DOC (for a carbon balance).....	17
7.3 Incubation period.....	17
7.4 End of test .....	17
7.5 Determination of CO <sub>2</sub> absorbed in absorption vessels (for a carbon balance).....	17
8 Calculation and evaluation.....	17

<b>8.1</b>	<b>Calculation of the theoretical N<sub>2</sub> production</b> .....	<b>17</b>
<b>8.2</b>	<b>Calculation of the present N<sub>2</sub> production</b> .....	<b>18</b>
<b>8.3</b>	<b>Calculation of the level of degradation related to the nitrogen production</b> .....	<b>19</b>
<b>8.4</b>	<b>Generation of a nitrogen balance</b> .....	<b>19</b>
<b>8.5</b>	<b>Evaluation and expression of results</b> .....	<b>20</b>
<b>9</b>	<b>Validity of results</b> .....	<b>20</b>
<b>10</b>	<b>Test report</b> .....	<b>21</b>
<b>Annex A (informative) Test scheme — Calculation of the maximum permitted initial mass of the test substance and the minimum nitrate concentration</b> .....		
<b>A.1</b>	<b>General</b> .....	<b>22</b>
<b>A.2</b>	<b>Upper pressure measurement limit</b> .....	<b>22</b>
<b>A.3</b>	<b>Sorption capacity of the sorption solution (if applicable)</b> .....	<b>23</b>
<b>A.4</b>	<b>pH buffer capacity of the medium</b> .....	<b>23</b>
<b>A.5</b>	<b>Minimum nitrate concentration</b> .....	<b>24</b>
<b>Annex B (informative) Examples of degradation curves</b> .....		
<b>Annex C (informative) Calculation of the produced inorganic carbon and preparation of a carbon balance</b> .....		
<b>C.1</b>	<b>Calculation of the produced inorganic carbon</b> .....	<b>28</b>
<b>C.2</b>	<b>Generation of a carbon balance</b> .....	<b>29</b>
<b>C.3</b>	<b>Calculation of the level of biodegradation related to carbon</b> .....	<b>30</b>
<b>Bibliography</b> .....		<b>31</b>

**EN 17417:2020 (E)****European foreword**

This document (EN 17417:2020) has been prepared by Technical Committee CEN/TC 249 “Plastics”, the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2021, and conflicting national standards shall be withdrawn at the latest by May 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## Introduction

Biodegradation of a chemical substance strongly depends on environmental conditions. The presence or the absence of oxygen is significant for the metabolic pathway on which the degradation by bacteria can take place. At present, several test methods for the investigation of biodegradability of polymers under aerobic conditions, but only a few test methods for the investigation of biodegradability under anaerobic conditions exist. However, degradation under anoxic (denitrifying) conditions has barely been considered yet. The concept “anoxic” has been created by engineers and designates conditions under which denitrification can take place. This means that either a little amount of oxygen or no oxygen at all ( $< 0,1 \text{ mg/l}$ ) but nitrate ( $> 0,1 \text{ mg/l NO}_3^- \text{-N}$ ) is present. During heterotrophic denitrification, e.g. inside the denitrification tank of a wastewater treatment plant, nitrate is reduced to nitrogen and at the same time organic substrate is oxidized to  $\text{CO}_2$ . In nature, anoxic conditions can be present within the hypolimnion of eutrophic lakes or within the sediment at the transition zone between the aerobic and the anaerobic zone.

A way to use biodegradable polymers after intended service life would be their addition as additional carbon source to the denitrification unit of a wastewater treatment plant. In order to check if this way of disposing a polymer is possible, the biodegradability under anoxic (denitrifying) conditions shall be determined. Even if a substance shows good aerobic degradability, this does not necessarily apply under anoxic conditions.

Furthermore, a distinction shall be made between biodegradable polymers that are soluble in water and those not soluble in water.

Those biodegradable polymers that are soluble in water could be added systematically and continuously to the denitrification unit as a solid substrate, which is quickly converted and which can therefore replace the addition of an external liquid carbon source such as ethanol or acetic acid. Testing their aerobic degradability, their water solubility and, if necessary, their water dispersibility can be carried out in accordance with EN 14987 [1]. In addition to this, special testing regarding their use as a carbon source for denitrification is done according to this document. As long as these biodegradable polymers are present as a solid substance, it shall be ensured that they remain in the denitrification tank in order to prevent operational failure during other phases of the wastewater treatment plant.

Those biodegradable polymers that are not soluble in water are discontinuously introduced as a solid substance into a specially designed denitrification reactor, where they substantially remain because of an appropriate process control. Induced by bacterial activity, they continuously release carbon for the purpose of denitrification during a process of anoxic degradation, the duration of which depends on their dimensions (surface/volume ratio). Special testing regarding their use as a water insoluble carbon source for denitrification is described in this document.

**EN 17417:2020 (E)****1 Scope**

This document specifies a method for the determination of the ultimate anoxic biodegradation of plastics made of organic compounds, where the amount of the produced nitrogen and carbon dioxide at the end of the test is measured.

The test substance is exposed to an inoculum stemming from the denitrification tank of a wastewater treatment plant. Testing is performed under defined laboratory conditions.

Claims of performance are limited to the numerical result obtained in the test and not used for making unqualified claims such as “disposable in waste water treatment plants” and similar.

**2 Normative references**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 872:2005, *Water quality — Determination of suspended solids — Method by filtration through glass fibre filters*

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**