

<b>TNI</b>	<p><b>Ochrana ovzdušia Vonkajšie ovzdušie Aplikácia EN 16909 na stanovenie elementárneho uhlíka (EC) a organického uhlíka (OC) v PM10 a celkových PM</b></p>	<p><b>TNI CEN/TR 17554</b></p>
		83 5629

Ambient air - Application of EN 16909 for the determination of elemental carbon (EC) and organic carbon (OC) in PM10 and PMcoarse

Táto technická normalizačná informácia obsahuje anglickú verziu CEN/TR 17554:2020.

This Technical standard information includes the English version of CEN/TR 17554:2020.

Táto technická normalizačná informácia bola oznámená vo Vestníku ÚNMS SR č. 02/21

**132274**

---

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2021

Slovenská technická norma a technická normalizačná informácia je chránená zákonom č. 60/2018 Z. z. o technickej normalizácii.



**TECHNICAL REPORT****CEN/TR 17554****RAPPORT TECHNIQUE****TECHNISCHER BERICHT**

November 2020

ICS 13.040.20

English Version

**Ambient air - Application of EN 16909 for the determination of elemental carbon (EC) and organic carbon (OC) in PM10 and PMcoarse**

Air ambiant - Application de la norme EN 16909 pour le dosage du carbone élémentaire (EC) et du carbone organique (OC) dans les fractions PM10 et PMgrossière

Außenluft - Anwendung der EN 16909 zur Bestimmung von elementarem Kohlenstoff (EC) und organischem Kohlenstoff (OC) in PM10 und PMcoarse

This Technical Report was approved by CEN on 9 November 2020. It has been drawn up by the Technical Committee CEN/TC 264.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

Contents	Page
<b>European foreword.....</b>	<b>3</b>
<b>Introduction .....</b>	<b>4</b>
<b>1 Scope.....</b>	<b>5</b>
<b>2 Normative references.....</b>	<b>5</b>
<b>3 Terms and definitions .....</b>	<b>5</b>
<b>4 Symbols and abbreviations .....</b>	<b>6</b>
<b>5 Principle .....</b>	<b>6</b>
<b>6 Previous studies on interferences from inorganic components.....</b>	<b>7</b>
<b>6.1 General.....</b>	<b>7</b>
<b>6.2 Carbonate carbon.....</b>	<b>7</b>
<b>6.3 Metal oxides .....</b>	<b>8</b>
<b>6.4 Inorganic salts .....</b>	<b>8</b>
<b>7 Information from the data obtained during the EN 16909 field validation campaigns .....</b>	<b>9</b>
<b>8 Procedures for evaluating the applicability of EN 16909 to PM<sub>10</sub> and PM<sub>coarse</sub>.....</b>	<b>14</b>
<b>8.1 General.....</b>	<b>14</b>
<b>8.2 Materials, instruments and analysis .....</b>	<b>15</b>
<b>8.3 Sampling.....</b>	<b>15</b>
<b>8.4 Procedures.....</b>	<b>15</b>
<b>8.4.1 General.....</b>	<b>15</b>
<b>8.4.2 Comparison of OC and EC concentrations in different PM size fractions.....</b>	<b>15</b>
<b>9 Assessment of the effect of coarse PM constituents on OC and EC determination .....</b>	<b>16</b>
<b>9.1 Carbonate carbon.....</b>	<b>16</b>
<b>9.2 Analytical artefacts in PM<sub>2,5</sub> filter samples spiked with PM<sub>coarse</sub> constituents that contain no EC or OC .....</b>	<b>16</b>
<b>9.2.1 Spiking material preparation .....</b>	<b>16</b>
<b>9.2.2 Test sample preparation and measurements.....</b>	<b>16</b>
<b>9.2.3 Test evaluation.....</b>	<b>17</b>
<b>9.3 Analytical artefacts in PM<sub>coarse</sub> filters spiked with known amounts of OC and/or EC.....</b>	<b>17</b>
<b>9.3.1 Spiking material preparation .....</b>	<b>17</b>
<b>9.3.2 Test sample preparation and measurements.....</b>	<b>17</b>
<b>9.3.3 Test evaluation.....</b>	<b>17</b>
<b>Annex A (informative) Details of PM<sub>2,5</sub> and PM<sub>10</sub> filters included in the laboratory comparison exercise .....</b>	<b>18</b>
<b>Annex B (informative) Estimation of the uncertainty of EC<sub>coarse</sub> and OC<sub>coarse</sub>.....</b>	<b>19</b>
<b>Bibliography.....</b>	<b>20</b>

## European foreword

This document (CEN/TR 17554:2020) has been prepared by Technical Committee CEN/TC 264 "Air quality", the secretariat of which is held by DIN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

## Introduction

The standard method EN 16909 provides guidance for the determination of organic carbon (OC) and elemental carbon (EC) in airborne particulate matter deposited on filters. It has been developed following the requirement for the EU member states to measure OC and EC in the PM<sub>2,5</sub> size fraction (less than 2,5 µm in aerodynamic diameter) at background sites [5]. EN 16909 standard states: “The same analysis method may also be used for smaller size fractions than PM<sub>2,5</sub>. Any possible additional artefacts for larger particles, e.g. pyrolysis or higher concentrations of carbonates, should be assessed.”

## 1 Scope

This document describes procedures to assess the applicability of the standard method EN 16909 (determination of OC and EC deposited on filters) to particle size fractions up to 10 µm in aerodynamic diameter (50 % cut off).

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 16909, *Ambient air - Measurement of elemental carbon (EC) and organic carbon (OC) collected on filters*

koniec náhl'adu – text d'alej pokračuje v platenej verzii STN