

STN	Odsávacie katétre používané v respiračnom trakte (ISO 8836: 2019)	STN EN ISO 8836 85 5833
------------	--	---

Suction catheters for use in the respiratory tract (ISO 8836:2019)

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 04/21

Obsahuje: EN ISO 8836:2020, ISO 8836:2019

Oznámením tejto normy sa od 31.10.2023 ruší
STN EN ISO 8836 (85 5833) z apríla 2015

132567

EUROPEAN STANDARD

EN ISO 8836

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2020

ICS 11.040.10; 11.040.25

Supersedes EN ISO 8836:2014

English Version

**Suction catheters for use in the respiratory tract (ISO
8836:2019)**Sondes d'aspiration pour les voies respiratoires (ISO
8836:2019)Absaugkatheter zur Verwendung im Atemtrakt (ISO
8836:2019)

This European Standard was approved by CEN on 24 June 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

Contents	Page
European foreword.....	3

European foreword

This document (EN ISO 8836:2020) has been prepared by Technical Committee ISO/TC 121 "Anaesthetic and respiratory equipment" in collaboration with Technical Committee CEN/TC 215 "Respiratory and anaesthetic equipment" the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2021, and conflicting national standards shall be withdrawn at the latest by October 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 8836:2014.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 8836:2019 has been approved by CEN as EN ISO 8836:2020 without any modification.

INTERNATIONAL STANDARD

ISO
8836

Fifth edition
2019-12

Suction catheters for use in the respiratory tract

Sondes d'aspiration pour les voies respiratoires



Reference number
ISO 8836:2019(E)

© ISO 2019

**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 *General requirements	3
5 Materials	4
6 Design requirements	4
6.1 General.....	4
6.2 Size designations and dimensions.....	4
6.3 <i>Suction catheter tip</i>	5
6.4 <i>*Suction catheter connector</i>	6
6.5 Additional requirements for <i>closed suction catheters</i>	7
6.5.1 General design.....	7
6.5.2 <i>Closed suction catheter manifold and connectors</i>	8
6.5.3 <i>Protective sleeve</i>	9
6.5.4 <i>*Suction control device</i>	9
6.5.5 Flushing system.....	10
6.5.6 T-piece port.....	10
6.6 Performance requirements.....	10
6.6.1 Security of construction.....	10
6.6.2 <i>Shaft performance</i>	10
6.6.3 Suction control device performance.....	11
6.6.4 <i>*Leakage</i>	11
6.6.5 <i>*Resistance to flow</i>	11
7 Requirements for <i>suction catheters</i> supplied sterile	11
8 Packaging	11
9 Information supplied by the manufacturer	11
9.1 General.....	11
9.2 Marking.....	12
9.3 Instructions for use.....	13
Annex A (informative) Rationale	14
Annex B (normative) Test method for security of attachment	17
Annex C (normative) Measurement of residual vacuum	18
Annex D (normative) *Method of testing leakage	20
Annex E (informative) Hazard identification for risk assessment	21
Bibliography	24

ISO 8836:2019(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 121, *Anaesthetic and respiratory equipment*, Subcommittee SC 2, *Airways and related equipment*.

This fifth edition cancels and replaces the fourth edition (ISO 8836:2014), which has been technically revised. The main changes compared to the previous edition are as follows:

- it is no longer a requirement to have only male-type *suction catheter connector* on the *suction catheter*;
- the female-type suction catheter connector has been reinstated following removal in the fourth edition of this document;
- the terms and definitions have been revised;
- the conditions for the measurement of *residual vacuum* in *closed suction catheters* have been revised.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document is concerned with the basic requirements and method of size designation of both *open* and *closed suction catheters* made of flexible materials.

The method of describing tube dimensions and configuration has been devised in order to assist clinicians in the selection of the most suitable *suction catheter* for a particular patient. The size designation is important when selecting a catheter because of its relationship to the ease with which the catheter can be passed through a *tracheal or tracheostomy tube*^{[2][3]}.

Throughout this document the following print types are used:

- Requirements and definitions: roman type;
- *Conformance checks and test specifications: italic type;*
- Informative material appearing outside of tables, such as notes, examples and references: smaller type. The normative text of tables is also in smaller type;
- *defined terms: italics.*

An asterisk (*) as the first character of a title or at the beginning of a paragraph or table title indicates that there is guidance or rationale related to that item in [Annex A](#).

Suction catheters for use in the respiratory tract

1 Scope

This document specifies dimensions and requirements for both *open* and *closed suction catheters* made of flexible materials and intended for use in suctioning of the respiratory tract.

Suction catheters intended for use with flammable anaesthetic gases or agents, lasers or electrosurgical equipment are not covered by this document.

NOTE For guidance on airway management during laser surgery of the upper airway, see ISO/TR 11991^[4].

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 5356-1, *Anaesthetic and respiratory equipment — Conical connectors — Part 1: Cones and sockets*

ISO 5367:2014, *Anaesthetic and respiratory equipment — Breathing sets and connectors*

ISO 18190:2016, *Anaesthetic and respiratory equipment — General requirements for airways and related equipment*

ISO 18562-1, *Biocompatibility evaluation of breathing gas pathways in healthcare applications — Part 1: Evaluation and testing within a risk management process*

ISO 80369-7, *Small-bore connectors for liquids and gases in healthcare applications — Part 7: Connectors for intravascular or hypodermic applications*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN