

STN	Prístroje jadrovej techniky Formát údajov pre digitálny zber údajov v režime zoznamu používaný pri detekcii a meraní žiarenia	STN EN IEC 63047 35 6551
------------	--	--

Nuclear instrumentation - Data format for list mode digital data acquisition used in radiation detection and measurement

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 04/21

Obsahuje: EN IEC 63047:2021, IEC 63047:2018, IEC 63047:2018/COR1:2020

132628

EUROPEAN STANDARD

EN IEC 63047

NORME EUROPÉENNE

EUROPÄISCHE NORM

February 2021

ICS 27.120.01

English Version

**Nuclear instrumentation - Data format for list mode digital data
acquisition used in radiation detection and measurement
(IEC 63047:2018 + COR1:2020)**

Instrumentation nucléaire - Format de données pour
l'acquisition de données numériques en mode liste utilisées
dans la détection et la mesure des rayonnements
(IEC 63047:2018 + COR1:2020)

Nukleare Instrumentierung - Datenformat für digitale
Datenerfassung im List-Mode für Strahlungsnachweis und -
messung
(IEC 63047:2018 + COR1:2020)

This European Standard was approved by CENELEC on 2021-01-25. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 63047:2021 (E)**European foreword**

This document (EN IEC 63047:2021) consists of the text of IEC 63047:2018¹ prepared by SC 45B "Radiation protection instrumentation" of IEC/TC 45 "Nuclear instrumentation".

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2022-01-25
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2024-01-25

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 63047:2018¹ was approved by CENELEC as a European Standard without any modification.

¹ As impacted by IEC 63047:2018/COR1:2020.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 62755	-	Radiation protection instrumentation - Data - format for radiation instruments used in the detection of illicit trafficking of radioactive materials	-	-
ISO/IEC 8824-1	2015	Information technology - Abstract Syntax - Notation One (ASN.1): Specification of basic notation	-	-
ISO/IEC 8825-7	-	Information technology - ASN.1 encoding - rules - Part 7: Specification of Octet Encoding Rules (OER)	-	-
ISO/IEC 9834	-	Information technology – Procedures for - the operation of object identifier registration authorities: General procedures and top arcs of the international object identifier tree	-	-
ISO/IEC 10646	2017	Information technology - Universal Coded - Character Set (UCS)	-	-
ISO 8601	-	Data elements and interchange formats - - Information interchange - Representation of dates and times	-	-
IEEE 754	-	IEEE Standard for Floating-Point - Arithmetic	-	-



IEC 63047

Edition 1.0 2018-10

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Nuclear instrumentation – Data format for list mode digital data acquisition used in radiation detection and measurement

Instrumentation nucléaire – Format de données pour l'acquisition de données numériques en mode liste utilisées dans la détection et la mesure des rayonnements



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2018 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 21 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.



IEC 63047

Edition 1.0 2018-10

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Nuclear instrumentation – Data format for list mode digital data acquisition used in radiation detection and measurement

Instrumentation nucléaire – Format de données pour l'acquisition de données numériques en mode liste utilisées dans la détection et la mesure des rayonnements

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 27.120.01

ISBN 978-2-8322-6034-0

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	10
INTRODUCTION.....	12
1 Scope.....	13
2 Normative references	13
3 Terms and definitions, abbreviated terms and notations	14
3.1 Terms and definitions.....	14
3.2 Abbreviated terms.....	18
3.3 Notations	18
3.3.1 Graphical notation	18
3.3.2 ASN.1 notation	18
3.3.3 Decimal separator	19
3.3.4 Hexadecimal and binary numbers	19
4 General requirements	19
4.1 How to use this document.....	19
4.2 The use of Abstract Syntax Notation One (ASN.1)	19
4.2.1 General	19
4.2.2 Encoding rule	19
4.2.3 Extensibility.....	19
4.2.4 Object identifier	20
4.2.5 Optional and default elements	20
4.3 The concept of list-mode data acquisition	20
4.4 Channels and devices in a data file or stream	21
4.5 Applicability to data files and streams	22
4.6 Relation with IEC 62755 data format files.....	23
4.7 Data security.....	24
5 ASN.1 type definitions	24
5.1 Overview.....	24
5.2 ASN.1 types.....	27
5.3 The REAL32 and REAL64 type	27
5.3.1 Definition.....	27
5.3.2 Use.....	27
5.4 The REAL32List, REAL64List and INTEGERList types	27
5.4.1 Definition	27
5.4.2 Use.....	28
5.5 The Numeric type	28
5.5.1 Definition.....	28
5.5.2 Use.....	28
5.6 The UTCDateTime	28
5.6.1 Definition	28
5.6.2 Use.....	28
5.7 The Range type	28
5.7.1 Definition	28
5.7.2 Use.....	28
5.8 The TimeStamp type.....	29
5.8.1 Definition.....	29
5.8.2 Use.....	29

5.9	The <code>SyncStatus</code> type	29
5.9.1	Definition	29
5.9.2	Use	29
5.10	The <code>FlagKind</code> type	29
5.10.1	Definition	29
5.10.2	Use	29
5.11	The <code>AccuracyKind</code> type	30
5.11.1	Definition	30
5.11.2	Use	30
5.12	The <code>Listmodedata</code> type	30
5.12.1	Definition	30
5.12.2	Use	30
5.13	The <code>Header</code> type	31
5.13.1	Definition	31
5.13.2	Use	31
5.13.3	The <code>standardID</code> element	32
5.13.4	The <code>listModeDataID</code> element	32
5.13.5	The <code>listModeDataPart</code> and <code>listModeDataNParts</code> elements	32
5.13.6	The <code>measSetupID</code> element	32
5.13.7	The <code>measSetupDescription</code> element	32
5.13.8	The <code>iec62755</code> element	32
5.13.9	The <code>radSource</code> element	32
5.13.10	The <code>start</code> element	33
5.13.11	The <code>startAccuracy</code> element	33
5.13.12	The <code>deviceList</code> element	33
5.13.13	The <code>channelList</code> element	33
5.13.14	The <code>messageList</code> element	34
5.14	The <code>IEC62755</code> type	34
5.14.1	Definition	34
5.14.2	Use	34
5.15	The <code>Device</code> type	35
5.15.1	Definition	35
5.15.2	Use	35
5.15.3	The <code>name</code> , <code>manuf</code> , <code>model</code> and <code>serial</code> elements	35
5.16	The <code>Channel</code> type	35
5.16.1	Definition	35
5.16.2	Use	36
5.16.3	The <code>deviceID</code> element	36
5.16.4	The <code>kind</code> and <code>physicalChannel</code> elements	36
5.16.5	The <code>name</code> element	36
5.16.6	The <code>description</code> element	36
5.16.7	The <code>parameters</code> element	36
5.16.8	The <code>delay</code> element	37
5.16.9	The <code>refClock</code> and <code>syncStatus</code> elements	37
5.16.10	The <code>adcSamplingRate</code> element	37
5.16.11	The <code>adcBitResolution</code> element	37
5.16.12	The <code>adcJitterRMS</code> and <code>timeStampJitterRMS</code> elements	37

5.16.13	The <code>fineTimeBitResolution</code> element	37
5.16.14	The <code>clockFrequency</code> element.....	38
5.16.15	The <code>eventPropertyList</code> element.....	38
5.17	The <code>EventProperty</code> type.....	38
5.17.1	Definition	38
5.17.2	Use.....	38
5.18	The <code>EventList</code> type.....	39
5.18.1	Definition	39
5.18.2	Use.....	39
5.18.3	The <code>listModeDataID</code> element.....	39
5.18.4	The <code>listModeDataPart</code> element.....	39
5.18.5	The <code>id</code> element	39
5.18.6	The <code>eventList</code> element.....	39
5.19	The <code>Event</code> type	40
5.19.1	Definition	40
5.19.2	Use.....	40
5.20	The <code>EventPulse</code> and <code>EventPulseProperty</code> types	40
5.20.1	Definition	40
5.20.2	Use.....	40
5.20.3	The <code>channelID</code> element.....	40
5.20.4	The <code>timeStamp</code> element.....	41
5.20.5	The <code>valueList</code> , <code>valueTypeList</code> and <code>valueDescriptionList</code> elements.....	41
5.20.6	The <code>flags</code> , <code>flagDescriptionList</code> and <code>flagKindList</code> elements.....	42
5.20.7	The <code>description</code> element.....	43
5.21	The <code>EventDigitalSignalList</code> and <code>EventDigitalSignalListProperty</code> types	43
5.21.1	Definition	43
5.21.2	Use.....	43
5.21.3	The <code>channelID</code> element.....	43
5.21.4	The <code>timeStamp</code> element.....	43
5.21.5	The <code>digitalSignalList</code> and <code>digitalSignalPropertyList</code> elements.....	43
5.21.6	The <code>flagDescriptionList</code> and <code>flagKindList</code> elements	43
5.21.7	The <code>description</code> element.....	44
5.22	The <code>DigitalSignal</code> and <code>DigitalSignalProperty</code> type.....	44
5.22.1	Definition	44
5.22.2	Use.....	44
5.22.3	The <code>samplingRate</code> and <code>defaultSamplingRate</code> element.....	45
5.22.4	The <code>range</code> and <code>defaultRange</code> element.....	45
5.22.5	The <code>delay</code> element.....	45
5.22.6	The <code>samples</code> element.....	45
5.22.7	The <code>flags</code> element.....	46
5.22.8	The <code>description</code> element.....	46
5.22.9	The <code>unit</code> element.....	46
5.22.10	The <code>samplesType</code> element.....	46
5.23	The <code>EventTime</code> and <code>EventTimeProperty</code> types.....	46
5.23.1	Definition	46

5.23.2	Use.....	46
5.23.3	The channelID element.....	47
5.23.4	The timeStamp element.....	47
5.23.5	The sinceStart and sincePrevious elements.....	47
5.23.6	The description element.....	47
5.24	The EventRollover and EventRolloverProperty types.....	47
5.24.1	Definition.....	47
5.24.2	Use.....	47
5.24.3	The channelID element.....	48
5.24.4	The nRollovers element.....	48
5.24.5	The description element.....	48
5.24.6	The timeStampCounterBits element.....	48
5.25	The EventRTC and EventRTCProperty types.....	48
5.25.1	Definition.....	48
5.25.2	Use.....	48
5.25.3	The channelID element.....	49
5.25.4	The timeStamp element.....	49
5.25.5	The realtimeclock element.....	49
5.25.6	The syncStatus element.....	49
5.25.7	The description element.....	49
5.26	The EventLogic and EventLogicProperty types.....	49
5.26.1	Definition.....	49
5.26.2	Use.....	50
5.26.3	The channelID element.....	50
5.26.4	The timeStamp element.....	50
5.26.5	The flags, flagDescriptionList and flagKindList elements.....	50
5.26.6	The description element.....	50
5.27	The EventGeo and EventGeoProperty types.....	50
5.27.1	Definition.....	50
5.27.2	Use.....	51
5.27.3	The channelID element.....	51
5.27.4	The timeStamp element.....	51
5.27.5	The position element.....	51
5.27.6	The orientation element.....	51
5.27.7	The speed element.....	51
5.27.8	The description element.....	51
5.28	The Position type.....	52
5.28.1	Definition.....	52
5.28.2	Use.....	52
5.29	The GeographicPoint type.....	52
5.29.1	Definition.....	52
5.29.2	Use.....	52
5.29.3	The latitude element.....	52
5.29.4	The longitude element.....	52
5.29.5	The elevation element.....	53
5.29.6	The elevationOffset element.....	53
5.29.7	The geopointAccuracy element.....	53

5.29.8	The elevationAccuracy element.....	53
5.29.9	The elevationOffsetAccuracy element	53
5.29.10	The datum element	53
5.30	The RelativeLocation type.....	53
5.30.1	Definition	53
5.30.2	Use.....	53
5.30.3	The rellocAzimuth element.....	54
5.30.4	The rellocInclination element.....	54
5.30.5	The distance element.....	54
5.30.6	The origin element	54
5.31	The Orientation type	55
5.31.1	Definition	55
5.31.2	Use.....	55
5.31.3	The azimuth element.....	55
5.31.4	The inclination element.....	55
5.31.5	The roll element	56
5.32	The EventMeasurementList and EventMeasurementListProperty types.....	56
5.32.1	Definition	56
5.32.2	Use.....	56
5.32.3	The channelID element.....	56
5.32.4	The timeStamp element.....	56
5.32.5	The measurementList element.....	56
5.32.6	The description element.....	57
5.32.7	The measurementPropertyList element	57
5.33	The Measurement and MeasurementProperty types	57
5.33.1	Definition	57
5.33.2	Use.....	57
5.33.3	The value element	57
5.33.4	The accuracy and defaultAccuracy elements.....	57
5.33.5	The description element.....	58
5.33.6	The quantity element.....	58
5.33.7	The accuracyKind element.....	58
5.33.8	The unit element	58
5.33.9	The valueType element.....	58
5.33.10	The accuracyType element.....	58
5.34	The EventHistogram1DList and EventHistogram1DListProperty types.....	58
5.34.1	Definition	58
5.34.2	Use.....	58
5.34.3	The channelID element.....	59
5.34.4	The timeStamp element.....	59
5.34.5	The histogram1DList element.....	59
5.34.6	The description element.....	59
5.34.7	The histogram1DPropertyList element	59
5.35	The Histogram1D and Histogram1DProperty types	59
5.35.1	Definition	59

5.35.2	Use.....	60
5.35.3	The <code>allBins</code> element.....	60
5.35.4	The <code>binList</code> element.....	60
5.35.5	The <code>description</code> element.....	60
5.35.6	The <code>histogramKind</code> element.....	60
5.35.7	The <code>accumulation</code> element.....	61
5.35.8	The <code>binContentType</code> element.....	61
5.35.9	The <code>nBinsX</code> element.....	61
5.35.10	The <code>quantityX</code> and <code>quantityY</code> elements.....	61
5.35.11	The <code>unitX</code> and <code>unitY</code> elements.....	61
5.35.12	The <code>rangeX</code> and <code>rangeY</code> elements.....	61
5.36	The <code>EventHistogram2DList</code> and <code>EventHistogram2DListProperty</code> types.....	61
5.36.1	Definition.....	61
5.36.2	Use.....	61
5.37	The <code>Histogram2D</code> and <code>Histogram2DProperty</code> types.....	62
5.37.1	Definition.....	62
5.37.2	Use.....	62
5.38	The <code>EventMessage</code> and <code>EventMessageProperty</code> types.....	63
5.38.1	Definition.....	63
5.38.2	Use.....	63
5.38.3	The <code>channelID</code> element.....	63
5.38.4	The <code>timeStamp</code> element.....	63
5.38.5	The <code>txtMessage</code> element.....	63
5.38.6	The <code>binMessage</code> element.....	63
5.38.7	The <code>description</code> element.....	64
5.39	The <code>Footer</code> type.....	64
5.39.1	Definition.....	64
5.39.2	Use.....	64
5.39.3	The <code>listModeDataID</code> element.....	64
5.39.4	The <code>listModeDataPart</code> element.....	64
5.39.5	The <code>lastEventListid</code> element.....	64
5.39.6	The <code>stop</code> element.....	64
5.39.7	The <code>totalDeadTimeList</code> and <code>totalLiveTimeList</code> elements.....	64
6	How to use the list-mode data format defined in this document.....	65
6.1	General.....	65
6.2	Using timestamps.....	65
6.3	Dealing with timestamp counter rollover.....	67
6.4	Optimising the size of timestamp and rollover event encodings.....	68
6.5	Specifying high-precision event timing.....	68
6.5.1	General.....	68
6.5.2	Randomisation of <code>*FINE_TIME</code> values to resolve binning issues.....	68
6.6	Specifying events of different types in the same list-mode data.....	69
6.7	Representing data from one device and one channel.....	71
6.8	Encoding/decoding data for writing to/reading from a file or stream.....	73
6.8.1	General requirements.....	73
6.8.2	Writing encoded data to a file.....	73
6.8.3	Writing encoded data to a stream.....	79

6.8.4	Reading encoded data from a file	79
6.8.5	Reading encoded data from a stream	79
6.9	Representing data from more than one channel	80
6.10	Representing data from more than one device	82
6.11	Specifying dead time.....	83
6.11.1	Dead time, real time and live time.....	83
6.11.2	Using flags to identify pile-up.....	84
6.11.3	Associating dead time to individual pulses	86
6.11.4	Specifying dead time and live/real time not associated to individual pulses.....	87
6.11.5	Specifying different sources of dead time	88
6.12	Representing logic events	89
6.13	Representing digital signals	90
6.14	Representing one-dimensional histograms.....	92
6.15	Representing text or binary data in any format	93
6.15.1	General	93
6.15.2	Text messages	93
6.15.3	Binary or text data in any format	93
6.15.4	Sending IEC 62755 data.....	94
Annex A (informative)	Complete ASN.1 syntax for list-mode data	95
A.1	ASN.1 syntax	95
Annex B (informative)	Introduction to ASN.1	105
B.1	General.....	105
B.2	ASN.1 essentials	105
B.3	Advantages of ASN.1	106
B.4	Available tools	106
B.5	ASN.1 workflow – an example.....	106
B.5.1	Overview	106
B.5.2	ASN.1 specification	107
B.5.3	Choice of encoding rule	107
B.5.4	Encoding	107
B.5.5	Transmission or storage	108
B.5.6	Decoding.....	108
Figure 1	– Graphical notations used in this document.	18
Figure 2	– Typical data acquisition device controlled by a local computer, which stores list-mode data on a local drive and/or sends it to a remote computer	20
Figure 3	– Example of combining channels in one or more data files.....	22
Figure 4	– This document applies to data files and data streams	23
Figure 5	– Relations between IEC 63047 and IEC 62755 data files	24
Figure 6	– Example with seven values of the <code>Listmodedata</code> type (one value of the <code>Header</code> type, followed by five values of the <code>EventList</code> type and one value of the <code>Footer</code> type).....	26
Figure 7	– Structure of list-mode data files. A rectangle represents the encoding of a value of the <code>Listmodedata</code> type.....	31
Figure 8	– Location of an object in polar coordinates from the reference point	54
Figure 9	– Object orientation relative to azimuth, inclination and roll angles.....	55
Figure 10	– Example of timestamp counter rollover.....	67

Figure 11 – Example of plotting 10 000 000 random 10-bit <code>INTEGER</code> values in 1 000 bins, after converting to a real number between 0 and 1	69
Figure 12 – Arrangement of one detector and one data acquisition device, resulting in one channel	71
Figure 13 – Example of a data acquisition device providing data from three channels: two radiation detectors and one internal temperature sensor	80
Figure 14 – Example where the local computer controls and stores data from two data acquisition devices	82
Figure 15 – Dead time associated to individual pulses	84
Figure B.1 – The complete encoding of the example <code>value1</code> , using the C-OER encoding rule	108
Figure B.2 – Example of transmitting an encoded value	109

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**NUCLEAR INSTRUMENTATION – DATA FORMAT FOR LIST
MODE DIGITAL DATA ACQUISITION USED IN RADIATION
DETECTION AND MEASUREMENT**
FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 63047 has been prepared by IEC Technical Committee 45: Nuclear instrumentation.

The text of this International Standard is based on the following documents:

CDV	Report on voting
45/842/CDV	45/848/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this standard, the following print types are used:

- Names of data types, elements and definitions in ASN.1: in *Courier New*

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

In the context of this document, digital data acquisition devices are high-performance measuring instruments that sample signals from radiation detectors in order to store and process them in a digital manner. They offer advantages over conventional data acquisition systems: they are in general faster and cope better with high count rates, are more compact and less expensive per input channel. They allow easier integration of many radiation detectors in the same system, which results in benefits for nuclear physics. In addition, the real-time processing provided by digital data acquisition systems allows new applications in for example nuclear security and safeguards. They enable off-line processing and re-analysis of acquisition data which may improve the accuracy of radioactivity measurement, and enable computational analysis of individual detector or system response data.

The equipment to which this document applies is commonly known as "digitisers", and may offer signal processing with digital signal processors (DSP) or field-programmable gate arrays (FPGAs). To reduce the amount of data to be stored or transferred, these devices are programmed to extract only the properties of interest, such as the pulse height, pulse area, sub-areas, rise time or pulse shape, and the timestamp of the events associated with the interaction of radiation in a detector. Alternatively, they may also offer the partial or full recording of the digital signal for more advanced processing. This type of time-stamped data is often called "list-mode data" which may be stored for off-line processing and analysis by software.

Typically, digital data acquisition devices are controlled by a computer, which may be embedded in the device, and which runs proprietary or custom-made data acquisition software. Instrument drivers take care of the communication with the data acquisition device. This document specifies the format of the data presented by digital data acquisition devices, primarily used for accurate laboratory measurements, but also for new applications in nuclear safety, security and safeguards. The data may be stored on a local or remote computer, or may be streamed to a remote computer in a network.

This document relies on ASN.1 notation. ASN.1 is an internationally-standardised, vendor-, platform- and language-independent notation to specify data structures at a high level of abstraction. The ASN.1 notation standard is complemented with standardised encoding rules, which are independent of the notation, and again are platform- and language-independent. The encoding rules determine the precise bit-patterns in which values of these data structures are represented, when they are stored in a file or transferred to another computer over a network. Tools are available that facilitate the implementation of this document in software for data acquisition and analysis.

NUCLEAR INSTRUMENTATION – DATA FORMAT FOR LIST MODE DIGITAL DATA ACQUISITION USED IN RADIATION DETECTION AND MEASUREMENT

1 Scope

This international standard specifies the format of binary list-mode data at the output of digital data acquisition devices used for the detection and measurement of radiation. Such data acquisition devices may employ digital signal processors (DSPs) and field-programmable gate arrays (FPGAs) in combination with memory and a communication interface with a computer.

This document is applicable to those data acquisition devices which are able to record and present interaction data of radiation in detectors on an event-per-event basis, with data stored in an output file or streamed to a remote computer. Such list-mode data typically contains timestamp and energy information, but may also contain digital signals or properties like rise time or sub-areas of signals computed by the DSP or FPGA from the signal samples.

It is not the scope of this document to specify the communication protocol between data acquisition hardware and the instrument drivers. Instead, it specifies a standard format for the presentation of data acquired by one or more acquisition devices, to the user or user application.

This document only specifies the binary formatting of data. The formatted data may be sent or stored as specified by other protocols. Also, commands to control data acquisition devices are not included in this document.

This document does not put requirements on encryption or authentication of data. However, data is canonically encoded in the format of this document, which allows the application of data security algorithms.

This document does not replace IEC 62755. This document provides optional mechanisms to include IEC 62755 formatted data into list-mode data.

This document does not apply to data acquisition devices used as instrumentation and control systems in nuclear power plants, nor other safety-critical applications. It is also not intended for medical applications.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62755, *Radiation protection instrumentation – Data format for radiation instruments used in the detection of illicit trafficking of radioactive materials*

ISO/IEC 8824-1:2015, ITU-T X.680, *Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation*

ISO/IEC 8825-7, ITU-T X.696, *Information technology – ASN.1 encoding rules: Specification of Octet Encoding Rules (OER) and Technical Corrigendum 1 and Technical Corrigendum 2*

ISO/IEC 9834, ITU-T X.660, *Information technology – Procedures for the operation of object identifier registration authorities: General procedures and top arcs of the international object identifier tree*

ISO/IEC 10646:2017, *Information technology – Universal Coded Character Set (UCS)*

ISO 8601, *Data elements and interchange formats – Information interchange – Representation of dates and times*

IEEE 754, *IEEE Standard for Floating-Point Arithmetic*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN