

STN	Kontaktne rozhranie pre zariadenie s automatizovaným pripojením	STN EN 50696 35 4550
------------	--	--

Contact Interface for Automated Connection Device

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 04/21

Obsahuje: EN 50696:2021

132640

EUROPEAN STANDARD

EN 50696

NORME EUROPÉENNE

EUROPÄISCHE NORM

February 2021

ICS 43.120

English Version

Contact Interface for Automated Connection Device

Interface de contact pour les dispositifs de connexion
automatisésKontaktschnittstelle für ein automatisches
Kontaktierungssystem

This European Standard was approved by CENELEC on 2021-01-11. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword.....	5
Introduction.....	6
1 Scope	7
2 Normative references	7
3 Terms and definitions	8
4 Electrical requirements	8
4.1 Voltage and current requirements	8
4.1.1 Number of contacts	8
4.1.2 Quality of DC charging voltage	9
4.1.3 Rated continuous current	9
4.1.4 Short-circuit current	9
4.1.5 Maximum temperature of contacts	9
4.2 Signals	9
5 Safety requirements	10
5.1 EN 61140	10
5.2 Contact sequence.....	10
5.3 Return to home position	10
6 Mechanical requirements	10
6.1 Grid of parallels and meridians	10
6.2 Specific mechanical requirements for busses	10
6.3 Tolerances of parking position	11
6.3.1 General	11
6.3.2 Minimum normative requirement for parking	11
7 Environmental requirements	12
7.1 Degree of pollution	12
7.2 Overvoltage category	12
7.3 Ambient or operation temperature	12
7.4 Noise	13
7.5 Wind	13
8 Test specification and procedure	13
9 Documentation.....	18
Annex A (normative) ACD mounted on the infrastructure - ACD counterpart on the roof of the vehicle.....	19
A.1 Generals of infrastructure mounted ACD function	19
A.2 ACD mounted on the infrastructure – ACD counterpart on the roof of the vehicle with two in-line and two parallel contact bars	19
A.2.1 ACD counterpart mechanical arrangement	19
A.2.2 Keep-out zone	22
A.2.3 Mechanical arrangement moving part.....	24
A.2.4 Connected moving part and counterpart (informative)	25
A.2.5 Specific requirements	27
A.3 ACD mounted on the infrastructure – ACD counterpart on the roof of the vehicle with in-line roof contact bars.....	29

A.3.1	Additional generals for this application.....	29
A.3.2	ACD counterpart mechanical arrangement	29
A.3.3	Keep-out zone.....	33
A.3.4	Mechanical arrangement moving part	35
A.3.5	Connected moving part and counterpart (informative).....	36
A.3.6	Specific requirements.....	38
A.4	ACD mounted on the infrastructure – ACD counterpart on the roof of the vehicle with contact dome	40
A.4.1	Additional generals for this application.....	40
A.4.2	ACD counterpart mechanical arrangement	40
A.4.3	ACD counterpart keep-out zone	43
A.4.4	Specific requirements.....	43
Annex B (normative)	ACD mounted on the roof of the vehicle - ACD counterpart on the infrastructure	47
B.1	General	47
B.2	Mechanical arrangement ACD counterpart	47
B.3	ACD counterpart keep-out zone	49
B.4	Mechanical arrangement moving part	50
B.5	Specific requirements.....	51
B.5.1	Contact forces	51
B.5.2	Specific gauge for testing	51
Annex C (normative)	ACD mounted underneath the vehicle - ACD counterpart on the ground	54
C.1	General	54
C.2	Lateral positioning	54
C.3	Longitudinal positioning	54
C.4	Vertical positioning	54
C.5	Mechanical arrangement ACD	55
C.6	Mechanical arrangement ACD counter part	57
C.7	Connected automated coupler	58
C.8	Specific requirements.....	61
C.8.1	Reachable contacts.....	61
C.8.2	Contact force	61
C.9	Rated current (short-term current)	61
C.10	Curb lateral reference	61
C.11	Protection by obstacle.....	62
C.12	Protection by obstacle – Vehicle requirement	62
C.13	Power interface.....	63
C.14	Control/command interface.....	63
C.14.1	Earthing	63

EN 50696:2021 (E)

C.14.2	Detection	64
C.14.3	Control pilot communication.....	64
C.14.4	CCS WLAN communication.....	64
C.15	Specific tests specification and procedure	64
C.16	Specific gauge for testing.....	65
C.16.1	General	65
C.16.2	Gauge as standard ACD counterpart for testing an ACD.....	65
C.16.3	Gauge as standard ACD for testing an ACD counterpart.....	67
Annex D (normative)	ACD mounted on the infrastructure and connecting to the side or on the roof of the vehicle.....	68
D.1	General	68
D.2	Safety	69
D.2.1	General	69
D.2.2	Degree of protection against hazardous-live-parts	69
D.2.3	Contact sequencing	69
D.2.4	Prevention of damages from unintended movement	70
D.3	Mechanical arrangement of the counterpart	70
D.3.1	General	70
D.3.2	Moving pin side.....	70
D.3.3	Dimensional requirements	70
D.3.4	Contact quality and plating	71
D.4	Test specification and procedure	72
D.5	Mechanical arrangement of the socket side	72
D.6	Keep-out zone	74
	Bibliography.....	76

European foreword

This document (EN 50696:2021) has been prepared by CLC/TC 23H, WG 5, “Contact interface for automated connection devices (ACD)”.

The following dates are fixed:

- latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2022-01-11
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2024-01-11

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association.

EN 50696:2021 (E)**Introduction**

The electrical interface for charging electrically propelled vehicles with plugs, socket-outlets, vehicle connectors and vehicle inlets is described in EN 62196 series and EN 61851-23. For heavier vehicles such as buses and trucks, requirements of short charging times with high energy present a problem of handling, and safety with hand-held connecting devices. For these high current charging applications, an automated connection device (ACD) is of interest.

An automated coupler consists out of a mobile assembly with electrical contacts, called ACD and fixed electrical contacts, called ACD counterpart. Automated couplers allow an unmanned connection of high-current contacts and signal/control contacts.

This document contains requirements for all type of ACDs. Its annexes describe specific implementations and specific requirements. This document is expected to be read in conjunction with IEC 61851-23-1:—¹.

¹ Under preparation. Stage at time of publication: IEC CDV 61851-23-1:2020.

1 Scope

This document is applicable to ACDs of standardized configuration, intended for use in electric vehicle conductive charging systems which incorporate control means, with rated operating voltage up to 1 500 V DC.

This document applies to high power DC interfaces intended for use in isolated conductive charging systems, for circuits specified in IEC 61851-23-1:—¹.

The ACDs covered by this document are used only in charging mode 4, according to IEC 61851-23-1:—¹, 3.1.201 Case D or 3.1.202 Case E.

This document describes the requirements for an ACD in regard of safety, function and testing. This document describes basic parameters that can be standardized for different ACDs. ACDs following these standardized parameters will have the benefit of being compatible, even if they are based on different technologies.

This document does not apply to solutions based on a vehicle connector described in EN 62196-3 driven by an automated mechanism, as, for instance, a robotic arm.

This document does not cover all safety aspects related to maintenance.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1652, *Copper and copper alloys - Plate, sheet, strip and circles for general purposes*

EN 12163, *Copper and copper alloys - Rod for general purposes*

EN 12167, *Copper and copper alloys - Profiles and bars for general purposes*

EN 16005, *Power operated pedestrian doorsets – Safety in use – Requirements and test methods*

EN 50124-1, *Railway applications - Insulation coordination - Part 1: Basic requirements - Clearances and creepage distances for all electrical and electronic equipment*

EN 60068-2-11, *Environmental testing - Part 2: Tests - Test Ka: Salt mist (IEC 60068-2-11)*

EN 60309-1:1999, *Plugs, socket-outlets and couplers for industrial purposes - Part 1: General requirements (IEC 60309-1:1999)*

EN 60512-2-2, *Connectors for electronic equipment - Tests and measurements – Part 2-2: Electrical continuity and contact resistance tests - Test 2b: Contact resistance – Specified test current method*

EN 60512-5-1, *Connectors for electronic equipment - Tests and measurements - Part 5-1: Current-carrying capacity tests - Test 5a: Temperature rise (IEC 60512-5-1)*

EN 60512-5-2, *Connectors for electronic equipment - Tests and measurements - Part 5-2: Current-carrying capacity tests - Test 5b: Current-temperature derating (IEC 60512-5-2)*

EN 60529, *Degrees of protection provided by enclosures (IP Code) (IEC 60529)*

EN 60664-1, *Insulation coordination for equipment within low-voltage systems - Part 1: Principles, requirements and tests (IEC 60664-1)*

EN 61140, *Protection against electric shock - Common aspects for installation and equipment (IEC 61140)*

EN 50696:2021 (E)

EN IEC 61851-1:2019, *Electric vehicle conductive charging system - Part 1: General requirements (IEC 61851-1:2017)*

EN 61984:2009, *Connectors - Safety requirements and tests (IEC 61984:2008)*

IEC 61851-23-1:—,² *Electric vehicle conductive charging system – Part 23-1: DC charging with an automated connection system*

IEC 62196-1:2014, *Plugs, socket-outlets, vehicle connectors and vehicle inlets - Conductive charging of electric vehicles - Part 1: General requirements*

ISO 17409:2020, *Electrically propelled road vehicles — Conductive power transfer — Safety requirements*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN