STN

Spotrebiče na čistenie povrchov Časť 7: Roboty na suché čistenie pre domácnosť a na podobné použitie Metódy merania funkčných vlastností

STN EN IEC/ASTM 62885-7

36 1058

Surface cleaning appliances - Part 7: Dry-cleaning robots for household or similar use - Methods for measuring the performance

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 05/21

Obsahuje: EN IEC/ASTM 62885-7:2021, IEC/ASTM 62885-7:2020

Oznámením tejto normy sa od 02.12.2023 ruší STN EN 62929 (36 1064) z februára 2015

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN IEC/ASTM 62885-7

January 2021

ICS 97.080

Supersedes EN 62929:2014 and all of its amendments and corrigenda (if any)

English Version

Surface cleaning appliances - Part 7: Dry-cleaning robots for household or similar use - Methods for measuring the performance (IEC/ASTM 62885-7:2020)

Appareils de nettoyage des sols - Partie 7 : Robots de nettoyage à sec à usage domestique ou analogue -Méthodes de mesure de l'aptitude à la fonction (IEC/ASTM 62885-7:2020) Geräte zur Oberflächenreinigung - Teil 7: Trocken-Reinigungsroboter für den Hausgebrauch und ähnliche Anwendungen - Verfahren zur Messung der Gebrauchseigenschaften (IEC/ASTM 62885-7:2020)

This European Standard was approved by CENELEC on 2020-12-02. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 59F/393/FDIS, future IEC/ASTM 62885-7, prepared by SC 59F "Surface cleaning appliances" of IEC/TC 59 "Performance of household and similar electrical appliances" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC EN IEC/ASTM 62885-7:2021.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2021-09-02 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2023-12-02 document have to be withdrawn

This document supersedes EN 62929:2014 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association.

Endorsement notice

The text of the International Standard IEC/ASTM 62885-7:2020 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60335-1:2010	NOTE	Harmonized as EN 60335-1:2012
IEC 60335-2-2:2019	NOTE	Harmonized as EN IEC 60335-2-2:—1 (not modified)
ISO 2768-1:1989	NOTE	Harmonized as EN 22768-1:1993 (not modified)

¹ To be published. Stage at the time of publication: prEN IEC 60335-2-2:2020.

EN IEC/ASTM 62885-7:2021 (E)

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 62301	-	Household electrical appliances - Measurement of standby power	EN 50564	-
IEC/TS 62885-1	-	Surface cleaning appliances - Part 1: General requirements on test material and test equipment	-	-
IEC 62885-2	2016	Surface cleaning appliances - Part 2: Dry vacuum cleaners for household or similar use - Methods for measuring the performance	-	-
IEC 60704-1	-	Household and similar electrical appliances - Test code for the determination of airborne acoustical noise - Part 1: General requirements	EN 60704-1	-
IEC 60704-2-17	-	Household and similar electrical appliances - Test code for the determination of airborne acoustical noise - Part 2-17: Particular requirements for dry-cleaning robots	EN IEC 60704-2-17	-
ISO 554	-	Standard atmospheres for conditioning and/or testing - Specifications	-	-
ISO 2813	-	Paints and varnishes - Determination of gloss value at 20 degrees, 60 degrees and 85 degrees	EN ISO 2813	-



IEC/ASTM 62885-7

Edition 1.0 2020-10

INTERNATIONAL STANDARD



Surface cleaning appliances –
Part 7: Dry-cleaning robots for household or similar use – Methods for measuring the performance





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2020 IEC, Geneva, Switzerland Copyright © 2020 ASTM International

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing being secured. Requests for permission to reproduce should be addressed to either IEC at the address below or IEC's member National Committee in the country of the requester or from ASTM.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Tel.: +41 22 919 02 11

Tel.: +41 22 919 02 1 info@iec.ch www.iec.ch

ASTM Headquarters 100 Barr Harbor Drive West Conshohocken, PA 19428-2959 United States of America mailto:mkhooper@astm.org www.astm.org

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and definitions clause of IEC publications issued between 2002 and 2015. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.



IEC/ASTM 62885-7

Edition 1.0 2020-10

INTERNATIONAL STANDARD



Surface cleaning appliances –
Part 7: Dry-cleaning robots for household or similar use – Methods for measuring the performance

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ISBN 978-2-8322-8540-4

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

– 2 –

FC	OREWO	RD	6
ΙN	TRODU	ICTION	8
1	Scop	e	9
2	Norm	native references	9
3	Term	s and definitions	9
4		eral conditions for testing	
	4.1	General	
	4.2	Atmospheric conditions	
	4.3	Lighting conditions	
	4.4	Test equipment and materials	
	4.5	Number of samples	
	4.6	Preparation of the battery	
	4.7	Running-in of a new cleaning robot	13
	4.8	Operation of the cleaning robot	
	4.9	Measurement of collected dust weight	13
	4.10	Measurement resolution and accuracy	13
	4.11	Tolerance of dimensions	14
5	Clear	ning performance – Straight line	14
	5.1	General	14
	5.2	Preparation of test	14
	5.2.1	Pre-treatment of cleaning robot	14
	5.2.2	Preconditioning of test floor	15
	5.2.3	Pre-treatment of test carpet	15
	5.3	Test mode	16
	5.3.1	General	16
	5.3.2	Access to test mode	16
	5.3.3	Test mode action	17
	5.3.4	Speed verification	17
	5.4	Dust removal from hard floor	18
	5.4.1	Test bed	18
	5.4.2	Preparation of test	18
	5.4.3	Test method	18
	5.4.4	Determination of dust removal ability	19
	5.5	Dust removal from carpet	
	5.5.1	Test bed	
	5.5.2	•	
	5.5.3		
	5.5.4	,	
	5.6	Medium size debris removal from hard floor	
	5.6.1	Test bed	
	5.6.2	•	
	5.6.3		
	5.6.4	•	
	5.7	Medium size debris removal from carpet	
	5.7.1	Test bed	
	5.7.2	Preparation of test	22

	5.7.3	Test method	. 22
	5.7.4	Determination of medium size debris removal ability	.22
	5.8	Large debris removal from hard floor	.22
	5.8.1	Test bed	. 22
	5.8.2	Preparation of test	. 22
	5.8.3	Test method	. 24
	5.8.4	Determination of large debris removal ability	. 24
	5.9	Large debris removal from carpet	. 24
	5.9.1	Test bed	. 24
	5.9.2	Preparation of test	. 24
	5.9.3	Test method	. 25
	5.9.4	Determination of large debris removal ability	. 25
	5.10	Fibre removal from carpet	.25
	5.10.	1 Test bed	. 25
	5.10.2	Preparation of test	. 25
	5.10.3	3 Test method	. 27
	5.10.4	4 Determination of fibre removal ability	.27
6	Mobil	ity	
	6.1	General	.28
		Test bed	
		Preparation of test	
	6.3.1	Test conditions	
	6.3.2		
	6.3.3	· · · · · · · · · · · · · · · · · · ·	
		Test method	
	6.4.1	General	
	6.4.2		
	6.4.3	Minimum passable height	
	6.4.4	Maximum passable transition height	
	6.4.5	Maximum passable threshold height	
		Determination of mobility results	
7		nomous navigation/coverage test	
'		General	
	7.2.1	Preparation of test Test bed	
	7.2.1		
		Test method	
		Performance measurement	
8		ellaneous	
0			
		Energy consumption of a cleaning robot	
	8.1.1	General	
	8.1.2		
	8.1.3	Test method	
		Airborne acoustical noise	
		Straight-line cleaning speed	
	8.3.1	General	
	8.3.2	Preparation	
	8.3.3	Test method	
	8.3.4	Determination of straight-line cleaning speed	. 42

9 Test mate	erial and equipment	44
9.1 Stra	night-line test bed	44
9.1.1	Hard floor	44
9.1.2	Carpet	44
9.2 Mol	oility test bed	45
9.2.1	Basic test bed configuration	45
9.2.2	Minimum passable gap width – additional equipment	
9.2.3	Minimum passable height – additional equipment	
9.2.4	Maximum passable transition height – additional equipment	
9.2.5	Maximum passable threshold height – additional equipment	
	rerage test bed	
9.3.1 9.3.2	Floor configuration	
9.3.2	General conditions	
	ns for use	
	mative) Calculation of coverage	
•	initions	
	culating orifice pass coverage	
	mative) Comprehensive cleaning performance metric	
-	mative/normative) Detailed images of fibre removal ability	
`		
Bibliography		
Figure 1 Too	st mode action	17
_		
_	st distribution devices	
•	ge debris template	
	ge debris template hole alignment	
•	aight-line fibre removal from carpet test bed configuration	
•	emplary picture of fibre distribution	
Figure 7 – Exe	emplary picture of judgement area	27
Figure 8 – Sta	rting positions and orientations	30
Figure 9 – Mir	imum passable gap width test	30
Figure 10 – S	uggested process to determine the minimum passable gap width	31
Figure 11 – M	inimum passable height test	31
Figure 12 – M	aximum passable transition height test	32
Figure 13 – Pi	ocess to determine the maximum passable transition height	32
	aximum passable threshold height test	
•	arting positions for navigation test	
_	kemplary graph of coverage test result	
_	raight-line speed measurement areas	
•	raight-line hard floor test bed configuration	
•		
_	raight-line carpet test bed configuration	
_	asic test bed configuration for mobility testing	
•	est bed with an additional adjustable wall	
Figure 22 – Pa	art 1 and part 2 of the wall	46
Figure 23 – Te	est bed with an additional tunnel	47

- 5 -

Figure 24 – Test bed with additional transition and its sectional view	48
Figure 25 – Test bed with additional threshold	49
Figure 26 – Drawings of cylindrical and rectangular thresholds	49
Figure 27 – Navigation/coverage test bed configuration	50
Figure 28 – Details of obstacles around table	51
Figure 29 – Illustration of metal transition installation	53
Figure 30 – Illustration of wood transition installation	53
Figure 31 – Detail view of checkerboard and transitions	54
Figure 32 – Configuration of four walls and ceiling	55
Figure 33 – Illustration of four-panel door	59
Figure 34 – Illustration of window	59
Figure 35 – Illustration of skirting board	60
Figure 36 – Illustration of pendant light	60
Figure 37 – Illustration of clock	61
Figure 38 – Illustration of mirror	61
Figure 39 – Illustration of picture	62
Figure 40 – Illustration of curtains	62
Figure A.1 – Robot coordinate frame	64
Figure A.2 – Coverage step	65
Figure C.1 – Detailed images for rating 1	67
Figure C.2 – Detailed images for rating 2	68
Figure C.3 – Detailed images for rating 3	69
Figure C.4 – Detailed images for rating 4	70
Figure C.5 – Detailed images for rating 5	71
Table 1 – Tolerance of dimensions	14
Table 2 – Medium size debris	21
Table 3 – Large Debris	23
Table 4 – Rating system with exemplary pictures	28
Table 5 – List of described mobility tests	29
Table 6 – Reported results for each mobility test	33
Table 7 – Overview of duration and the values that should be reported	40
Table 8 – Dimensions of furniture and obstacles	51
Table 9 – Wall and ceiling furniture	56

-6-

IEC/ASTM 62885-7:2020 © IEC/ASTM 2020

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SURFACE CLEANING APPLIANCES -

Part 7: Dry-cleaning robots for household or similar use – Methods for measuring the performance

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC/ASTM 62285-7 has been prepared by subcommittee 59F: Surface cleaning appliances, of IEC technical committee 59: Performance of household and similar electrical appliances, in co-operation with ASTM Committee F11: Vacuum cleaners, under the IEC/ASTM Dual Logo Agreement.

It is published as a dual logo standard.

This first edition of IEC/ASTM 62885-7 cancels and replaces IEC 62929:2014. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to IEC 62929:2014:

- a) the box test has been cancelled;
- b) the set of straight-line tests have been extended to contain also tests on removal of different kinds of debris both from hard floors and carpets;
- c) the set of straight-line tests also contains a test on the removal of fibres from carpets;

-7-

- d) as a miscellaneous test, a method for the determination of energy consumption has been
- e) a separate clause on test material and equipment has been added.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
59F/393/FDIS	59F/401/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this standard, the following print types are used:

- terms defined in Clause 3: bold type.

A list of all parts in the IEC 62885 series, published under the general title *Surface cleaning appliances*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- · withdrawn,
- · replaced by a revised edition, or
- · amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

-8-

IEC/ASTM 62885-7:2020 © IEC/ASTM 2020

INTRODUCTION

In addition to the performance measurement methods that are included in this International Standard, a few more performance items have been reviewed and considered. The list of the performance items that have been discussed over time but have not yet been included comprises corner/edge dust pick-up, docking, fall-off prevention, and dust re-emissions.

The performance items that have been left out in this edition will be continuously reviewed and will soon be included in future editions of this document.

-9-

SURFACE CLEANING APPLIANCES -

Part 7: Dry-cleaning robots for household or similar use – Methods for measuring the performance

1 Scope

This part of IEC 62885 is applicable to **dry-cleaning robots** for household use or under conditions similar to those in households.

The purpose of this document is to specify the essential performance characteristics of **dry-cleaning robots** that are of interest to users and to describe methods for measuring these characteristics.

This document is neither concerned with safety requirements nor with performance requirements.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62301, Household electrical appliances – Measurement of standby power

IEC TS 62885-1, Surface cleaning appliances – Part 1: General requirements on test material and test equipment

IEC 62885-2:2016, Surface cleaning appliances – Part 2: Dry vacuum cleaners for household or similar use – Methods for measuring the performance

IEC 60704-1, Household and similar electrical appliances –Test code for the determination of airborne acoustical noise – Part 1: General requirements

IEC 60704-2-17, Household and similar electrical appliances – Test code for the determination of airborne acoustical noise – Part 2-17: Particular requirements for dry cleaning robots

ISO 554, Standard atmospheres for conditioning and/or testing – Specifications

ISO 2813, Paints and varnishes – Determination of gloss value at 20 degrees, 60 degrees and 85 degrees

koniec náhľadu – text ďalej pokračuje v platenej verzii STN