

|            |   |  |
|------------|---|--|
| <b>STN</b> | <b>Ropný a plynárenský priemysel</b><br><b>Materiály na používanie v prostredí s obsahom</b><br><b>sírovodíka pri produkcii ropy a plynu</b><br><b>Časť 1: Všeobecné zásady na selekciu materiálov</b><br><b>odolných proti tvoreniu trhlín (ISO 15156-1: 2020)</b> | <b>STN</b><br><b>EN ISO 15156-1</b><br><br>45 1500 |
|------------|---|--|

Petroleum and natural gas industries - Materials for use in H<sub>2</sub>S-containing environments in oil and gas production - Part 1: General principles for selection of cracking-resistant materials (ISO 15156-1:2020)

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 05/21

Obsahuje: EN ISO 15156-1:2020, ISO 15156-1:2020

Oznámením tejto normy sa ruší  
STN EN ISO 15156-1 (45 1500) z februára 2016

**132748**



EUROPEAN STANDARD

**EN ISO 15156-1**

NORME EUROPÉENNE

EUROPÄISCHE NORM

November 2020

ICS 75.180.01

Supersedes EN ISO 15156-1:2015

English Version

**Petroleum and natural gas industries - Materials for use in  
H<sub>2</sub>S-containing environments in oil and gas production -  
Part 1: General principles for selection of cracking-  
resistant materials (ISO 15156-1:2020)**

Industries du pétrole et du gaz naturel - Matériaux pour utilisation dans des environnements contenant de l'hydrogène sulfuré (H<sub>2</sub>S) dans la production de pétrole et de gaz - Partie 1: Principes généraux pour le choix des matériaux résistant à la fissuration (ISO 15156-1:2020)

Erdöl und Erdgasindustrie - Werkstoffe für den Einsatz in H<sub>2</sub>S haltiger Umgebung bei der Öl und Gasgewinnung - Teil 1: Allgemeine Grundlagen für die Auswahl von gegen Rissbildung beständigen Werkstoffen (ISO 15156 1:2020)

This European Standard was approved by CEN on 12 October 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

**EN ISO 15156-1:2020 (E)**

| <b>Contents</b>               | <b>Page</b> |
|-------------------------------|-------------|
| <b>European foreword.....</b> | <b>3</b>    |

## **European foreword**

This document (EN ISO 15156-1:2020) has been prepared by Technical Committee ISO/TC 67 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" in collaboration with Technical Committee CEN/TC 12 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2021, and conflicting national standards shall be withdrawn at the latest by May 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 15156-1:2015.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## **Endorsement notice**

The text of ISO 15156-1:2020 has been approved by CEN as EN ISO 15156-1:2020 without any modification.



**INTERNATIONAL  
STANDARD****ISO  
15156-1**Fourth edition  
2020-11

---

---

**Petroleum and natural gas  
industries — Materials for use in H<sub>2</sub>S-  
containing environments in oil and  
gas production —****Part 1:  
General principles for selection of  
cracking-resistant materials***Industries du pétrole et du gaz naturel — Matériaux pour utilisation  
dans des environnements contenant de l'hydrogène sulfuré (H<sub>2</sub>S) dans  
la production de pétrole et de gaz —**Partie 1: Principes généraux pour le choix des matériaux résistant à la  
fissuration*Reference number  
ISO 15156-1:2020(E)

© ISO 2020

**ISO 15156-1:2020(E)****COPYRIGHT PROTECTED DOCUMENT**

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

|   |           |
|---|-----------|
| <b>Foreword</b> .....   | <b>iv</b> |
| <b>Introduction</b> .....   | <b>v</b>  |
| <b>1 Scope</b> .....  | <b>1</b>  |
| <b>2 Normative references</b> .....   | <b>2</b>  |
| <b>3 Terms and definitions</b> .....  | <b>2</b>  |
| <b>4 Abbreviated terms</b> .....  | <b>6</b>  |
| <b>5 General principles</b> .....   | <b>6</b>  |
| <b>6 Evaluation and definition of service conditions to enable material selection</b> .....                           | <b>7</b>  |
| <b>7 Selection of materials resistant to SSC/SCC in the presence of sulfides from existing lists and tables</b> ..... | <b>8</b>  |
| <b>8 Qualification of materials for H<sub>2</sub>S service</b> .....  | <b>8</b>  |
| 8.1 Material description and documentation.....   | 8         |
| 8.2 Qualification based upon field experience.....  | 8         |
| 8.3 Qualification based upon laboratory testing.....  | 8         |
| 8.3.1 General.....  | 8         |
| 8.3.2 Sampling of materials for laboratory testing.....   | 9         |
| 8.3.3 Selection of laboratory test methods.....   | 9         |
| 8.3.4 Conditions to be applied during testing.....  | 9         |
| 8.3.5 Acceptance criteria.....  | 9         |
| <b>9 Report of the method of selection or qualification</b> .....   | <b>9</b>  |
| <b>Bibliography</b> .....   | <b>11</b> |

# ISO 15156-1:2020(E)

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 12, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This fourth edition cancels and replaces the third edition (ISO 15156-1:2015), which has been technically revised. The main changes compared to the previous edition are as follows:

- new definition on "galvanically induced hydrogen stress cracking" (see 3.14), "chemical activity" (see 3.27) and "fugacity" (see 3.28);
- inclusion of an expanded description of factors affecting the susceptibility of materials to cracking caused by H<sub>2</sub>S. The expanded description includes specific guidance provided in ISO 15156-2:2020, Annex C for gas phase containing systems using H<sub>2</sub>S fugacity (as an alternative to H<sub>2</sub>S partial pressure) and application of non-ideal thermodynamic rules for gas-free liquid systems.

A list of all parts in the ISO 15156 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

## Introduction

The consequences of sudden failures of metallic oil and gas field components, associated with their exposure to H<sub>2</sub>S-containing production fluids, led to the preparation of the first edition of NACE MR0175, which was published in 1975 by the National Association of Corrosion Engineers, now known as NACE International.

The original and subsequent editions of NACE MR0175 established limits of H<sub>2</sub>S partial pressure above which precautions against sulfide stress cracking (SSC) were always considered necessary. They also provided guidance for the selection and specification of SSC-resistant materials when the H<sub>2</sub>S thresholds were exceeded. In more recent editions, NACE MR0175 has also provided application limits for some corrosion-resistant alloys, in terms of environmental composition and pH, temperature, and H<sub>2</sub>S partial pressures.

In separate developments, the European Federation of Corrosion issued EFC Publication 16 in 1995 and EFC Publication 17 in 1996. These documents are generally complementary to those of NACE though they differed in scope and detail.

In 2003, the publication of the ISO 15156 series and NACE MR0175/ISO 15156 was completed for the first time. These technically identical documents utilized the above sources to provide requirements and recommendations for materials qualification and selection for application in environments containing wet H<sub>2</sub>S in oil and gas production systems. They are complemented by NACE TM0177 and NACE TM0284 test methods.

The revision of this document, i.e. ISO 15156-1, involves a consolidation of all changes agreed and published in the Technical Circular 1, ISO 15156-1:2015/Cir.1:2017, published by the ISO 15156 series Maintenance Agency secretariat at DIN.

The changes were developed by, and approved by the ballot of, representative groups from within the oil and gas production industry. The great majority of these changes stem from issues raised by document users. A description of the process by which these changes were approved can be found at the ISO 15156 series maintenance website: [www.iso.org/iso15156maintenance](http://www.iso.org/iso15156maintenance).

When found necessary by oil and gas production industry experts, future interim changes to this document will be processed in the same way and will lead to interim updates to this document in the form of Technical Corrigenda or Technical Circulars. Document users should be aware that such documents can exist and can impact the validity of the dated references in this document.

The ISO 15156 series Maintenance Agency at DIN was set up after approval by the ISO Technical Management Board given in document 34/2007. This document describes the makeup of the agency, which includes experts from NACE, EFC, and ISO/TC 67, and the process for approval of amendments. It is available from the ISO 15156 series maintenance website and from the ISO/TC 67 Secretariat. The website also provides access to related documents that provide more detail of the ISO 15156 series maintenance activities.



# Petroleum and natural gas industries — Materials for use in H<sub>2</sub>S-containing environments in oil and gas production —

## Part 1: General principles for selection of cracking-resistant materials

**WARNING — Metallic materials selected using this document are resistant to cracking in defined H<sub>2</sub>S-containing environments in oil and gas production but not necessarily immune to cracking under all service conditions. It is the equipment user's responsibility to select materials suitable for the intended service.**

### 1 Scope

This document describes general principles and gives requirements and recommendations for the selection and qualification of metallic materials for service in equipment used in oil and gas production and in natural-gas sweetening plants in H<sub>2</sub>S-containing environments, where the failure of such equipment can pose a risk to the health and safety of the public and personnel or to the environment. It can be applied to help to avoid costly corrosion damage to the equipment itself. It supplements, but does not replace, the materials requirements given in the appropriate design codes, standards, or regulations.

This document addresses all mechanisms of cracking that can be caused by H<sub>2</sub>S, including sulfide stress cracking, stress corrosion cracking, hydrogen-induced cracking and stepwise cracking, stress-oriented hydrogen-induced cracking, soft zone cracking, and galvanically induced hydrogen stress cracking.

[Table 1](#) provides a non-exhaustive list of equipment to which this document is applicable, including exclusions.

This document applies to the qualification and selection of materials for equipment designed and constructed using load controlled design methods. For design utilizing strain-based design methods, see [Clause 5](#).

This document is not necessarily applicable to equipment used in refining or downstream processes and equipment.

**ISO 15156-1:2020(E)****Table 1 — List of equipment**

| <b>This document is applicable to materials used for the following equipment</b>  | <b>Exclusions</b>  |
|---|--|
| Drilling, well construction, and well-servicing equipment   | Equipment exposed only to drilling fluids of controlled composition <sup>a</sup><br>Drill bits<br>Blowout preventer (BOP) shear blades <sup>b</sup><br>Drilling riser systems<br>Work strings<br>Wireline and wireline equipment <sup>c</sup><br>Surface and intermediate casing |
| Wells, including subsurface equipment, gas-lift equipment, wellheads, and christmas trees   | Sucker rod pumps and sucker rods <sup>d</sup><br>Electric submersible pumps<br>Other artificial lift equipment<br>Slips  |
| Flowlines, gathering lines, field facilities, and field processing plants   | Crude-oil storage and handling facilities operating at a total absolute pressure below 0,45 MPa (65 psi)   |
| Water-handling equipment  | Water-handling facilities operating at a total absolute pressure below 0,45 MPa (65 psi)<br>Water injection and water disposal equipment   |
| Natural-gas treatment plants  | —  |
| Transportation pipelines for liquids, gases, and multiphase fluids  | Lines handling gas prepared for general commercial and domestic use  |
| For all equipment above   | Components loaded only in compression  |
| <sup>a</sup> See ISO 15156-2:2020, A.2.3.2.3 for more information.<br><sup>b</sup> See ISO 15156-2:2020, A.2.3.2.1 for more information.<br><sup>c</sup> Wireline lubricators and lubricator connecting devices are not excluded.<br><sup>d</sup> For sucker rod pumps and sucker rods, reference can be made to NACE MR0176. |  |

**2 Normative references**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 15156-2, *Petroleum and natural gas industries — Materials for use in H<sub>2</sub>S-containing environments in oil and gas production — Part 2: Cracking-resistant carbon and low alloy steels, and the use of cast irons*

ISO 15156-3, *Petroleum and natural gas industries — Materials for use in H<sub>2</sub>S-containing environments in oil and gas production — Part 3: Cracking-resistant CRAs (corrosion-resistant alloys) and other alloys*

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**