# STN

# Potrubné systémy z plastov na renováciu podzemných sietí zásobovania vodou Časť 4: Obloženie potrubím vytvrdeným na mieste (ISO 11298-4: 2021)

STN EN ISO 11298-4

75 5407

Plastics piping systems for renovation of underground water supply networks - Part 4: Lining with cured-in-place pipes (ISO 11298-4:2021)

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 06/21

Obsahuje: EN ISO 11298-4:2021, ISO 11298-4:2021

# EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 11298-4

April 2021

ICS 23.040.20; 23.040.45; 93.025

### **English Version**

# Plastics piping systems for renovation of underground water supply networks - Part 4: Lining with cured-in-place pipes (ISO 11298-4:2021)

Systèmes de canalisation en plastique pour la rénovation des réseaux enterrés d'alimentation en eau - Partie 4: Tubage continu par tubes polymérisés sur place (ISO 11298-4:2021)

Kunststoff-Rohrleitungssysteme für die Renovierung von erdverlegten Wasserversorgungsnetzen - Teil 4: Vor Ort härtendes Schlauchlining (ISO 11298-4:2021)

This European Standard was approved by CEN on 18 March 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

# EN ISO 11298-4:2021 (E)

Contents	Page
F	2
European foreword	3

## **European foreword**

This document (EN ISO 11298-4:2021) has been prepared by Technical Committee ISO/TC 138 "Plastics pipes, fittings and valves for the transport of fluids" in collaboration with Technical Committee CEN/TC 155 "Plastics piping systems and ducting systems" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2021, and conflicting national standards shall be withdrawn at the latest by October 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

#### **Endorsement notice**

The text of ISO 11298-4:2021 has been approved by CEN as EN ISO 11298-4:2021 without any modification.

# INTERNATIONAL STANDARD

150 11298-4

First edition 2021-03

# Plastics piping systems for renovation of underground water supply networks —

# Part 4: Lining with cured-in-place pipes

Systèmes de canalisation en plastique pour la rénovation des réseaux enterrés d'alimentation en eau —

Partie 4: Tubage continu par tubes polymérisés sur place



ISO 11298-4:2021(E)



## **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Co	Contents			
Fore	eword			
Intr	oductio	on	<b>v</b>	
1	Scop	oe	1	
2	-	mative references		
3	3.1	ns and definitions General terms		
	3.2	Techniques		
	3.3	Characteristics		
	3.4	Materials		
	3.5	Product stages		
	3.6	Service conditions		
4	Sym	bols and abbreviated terms	5	
	4.1	Symbols		
	4.2	Abbreviated terms		
5	Pipe	es at the "M" stage		
	$5.\hat{1}$	Materials		
	5.2	General characteristics		
	5.3	Material characteristics		
	5.4	Geometric characteristics		
	5.5	Mechanical characteristics		
	5.6 5.7	Physical characteristics		
	5.8	Marking		
6		ngs at the "M" stage		
7		illary components		
8		ess for purpose of the installed lining system at the "I" stage		
	8.1	Materials		
	8.2	General characteristics		
	8.3 8.4	Material characteristicsGeometric characteristics		
	0.4	8.4.1 General		
		8.4.2 CIPP wall structure		
		8.4.3 Wall thickness		
	8.5	Mechanical characteristics		
		8.5.1 Reference conditions for testing		
		8.5.2 Test requirements		
	8.6	Physical characteristics		
	8.7	Additional characteristics		
	8.8	8.7.1 Leak tightness of liner terminations		
0				
9		allation practice		
	9.1 9.2	Preparatory workStorage, handling and transport of pipe components		
	9.2	Equipment		
	9.4	Installation		
	<b>7.1</b>	9.4.1 Environmental precautions		
		9.4.2 Installation procedures		
		9.4.3 Simulated installations	18	
	9.5	Process-related inspection and testing		
	9.6	Lining termination		
	9.7	Reconnections to existing pineline system	10	

# ISO 11298-4:2021(E)

	9.8	Final inspection and testing	19
	9.9	Documentation	19
Annex	A (info	rmative) CIPP components and their functions	20
Annex	B (nor	mative) Cured-in-place pipes — Determination of short-term flexural properties.	21
Annex		mative) Cured-in-place pipes — Determinationof long-term flexural modulus dry or wet conditions	31
Annex		mative) Cured-in-place pipes — Determination of long-term flexural strength dry or wet conditions	36
Biblio	graphy		39

### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 138, *Plastics pipes, fittings and valves for the transport of fluids*, Subcommittee SC 8, *Rehabilitation of pipelines systems*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 155, *Plastics piping systems and ducting systems*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

A list of all parts in the ISO 11298 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <a href="https://www.iso.org/members.html">www.iso.org/members.html</a>.

### Introduction

This document is a part of a system standard for plastics piping systems of various materials used for renovation of existing pipelines in a specified application area. System standards for renovation dealing with the following applications are either available or under preparation:

- the ISO 11296 series, Plastics piping systems for renovation of underground non-pressure drainage and sewerage networks;
- the ISO 11297 series, Plastics piping systems for renovation of underground drainage and sewerage networks under pressure;
- the ISO 11298 series, *Plastics piping systems for renovation of underground water supply networks* (including this document);
- the ISO 11299 series, *Plastics piping systems for renovation of underground gas supply networks*.

These system standards are distinguished from those for conventionally installed plastics piping systems by the requirement to verify certain characteristics in the "as-installed" condition, after site processing. This is in addition to specifying requirements for plastics piping systems components "as manufactured".

Each of the system standards comprises a:

— Part 1: General

and all applicable renovation technique family-related parts, which for water supply networks include or potentially include the following:

- Part 2: Lining with continuous pipes;
- Part 3: Lining with close-fit pipes;
- *Part 4: Lining with cured-in-place pipes* (this document);
- Part 5: Lining with discrete pipes;
- Part 6: Lining with adhesive-backed hoses;
- Part 10: Lining with sprayed polymeric materials;
- Part 11: Lining with inserted hoses.

The requirements for any given renovation technique family are specified in Part 1, applied in conjunction with the other relevant part. For example, ISO 11298-1 and this document together specify the requirements relating to lining with cured-in-place pipes. For complementary information, see ISO 11295. Not all technique families are pertinent to every area of application and this is reflected in the part numbers included in each System Standard.

A consistent structure of clause headings has been adopted for all parts of ISO 11298 to facilitate direct comparisons across renovation technique families.

<u>Figure 1</u> shows the common part and clause structure and the relationship between the ISO 11298 series and the system standards for other application areas.




Figure 1 — Format of the renovation system standards

# Plastics piping systems for renovation of underground water supply networks —

## Part 4:

# Lining with cured-in-place pipes

## 1 Scope

This document, in conjunction with ISO 11298-1, specifies requirements and test methods for cured-in-place pipes and fittings used for the renovation of water supply networks, which transport water intended for human consumption, including raw water intake pipelines.

It applies to independent (fully structural, class A) and interactive (semi structural, class B) pressure pipe liners, as defined in ISO 11295, which do not rely on adhesion to the existing pipeline. It applies to the use of various thermosetting resin systems, in combination with compatible fibrous carrier materials, reinforcement, and other process-related plastics components (see <u>5.1</u>).

It does not include requirements or test methods for resistance to cyclic loading or the pressure rating of CIPP liners where passing through bends, which are outside the scope of this document.

It is applicable to cured-in-place pipe lining systems intended to be used at a service temperature of up to 25 °C.

NOTE For applications operating at service temperatures greater than 25 °C, guidance on re-rating factors can be supplied by the system supplier.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 75-2:2013, Plastics — Determination of temperature of deflection under load — Part 2: Plastics and ebonite

ISO 178:2019, Plastics — Determination of flexural properties

ISO 899-2:2003, Plastics — Determination of creep behaviour — Part 2: Flexural creep by three-point loading

ISO 3126, Plastics piping systems — Plastics components — Determination of dimensions

ISO 7432, Glass-reinforced thermosetting plastics (GRP) pipes and fittings — Test methods to prove the design of locked socket-and-spigot joints, including double-socket joints, with elastomeric seals

ISO 7509, Plastics piping systems — Glass-reinforced thermosetting plastics (GRP) pipes — Determination of time to failure under sustained internal pressure

ISO 7685:2019, Glass-reinforced thermosetting plastics (GRP) pipes — Determination of initial ring stiffness

ISO 8513:2016, Plastics piping systems — Glass-reinforced thermosetting plastics (GRP) pipes — Test methods for the determination of the initial longitudinal tensile strength

ISO 8521:2020, Glass-reinforced thermosetting plastic (GRP) pipes — Test methods for the determination of the initial circumferential tensile wall strength

#### ISO 11298-4:2021(E)

ISO 8533, Glass-reinforced thermosetting plastics (GRP) pipes and fittings — Test methods to prove the design of cemented or wrapped joints

ISO 10468, Glass-reinforced thermosetting plastics (GRP) pipes — Determination of the ring creep properties under wet or dry conditions

ISO 10639:2017, Plastics piping systems for pressure and non-pressure water supply — Glass-reinforced thermosetting plastics (GRP) systems based on unsaturated polyester (UP) resin

ISO 10928:2016, Plastics piping systems — Glass-reinforced thermosetting plastics (GRP) pipes and fittings — Methods for regression analysis and their use

ISO 11295:2017, Classification and information on design and applications of plastics piping systems used for renovation and replacement

ISO 11298-1:2018, Plastics piping systems for renovation of underground water supply networks — Part 1: General

ISO 13002, Carbon fibre — Designation system for filament yarns

ISO 14125:1998, Fibre-reinforced plastic composites — Determination of flexural properties

# koniec náhľadu – text ďalej pokračuje v platenej verzii STN