

STN	Zariadenia a príslušenstvo na skvapalnený zemný plyn Navrhovanie pobrežných zariadení	STN EN 1473
		38 6615

Installation and equipment for liquefied natural gas - Design of onshore installations

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 07/21

Obsahuje: EN 1473:2021

Oznámením tejto normy sa ruší
STN EN 1473 (38 6615) zo septembra 2016

133145

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 1473

May 2021

ICS 75.200

Supersedes EN 1473:2016

English Version

**Installation and equipment for liquefied natural gas -
Design of onshore installations**

Installation et équipements de gaz naturel liquéfié -
Conception des installation terrestres

Anlagen und Ausrüstung für Flüssigerdgas - Auslegung
von landseitigen Anlagen

This European Standard was approved by CEN on 15 February 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

	Page
European foreword.....	4
Introduction	5
1 Scope.....	6
2 Normative references.....	7
3 Terms, definitions and abbreviated terms	11
3.1 Terms and definitions	11
3.2 Abbreviations	17
4 Quality management system.....	18
5 Site assessment.....	18
5.1 General and plant description.....	18
5.2 Geotechnical.....	18
5.3 Meteorological and Oceanographic.....	20
5.4 Environmental.....	21
5.5 Surroundings	23
5.6 Seismic	23
5.7 Hydrology.....	24
5.8 Social.....	24
6 Risk management.....	25
6.1 General.....	25
6.2 Hazard and risk assessment methodologies.....	26
6.3 Scenario identification	31
6.4 Consequence and impact assessment.....	32
6.5 Estimation of frequencies and probabilities.....	36
6.6 Safety improvement.....	36
6.7 Reviews.....	37
6.8 Safety during operation	37
7 Design	38
7.1 General.....	38
7.2 Civil structures.....	39
7.3 Electrical.....	53
7.4 Mechanical and piping design/material selection.....	56
7.5 Process automation and controls.....	66
7.6 Process technical safety	72
7.7 Marine transfer systems.....	75
7.8 Storage unit	77
7.9 Rotating equipment.....	81
7.10 Regassification and send-out unit.....	83
7.11 Trailer loading unit	84
7.12 Liquefaction unit	84
7.13 Buildings.....	84
7.14 LNG and NG quality measurement	85
7.15 Custody transfer flow metering	86
7.16 Boil-Off Gas (BOG) systems.....	86
7.17 Flare/vent system	89
7.18 Utilities.....	91

Annex A (normative) Thermal radiation threshold values	94
Annex B (normative) Definitions of reference flow rates	97
Annex C (informative) Seismic classification	101
Annex D (normative) Specific requirements for LNG pumps	103
Annex E (normative) Specific requirements for LNG vaporizers	109
Annex F (normative) Criteria for the design of pipes	115
Annex G (informative) Description of the different types of onshore LNG installations.....	116
Annex H (informative) Trailer loading unit.....	118
Annex I (informative) Frequency ranges	120
Annex J (informative) Classes of consequence.....	121
Annex K (informative) Levels of risk.....	122
Annex L (informative) Typical process steps of liquefaction	124
Annex M (informative) Odorant systems	133
Bibliography	136

European foreword

This document (EN 1473:2021) has been prepared by Technical Committee CEN/TC 282 "Installation and equipment for LNG", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2021, and conflicting national standards shall be withdrawn at the latest by November 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 1473:2016.

Due to the incorporation of pressurized storage the standard has been re-structured and revised. In comparison with EN 1473:2016, the following changes have been made:

- duplications detected and deleted;
- terms and definitions adjusted;
- normative references updated;
- changed subject in Annex H;
- risk assessment requirements improved;
- storage tanks classification improved.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

The objective of this document is to give functional guidelines for on-shore LNG installations. It recommends procedures and practices that will result in safe and environmentally acceptable design, construction and operation of LNG plants.

Given the wide range of facilities from small to large, with high and low risk profile, etc., the acceptability criteria could vary depending on the project and are subject to conclusions by the normative risk assessment.

Seveso, PED, and ATEX Directives are expected to be followed. Where national and/or local regulations exist in which some of the requirements are equal or more stringent than in this document, it is up to agreement with national and/or local regulators to determine which of the requirements apply.

It does not need to be applied retrospectively, but application is recommended when major modifications of existing installations are being considered.

This document is also recommended for debottlenecking, revamping and plant life extension in the limits that will be defined by the local authority. The appliance of the European Directives to the existing facilities is part of the limits to be defined together with the local authority.

In case of plant expansion, this document is applicable for the new facilities. The application of these recommendations for the tie-ins and connections to the existing facilities will be defined by the local authority. The limits of such application should consider the practicality of such appliance. In the same way, the limits of the European Directives appliance will be accurately defined with the local authority.

EN 1473:2021 (E)**1 Scope**

This document gives guidelines for the design, construction and operation of all onshore liquefied natural gas (LNG) installations for the liquefaction, storage, vaporization, transfer and handling of LNG and natural gas (NG).

This document is applicable for plants with an LNG storage capacity above 200 t.

The designated boundary limits are LNG inlet/outlet by the ship's manifold including vapour return connection, the truck loading/unloading connection including vapour return, the rail car loading/unloading connection including vapour return and the natural gas in and outlet boundary by piping systems.

Terminals or plant types have one or more boundary limits as described in this scope (see Figure 1).




Figure 1 — Boundary limits of onshore liquefied natural gas (LNG) installations

A short description of each of these installations is given in Annex G.

Feed gas for LNG liquefaction installations (plant) can be from gas field, associated gas from oil field, piped gas from transportation grid or from renewables.

Floating solutions (for example FPSO, FSRU, SRV), whether off-shore or near-shore, are not covered by this document even if some concepts, principles or recommendations could be applied. However, in case of berthed FSRU with LNG transfer across the jetty, the following recommendations apply for the jetty and topside facilities.

In case of solutions using floating storage unit (FSU) and land-based re-gasification solution, the on-shore part is covered by these standard recommendations.

Plants with a storage inventory from 5 t up to 200 t are covered by [5].

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 809, *Pumps and pump units for liquids - Common safety requirements*

EN 1092-1, *Flanges and their joints - Circular flanges for pipes, valves, fittings and accessories, PN designated - Part 1: Steel flanges*

EN 1127-1, *Explosive atmospheres - Explosion prevention and protection - Part 1: Basic concepts and methodology*

EN 1474-2, *Installation and equipment for liquefied natural gas - Design and testing of marine transfer systems - Part 2: Design and testing of transfer hoses*

EN 1514-1, *Flanges and their joints - Dimensions of gaskets for PN-designated flanges - Part 1: Non-metallic flat gaskets with or without inserts*

EN 1591 (all parts), *Flanges and their joints - Design rules for gasketed circular flange connections*

EN 1776, *Gas infrastructure - Gas measuring systems - Functional requirements*

EN 1990, *Eurocode - Basis of structural design*

EN 1991 (all parts), *Eurocode 1: Actions on structures*

EN 1992 (all parts), *Eurocode 2: Design of concrete structures*

EN 1993 (all parts), *Eurocode 3: Design of steel structures*

EN 1994-1-1, *Eurocode 4: Design of composite steel and concrete structures - Part 1-1: General rules and rules for buildings*

EN 1994-1-2, *Eurocode 4 - Design of composite steel and concrete structures - Part 1-2: General rules - Structural fire design*

EN 1997-1:2004,¹ *Eurocode 7: Geotechnical design - Part 1: General rules*

EN 1997 (all parts), *Eurocode 7 - Geotechnical design*

EN 1998 (all parts), *Eurocode 8: Design of structures for earthquake resistance*

EN 10204, *Metallic products - Types of inspection documents*

EN 12065, *Installations and equipment for liquefied natural gas - Testing of foam concentrates designed for generation of medium and high expansion foam and of extinguishing powders used on liquefied natural gas fires*

EN 12162, *Liquid pumps - Safety requirements - Procedure for hydrostatic testing*

¹ As impacted by EN 1997-1:2004/AC:2009.

EN 1473:2021 (E)

EN 12483, *Liquid pumps - Pump units with frequency inverters - Guarantee and compatibility tests*

EN 13445 (all parts), *Unfired pressure vessels*

EN 13458 (all parts), *Cryogenic vessels - Static vacuum insulated vessels*

EN 13480 (all parts), *Metallic industrial piping*

EN 13766, *Thermoplastic multi-layer (non-vulcanized) hoses and hose assemblies for the transfer of liquid petroleum gas and liquefied natural gas - Specification*

EN 14197 (all parts), *Cryogenic vessels - Static non-vacuum insulated vessels*

EN 14620 (all parts), , *Design and manufacture of site built, vertical, cylindrical, flat-bottomed steel tanks for the storage of refrigerated, liquefied gases with operating temperatures between 0 °C and -165 °C*

EN 60079-0, *Explosive atmospheres - Part 0: Equipment - General requirements (IEC 60079-0)*

EN 60079-1, *Explosive atmospheres - Part 1: Equipment protection by flameproof enclosures "d" (IEC 60079-1)*

EN 60079-2, *Explosive atmospheres - Part 2: Equipment protection by pressurized enclosure "p" (IEC 60079-2)*

EN 60079-5, *Explosive atmospheres - Part 5: Equipment protection by powder filling "q" (IEC 60079-5)*

EN 60079-6, *Explosive atmospheres - Part 6: Equipment protection by liquid immersion "o" (IEC 60079-6)*

EN 60079-7, *Explosive atmospheres - Part 7: Equipment protection by increased safety "e" (IEC 60079-7)*

EN 60079-10-1, *Explosive atmospheres - Part 10-1: Classification of areas - Explosive gas atmospheres (IEC 60079-10-1)*

EN 60079-10-2, *Explosive atmospheres - Part 10-2: Classification of areas - Explosive dust atmospheres (IEC 60079-10-2)*

EN 60079-11, *Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i" (IEC 60079-11)*

EN 60079-13, *Explosive atmospheres - Part 13: Equipment protection by pressurized room "p" and artificially ventilated room "v" (IEC 60079-13)*

EN 60079-14, *Explosive atmospheres - Part 14: Electrical installations design, selection and erection (IEC 60079-14)*

EN 60079-15, *Explosive atmospheres - Part 15: Equipment protection by type of protection "n" (IEC 60079-15)*

EN 60079-17, *Explosive atmospheres - Part 17: Electrical installations inspection and maintenance (IEC 60079-17)*

EN 60079-18, *Explosive atmospheres - Part 18: Equipment protection by encapsulation "m" (IEC 60079-18)*

EN 60079-19, *Explosive atmospheres - Part 19: Equipment repair, overhaul and reclamation (IEC 60079-19)*

EN 60079-20-1, *Explosive atmospheres - Part 20-1: Material characteristics for gas and vapour classification - Test methods and data (IEC 60079-20-1)*

EN 60079-25, *Explosive atmospheres - Part 25: Intrinsically safe electrical systems (IEC 60079-25)*

EN 60204-1, *Safety of machinery - Electrical equipment of machines - Part 1: General requirements (IEC 60204-1)*

EN 60529, *Degrees of protection provided by enclosures (IP Code) (IEC 60529)*

EN 61508 (all parts), *Functional safety of electrical/electronic/programmable electronic safety-related systems (IEC 61508 series)*

EN 61800 (all parts), *Adjustable speed electrical power drive systems (IEC 61800 all parts)*

EN 62305 (all parts), *Protection against lightning (IEC 62305 all parts)*

EN ISO 1460, *Metallic coatings - Hot dip galvanized coatings on ferrous materials - Gravimetric determination of the mass per unit area (ISO 1460)*

EN ISO 1461, *Hot dip galvanized coatings on fabricated iron and steel articles - Specifications and test methods (ISO 1461)*

EN ISO 3452-1, *Non-destructive testing - Penetrant testing - Part 1: General principles (ISO 3452-1)*

EN ISO 6974 (all parts), *Natural gas - Determination of composition with defined uncertainty by gas chromatography (ISO 6974 all parts)*

EN ISO 6976, *Natural gas - Calculation of calorific values, density, relative density and Wobbe indices from composition (ISO 6976)*

EN ISO 9606-1, *Qualification testing of welders - Fusion welding - Part 1: Steels (ISO 9606-1)*

EN ISO 9712, *Non-destructive testing - Qualification and certification of NDT personnel (ISO 9712)*

EN ISO 9906, *Rotodynamic pumps - Hydraulic performance acceptance tests - Grades 1, 2 and 3 (ISO 9906)*

EN ISO 10380, *Pipework - Corrugated metal hoses and hose assemblies (ISO 10380)*

EN ISO 10497, *Testing of valves - Fire type-testing requirements (ISO 10497)*

EN ISO 10715, *Natural gas - Sampling guidelines (ISO 10715)*

EN ISO 10723, *Natural gas - Performance evaluation for analytical systems (ISO 10723)*

EN ISO 12241, *Thermal insulation for building equipment and industrial installations - Calculation rules (ISO 12241)*

EN ISO 12944 (all parts), *Paints and varnishes - Corrosion protection of steel structures by protective paint systems (ISO 12944 all parts)*

EN 1473:2021 (E)

EN ISO 13709, *Centrifugal pumps for petroleum, petrochemical and natural gas industries (ISO 13709)*

EN ISO 15607, *Specification and qualification of welding procedures for metallic materials - General rules (ISO 15607)*

EN ISO 15609-1, *Specification and qualification of welding procedures for metallic materials - Welding procedure specification - Part 1: Arc welding (ISO 15609-1)*

EN ISO 15614-1, *Specification and qualification of welding procedures for metallic materials - Welding procedure test - Part 1: Arc and gas welding of steels and arc welding of nickel and nickel alloys (ISO 15614-1)*

EN ISO 16903:2015, *Petroleum and natural gas industries - Characteristics of LNG, influencing the design, and material selection (ISO 16903:2015)*

EN ISO 16904, *Petroleum and natural gas industries - Design and testing of LNG marine transfer arms for conventional onshore terminals (ISO 16904)*

EN ISO 17636-1, *Non-destructive testing of welds - Radiographic testing - Part 1: X- and gamma-ray techniques with film (ISO 17636-1)*

EN ISO 17636-2, *Non-destructive testing of welds - Radiographic testing - Part 2: X- and gamma-ray techniques with digital detectors (ISO 17636-2)*

EN ISO 17637, *Non-destructive testing of welds - Visual testing of fusion-welded joints (ISO 17637)*

EN ISO 17640, *Non-destructive testing of welds - Ultrasonic testing - Techniques, testing levels, and assessment (ISO 17640)*

EN ISO 20519, *Ships and marine technology - Specification for bunkering of liquefied natural gas fuelled vessels (ISO 20519)*

EN ISO 21012, *Cryogenic vessels - Hoses (ISO 21012)*

EN ISO 28460, *Petroleum and natural gas industries - Installation and equipment for liquefied natural gas - Ship-to-shore interface and port operations (ISO 28460)*

EN ISO 28921 (all parts), *Industrial valves - Isolating valves for low-temperature applications (ISO 28921 all parts)*

IEC 60364 (all parts), *Low-voltage electrical installations*

IEC 61511, *Functional safety - Safety instrumented systems for the process industry sector*

ISO 6578, *Refrigerated hydrocarbon liquids - Static measurement - Calculation procedure*

koniec náhl'adu – text d'alej pokračuje v platenej verzii STN