STN

Inštalácia a vybavenie na skvapalnený zemný plyn (LNG) Návrh plávajúcich inštalácii Časť 2: Špecifické problémy FSRU (ISO 20257-2: 2021)

STN EN ISO 20257-2

30 2326

Installation and equipment for liquefied natural gas — Design of floating LNG installations — Part 2: Specific FSRU issues

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 08/21

Obsahuje: EN ISO 20257-2:2021, ISO 20257-2:2021

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 20257-2

June 2021

ICS 75.200

English Version

Installation and equipment for liquefied natural gas - Design of floating LNG installations - Part 2: Specific FSRU issues (ISO 20257-2:2021)

Installations et équipements de gaz naturel liquéfié - Conception des installations flottantes de GNL - Partie 2: Questions spécifiques aux FSRU (ISO 20257-2:2021)

Anlagen und Ausrüstung für Flüssigerdgas - Auslegung von schwimmenden Flüssigerdgas-Anlagen - Teil 2: Besondere Anmerkungen zu FSRU (ISO 20257-2:2021)

This European Standard was approved by CEN on 28 May 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Pag	
European foreword	3	

European foreword

This document (EN ISO 20257-2:2021) has been prepared by Technical Committee ISO/TC 67 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" in collaboration with Technical Committee CEN/TC 282 "Installation and equipment for LNG" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2021, and conflicting national standards shall be withdrawn at the latest by December 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 20257-2:2021 has been approved by CEN as EN ISO 20257-2:2021 without any modification.

INTERNATIONAL STANDARD

ISO 20257-2

First edition 2021-06

Installation and equipment for liquefied natural gas — Design of floating LNG installations —

Part 2: **Specific FSRU issues**

Installations et équipements de gaz naturel liquéfié — Conception des installations flottantes de GNL —

Partie 2: Questions spécifiques aux FSRU





COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Website: www.iso.org Published in Switzerland

Con	Contents		Page
Forev	vord		vi
1	Scope		1
2	Norm	ative references	1
3		s, definitions and abbreviated terms Terms and definitions Abbreviated terms	2
4	Basis 4.1 4.2 4.3 4.4 4.5	of design General description of FSRU	
5	Speci 5.1 5.2 5.3	General Environmental considerations related to water heating and cooling issues Safety considerations 5.3.1 General requirements 5.3.2 Layout constrains 5.3.3 Layout constraints with respect to surroundings 5.3.4 Layout constraints with respect to facility arrangement 5.3.5 Risk prevention measures	
6	Moor	ing and stationkeeping	16
7	Hull	lesign	16
8	LNG 8 8.1 8.2 8.3	Specific requirements for cargo tank pressure management Specific requirements for LNGC overpressure protection Rollover risk	17 17
9	Trans 9.1 9.2	General Send-out natural gas: NG gas transfer requirements 9.2.1 Functional requirements 9.2.2 Transfer systems design 9.2.3 Emergency disconnection 9.2.4 Operating envelope	17 17 17 18
	9.3	LNG sampling	20
10	BOG I 10.1 10.2 10.3 10.4	General LNG tank design pressure flexibility Specific requirements for recondenser Specific requirements for gas compressors 10.4.1 General 10.4.2 Specific functional requirements for LD compressors 10.4.3 Specific functional requirements for HD compressors 10.4.4 Specific functional requirements for HP or MSO compressors	21 21 22 22 22 22 22
11		sification equipment requirements LNG pumps	23 23

11.1.2 Functional requirements 11.1.3 Materials selection 11.1.4 In-tank LNG pump 11.1.5 HP LNG pump 11.1.5 HP LNG pump 11.2.1 Kory apprization system 11.2.1 Functional requirements 11.2.2 Vaporization type 11.2.3 Materials selection 11.2.4 Protective coating 11.2.5 Marine growth 11.2.6 Stability/vibration 11.2.7 Safety relief valves 11.3 Trim heater 11.4 Venting from regasification systems 12 Gas send out 12.1 High integrity pressure protection system 12.1.1 Send-out pressure control 12.1.2 Typical description of HIPPS 12.1.3 Design requirements for HIPPS 12.1.3 Design requirements for HIPPS 12.2.1 Uses of send-out gas metering 12.2.1 Uses of send-out gas metering 12.2.2 Measurement devices type 12.2.3 Accuracy 12.2.4 External influences 12.2.5 Gas chromatograph - Gas analyser 12.2.6 Sparing philosophy 12.2.7 Z-configuration 12.3 Odorization systems 13 Utilities 13.1 General 13.2 Cooling medium 13.2.1 Cooling medium 13.2.2 Heating medium 13.2.3 Nitrogen system 13.2.4 Fuel gas 14.1 General requirements 14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment 17.6 Handling/Crane equipment	2
11.1.4 In-tank LNG pump 11.2 LNG vaporization system 11.2.1 Functional requirements 11.2.1 Functional requirements 11.2.2 Vaporization type 11.2.3 Materials selection 11.2.4 Protective coating 11.2.5 Marine growth 11.2.6 Stability/vibration 11.2.7 Safety relief valves 11.3 Trim heater 11.4 Venting from regasification systems 12.1 High integrity pressure protection system 12.1 Send-out pressure control 12.1.1 Send-out pressure control 12.1.2 Typical description of HIPPS 12.1.3 Design requirements for HIPPS 12.1.3 Design requirements for HIPPS 12.1.2 Send-out gas metering 12.2.2 Measurement devices type 12.2.3 Accuracy 12.2.4 External influences 12.2.5 Gas chromatograph - Gas analyser 12.2.6 Sparing philosophy 12.2.7 Z-configuration 12.3 Odorization systems 13.1 General Gooling and heating medium 13.2.2 Heating medium 13.2.3 Nitogen systems 13.2 Cooling and heating medium 13.2.3 Nitogen systems 14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15.5 Security management 17.6 General requirements 17.7 General requirements 17.8 General requirements 17.9 General requirements 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment 17.5 Recondenser 17.6 Recondenser	
11.1.5 HP LNG pump	
11.2 ING vaporization system 11.2.1 Functional requirements 11.2.2 Vaporization type 11.2.3 Materials selection 11.2.4 Protective coating 11.2.5 Marine growth 11.2.6 Stability/vibration 11.2.7 Safety relief valves 11.3 Trim heater 11.4 Venting from regasification systems 12 Gas send out 12.1 High integrity pressure protection system 12.1.2 Send-out pressure control 12.1.2 Typical description of HIPPS 12.1.3 Design requirements for HIPPS 12.2.1 Uses of send-out gas metering 12.2.2 Measurement devices type 12.2.3 Accuracy 12.2.4 External influences 12.2.5 Gas chromatograph - Gas analyser 12.2.6 Sparing philosophy 12.2.7 Z-configuration 12.3 Odorization systems 13 Utilities 13.1 General 13.2 Cooling and heating medium 13.2.1 Cooling medium 13.2.2 Heating medium 13.2.3 Nitrogen system 13.2.4 Fuel gas 14 Process and safety control systems 14.1 General requirements 14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4.4 Regasification equipment 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment	2
11.2.1 Functional requirements 11.2.2 Vaporization type 11.2.3 Materials selection 11.2.4 Protective coating 11.2.5 Marine growth 11.2.6 Stability/vibration 11.2.7 Safety relief valves 11.3 Trim heater 11.4 Venting from regasification systems 12.1 High integrity pressure protection system 12.1.1 Send-out pressure control 12.1.2 Typical description of HIPPS 12.1.3 Design requirements for HIPPS 12.2.1 Uses of send-out gas metering 12.2.1 Uses of send-out gas metering 12.2.2 Weasurement devices type 12.2.3 Accuracy 12.2.4 External influences 12.2.5 Gas chromatograph - Gas analyser 12.2.6 Sparing philosophy 12.2.7 Z-configuration 12.3 Odorization systems 13.1 General 13.2 Cooling medium 13.2.1 Cooling medium 13.2.2 Heating medium 13.2.3 Nitrogen system 13.2.4 Fuel gas 13.2 Gommissioning 13.2.4 Fuel gas 14.3 Gomminication onshore/offshore 14.3 Communication onshore/offshore 14.3 Communication onshore/offshore 17.4 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment 18.5 Preservation and corrosion protection 19.5 Protection and corrosion protection 19.5 Prote	
11.2.2 Vaporization type 11.2.3 Materials selection 11.2.4 Protective coating 11.2.5 Marine growth 11.2.6 Stability/vibration 11.2.7 Safety relief valves 11.3 Trim heater 11.4 Venting from regasification systems 12.1 High integrity pressure protection system 12.1.1 Send-out pressure control 12.1.2 Typical description of HIPPS 12.1.3 Design requirements for HIPPS 12.1.3 Design requirements for HIPPS 12.1.2 Send-out gas metering 12.2.1 Uses of send-out gas metering 12.2.2 Measurement devices type 12.2.3 Accuracy 12.2.4 External influences 12.2.5 Gas chromatograph - Gas analyser 12.2.6 Sparing philosophy 12.2.7 Z-configuration 12.2.6 Sparing philosophy 12.2.7 Z-configuration 12.2.6 Sparing philosophy 12.2.7 Z-configuration 13.2 Gooling and heating medium 13.2.1 Cooling medium 13.2.2 Heating medium 13.2.3 Nitrogen systems 13.2 General requirements 13.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 14.4 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15.5 Security management 17.4 Regasification equipment 17.4 Regasification equipment 17.4 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment 17.5 17.5 Handling/Crane equipment 17.5 17.5 Handling/Crane equipment 17.5	
11.2.3 Materials selection 11.2.4 Protective coating 11.2.5 Marine growth 11.2.6 Stability/vibration 11.2.7 Safety relief valves 11.3 Trim heater 11.4 Venting from regasification systems 12 Gas send out 12.1 High integrity pressure protection system 12.1.1 Send-out pressure control 12.1.2 Typical description of HIPPS 12.1.3 Design requirements for HIPPS 12.2 Send-out gas metering 12.2.1 Uses of send-out gas metering 12.2.2 Measurement devices type 12.2.3 Accuracy 12.2.4 External influences 12.2.5 Sparing philosophy 12.2.7 Z-configuration 12.3 Odorization systems 13 Utilities 13.1 General 13.2 Cooling and heating medium 13.2.1 Cooling medium 13.2.2 Heating medium 13.2.3 Hirtogen system 13.2.4 Fuel gas. 14 Process and safety control systems 14.1 General requirements 14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment 17.6 Preservation and corrosion protection	
11.2.4 Protective coating 11.2.5 Marine growth 11.2.6 Stability/vibration 11.2.7 Safety relief valves 11.3 Trim heater 11.4 Venting from regasification systems 12 Gas send out 12.1 High integrity pressure protection system 12.1.1 Send-out pressure control 12.1.2 Typical description of HIPPS 12.1.3 Design requirements for HIPPS 12.1.3 Design requirements for HIPPS 12.1.4 Uses of send-out gas metering 12.2.1 Uses of send-out gas metering 12.2.2 Measurement devices type 12.2.3 Accuracy 12.2.4 External influences 12.2.5 Gas chromatograph - Gas analyser 12.2.6 Sparing philosophy 12.2.7 Z-configuration 12.3 Odorization systems 13.1 General 13.2 Cooling and heating medium 13.2.1 Heating medium 13.2.2 Heating medium 13.2.3 Nitrogen system 13.2.4 Fuel gas 14.1 General requirements 14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment 17.6 Handling/Crane equipment	
11.2.5 Marine growth 11.2.6 Stability/vibration 11.2.7 Safety relief valves 11.3 Trim heater 11.4 Venting from regasification systems 12 Gas send out 12.1 High integrity pressure protection system 12.1.1 Send-out pressure control 12.1.2 Typical description of HIPPS 12.1.3 Design requirements for HIPPS 12.1.3 Design requirements for HIPPS 12.2 Send-out gas metering 12.2.1 Uses of send-out gas metering 12.2.2 Measurement devices type 12.2.3 Accuracy 12.2.4 External influences 12.2.5 Gas chromatograph - Gas analyser 12.2.6 Sparing philosophy 12.2.7 Z-configuration 12.3 Odorization systems 13 Utilities 13.1 General 13.2 Cooling and heating medium 13.2.1 Cooling medium 13.2.2 Heating medium 13.2.2 Heating medium 13.2.3 Nitrogen system 13.2.4 Fuel gas 14.1 General requirements 14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment 17.6 Handling/Crane equipment	
11.2.6 Stability/vibration 11.2.7 Safety relief valves 11.3 Trim heater 11.4 Venting from regasification systems 12 Gas send out 12.1 High integrity pressure protection system 12.1.1 Send-out pressure control 12.1.2 Typical description of HIPPS 12.1.3 Design requirements for HIPPS 12.1 Uses of send-out gas metering 12.2.1 Uses of send-out gas metering 12.2.2 Measurement devices type 12.2.3 Accuracy 12.2.4 External influences 12.2.5 Gas chromatograph - Gas analyser 12.2.6 Sparing philosophy 12.2.7 Z-configuration 12.3 Odorization systems 13 Utilities 13.1 General 13.2 Cooling and heating medium 13.2.1 Cooling medium 13.2.2 Cooling medium 13.2.3 Nitrogen system 13.2.4 Fuel gas 14 Process and safety control systems 14.1 General requirements 14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4 Regasification equipment 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment 17.6 Handling/Crane equipment	2 2
11.2	
11.3 Trim heater. 11.4 Venting from regasification systems. 12 Gas send out 12.1 High integrity pressure protection system. 12.1.1 Send-out pressure control. 12.1.2 Typical description of HIPPS. 12.1.3 Design requirements for HIPPS. 12.2 Send-out gas metering. 12.2.1 Uses of send-out gas metering. 12.2.2 Measurement devices type. 12.2.3 Accuracy. 12.2.4 External influences. 12.2.5 Gas chromatograph – Gas analyser. 12.2.6 Sparing philosophy. 12.2.7 Z-configuration. 12.3 Odorization systems. 13 Utilities. 13.1 General. 13.2 Cooling and heating medium. 13.2.1 Cooling medium. 13.2.2 Heating medium. 13.2.3 Nitrogen system. 13.2.4 Fuel gas. 14 Process and safety control systems. 14.1 General requirements. 14.2 Interfaces between FSRU and gas export connection. 14.3 Communication onshore/offshore. 15 Security management. 16 Commissioning. 17 Inspection and maintenance. 17.1 General requirements. 17.2 Cargo tank. 17.3 In-tank LNG pump. 17.4.1 HP LNG pump. 17.4.2 LNG vaporizer. 17.5 Recondenser. 17.6 Handling/Crane equipment. 18 Preservation and corrosion protection.	
11.4 Venting from regasification systems 12.1 High integrity pressure protection system. 12.1.1 Send-out pressure control. 12.1.2 Typical description of HIPPS. 12.1.3 Design requirements for HIPPS. 12.2.1 Uses of send-out gas metering. 12.2.1 Weasurement devices type. 12.2.2 Measurement devices type. 12.2.3 Accuracy. 12.2.4 External influences. 12.2.5 Gas chromatograph – Gas analyser. 12.2.6 Sparing philosophy. 12.2.7 Z-configuration. 12.3 Odorization systems. 13 Utilities. 13.1 General. 13.2 Cooling and heating medium. 13.2.1 Heating medium. 13.2.2 Heating medium. 13.2.3 Nitrogen system. 13.2.4 Fuel gas. 14 Process and safety control systems. 14.1 General requirements. 14.2 Interfaces between FSRU and gas export connection. 14.3 Communication onshore/offshore. 15 Security management. 16 Commissioning. 17 Inspection and maintenance. 17.1 General requirements. 17.2 Cargo tank. 17.3 In-tank LNG pump. 17.4 Regasification equipment. 17.4 IP LNG pump. 17.4.1 HP LNG pump. 17.4.2 LNG vaporizer. 17.5 Recondenser. 17.6 Handling/Crane equipment. 17.6 Preservation and corrosion protection.	
12.1 High integrity pressure protection system. 12.1.1 Send-out pressure control 12.1.2 Typical description of HIPPS 12.1.3 Design requirements for HIPPS 12.2.1 Uses of send-out gas metering. 12.2.1 Uses of send-out gas metering. 12.2.2 Measurement devices type. 12.2.3 Accuracy. 12.2.4 External influences. 12.2.5 Gas chromatograph – Gas analyser. 12.2.6 Sparing philosophy. 12.2.7 Z-configuration. 12.3 Odorization systems. 13.1 General. 13.2 Cooling and heating medium. 13.2.1 Cooling medium. 13.2.2 Heating medium. 13.2.3 Nitrogen system. 13.2.4 Fuel gas. 14.1 General requirements. 14.2 Interfaces between FSRU and gas export connection. 14.3 Communication onshore/offshore. 15 Security management. 16 Commissioning. 17 Inspection and maintenance. 17.1 General requirements. 17.2 Cargo tank. 17.3 In-tank LNG pump. 17.4.1 HP LNG pump. 17.4.2 LNG vaporizer. 17.5 Recondenser. 17.6 Handling/Crane equipment. 17.6 Preservation and corrosion protection.	
12.1 High integrity pressure protection system 12.1.1 Send-out pressure control 12.1.2 Typical description of HIPPS 12.1.3 Design requirements for HIPPS 12.2 Send-out gas metering 12.2.1 Uses of send-out gas metering 12.2.2 Measurement devices type 12.2.3 Accuracy 12.2.4 External influences 12.2.5 Gas chromatograph – Gas analyser 12.2.6 Sparing philosophy 12.2.7 Z-configuration 12.3 Odorization systems 13 Utilities 13.1 General 13.2 Cooling and heating medium 13.2.1 Cooling medium 13.2.2 Heating medium 13.2.3 Nitrogen system 13.2.4 Fuel gas 14 Process and safety control systems 14.1 General requirements 14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4 Regasification equipment 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment 17.6 Preservation and corrosion protection	
12.1.1 Send-out pressure control 12.1.2 Typical description of HIPPS 12.1.3 Design requirements for HIPPS 12.2 Send-out gas metering 12.2.1 Uses of send-out gas metering 12.2.2 Measurement devices type 12.2.3 Accuracy 12.2.4 External influences 12.2.5 Gas chromatograph - Gas analyser 12.2.6 Sparing philosophy 12.2.7 Z-configuration 12.3 Odorization systems 13 Utilites 13.1 General 13.2 Cooling and heating medium 13.2.1 Cooling medium 13.2.2 Heating medium 13.2.3 Nitrogen system 13.2.4 Fuel gas 14 Process and safety control systems 14.1 General requirements 14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4 Regasification equipment 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment 17.6 Handling/Crane equipment 17.6 Preservation and corrosion protection	
12.1.2 Typical description of HIPPS 12.1.3 Design requirements for HIPPS 12.2 Send-out gas metering 12.2.1 Uses of send-out gas metering 12.2.2 Measurement devices type 12.2.3 Accuracy 12.2.4 External influences 12.2.5 Gas chromatograph – Gas analyser 12.2.6 Sparing philosophy 12.2.7 Z-configuration 12.3 Odorization systems 13 Utilities 13.1 General 13.2 Cooling and heating medium 13.2.1 Cooling medium 13.2.2 Heating medium 13.2.3 Nitrogen system 13.2.4 Fuel gas 14 Process and safety control systems 14.1 General requirements 14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment 17.7 Preservation and corrosion protection 17.6 Proservation and corrosion protection	
12.1.3 Design requirements for HIPPS 12.2 Send-out gas metering 12.2.1 Uses of send-out gas metering 12.2.2 Measurement devices type 12.2.3 Accuracy 12.2.4 External influences 12.2.5 Gas chromatograph – Gas analyser 12.2.6 Sparing philosophy 12.2.7 Z-configuration 12.3 Odorization systems 13 Utilities 13.1 General 13.2 Cooling and heating medium 13.2.1 Cooling medium 13.2.2 Heating medium 13.2.3 Nitrogen system 13.2.4 Fuel gas 14 Process and safety control systems 14.1 General requirements 14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4.1 HP LNG pump 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment 18 Preservation and corrosion protection	
12.2 Send-out gas metering 12.2.1 Uses of send-out gas metering 12.2.2 Measurement devices type 12.2.3 Accuracy 12.2.4 External influences 12.2.5 Gas chromatograph – Gas analyser 12.2.6 Sparing philosophy 12.2.7 Z-configuration 12.3 Odorization systems 13 Utilities 13.1 General 13.2 Cooling and heating medium 13.2.1 Cooling medium 13.2.2 Heating medium 13.2.3 Nitrogen system 13.2.4 Fuel gas 14 Process and safety control systems 14.1 General requirements 14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment 17.6 Handling/Crane equipment 17.6 Preservation and corrosion protection	
12.2.1 Uses of send-out gas metering 12.2.2 Measurement devices type 12.2.3 Accuracy 12.2.4 External influences 12.2.5 Gas chromatograph – Gas analyser 12.2.6 Sparing philosophy 12.2.7 Z-configuration 12.3 Odorization systems 13 Utilities 13.1 General 13.2 Cooling and heating medium 13.2.1 Cooling medium 13.2.3 Nitrogen system 13.2.4 Fuel gas 14 Process and safety control systems 14.1 General requirements 14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4 Regasification equipment 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment 18 Preservation and corrosion protection	
12.2.2 Measurement devices type 12.2.3 Accuracy 12.2.4 External influences 12.2.5 Gas chromatograph – Gas analyser 12.2.6 Sparing philosophy 12.2.7 Z-configuration 12.3 Odorization systems. 13 Utilities 13.1 General 13.2 Cooling and heating medium 13.2.1 Cooling medium 13.2.2 Heating medium 13.2.3 Nitrogen system 13.2.4 Fuel gas 14.1 General requirements 14.1 General requirements 14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4 Regasification equipment 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment 18 Preservation and corrosion protection	
12.2.3 Accuracy 12.2.4 External influences 12.2.5 Gas chromatograph – Gas analyser 12.2.6 Sparing philosophy 12.2.7 Z-configuration 12.3 Odorization systems 13 Utilities 13.1 General 13.2 Cooling and heating medium 13.2.1 Cooling medium 13.2.2 Heating medium 13.2.3 Nitrogen system 13.2.4 Fuel gas 14 Process and safety control systems 14.1 General requirements 14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4 Regasification equipment 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment 18 Preservation and corrosion protection	
12.2.4 External influences 12.2.5 Gas chromatograph – Gas analyser 12.2.6 Sparing philosophy 12.2.7 Z-configuration 12.3 Odorization systems 13 Utilities 13.1 General 13.2 Cooling and heating medium 13.2.1 Cooling medium 13.2.2 Heating medium 13.2.3 Nitrogen system 13.2.4 Fuel gas 14 Process and safety control systems 14.1 General requirements 14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4 Regasification equipment 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment 17.6 Preservation and corrosion protection	
12.2.5 Gas chromatograph – Gas analyser 12.2.6 Sparing philosophy 12.2.7 Z-configuration 12.3 Odorization systems 13 Utilities 13.1 General 13.2 Cooling and heating medium 13.2.1 Cooling medium 13.2.2 Heating medium 13.2.3 Nitrogen system 13.2.4 Fuel gas 14 Process and safety control systems 14.1 General requirements 14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4. Regasification equipment 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment 17.6 Preservation and corrosion protection	
12.2.6 Sparing philosophy 12.2.7 Z-configuration 12.3 Odorization systems 13 Utilities 13.1 General 13.2 Cooling and heating medium 13.2.1 Cooling medium 13.2.2 Heating medium 13.2.3 Nitrogen system 13.2.4 Fuel gas 14 Process and safety control systems 14.1 General requirements 14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4 Regasification equipment 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment 17.6 Preservation and corrosion protection	
12.3 Odorization systems 13 Utilities 13.1 General 13.2 Cooling and heating medium 13.2.1 Cooling medium 13.2.2 Heating medium 13.2.3 Nitrogen system 13.2.4 Fuel gas 14.1 General requirements 14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4 Regasification equipment 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment 18 Preservation and corrosion protection	
13 Utilities 13.1 General 13.2 Cooling and heating medium 13.2.1 Cooling medium 13.2.2 Heating medium 13.2.3 Nitrogen system 13.2.4 Fuel gas. 14 Process and safety control systems 14.1 General requirements 14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4 Regasification equipment 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment 17.6 Handling/Crane equipment	
13.1 General 13.2 Cooling and heating medium 13.2.1 Cooling medium 13.2.2 Heating medium 13.2.3 Nitrogen system 13.2.4 Fuel gas 14 Process and safety control systems 14.1 General requirements 14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4 Regasification equipment 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment 17.6 Handling/Crane equipment	3
13.1 General 13.2 Cooling and heating medium 13.2.1 Cooling medium 13.2.2 Heating medium 13.2.3 Nitrogen system 13.2.4 Fuel gas 14 Process and safety control systems 14.1 General requirements 14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4 Regasification equipment 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment 17.6 Handling/Crane equipment	3
13.2 Cooling and heating medium 13.2.1 Cooling medium 13.2.2 Heating medium 13.2.3 Nitrogen system 13.2.4 Fuel gas 14 Process and safety control systems 14.1 General requirements 14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4 Regasification equipment 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment 17.6 Handling/Crane equipment	
13.2.1 Cooling medium 13.2.2 Heating medium 13.2.3 Nitrogen system 13.2.4 Fuel gas. 14 Process and safety control systems 14.1 General requirements 14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4 Regasification equipment 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment 17.6 Handling/Crane equipment	
13.2.2 Heating medium 13.2.3 Nitrogen system 13.2.4 Fuel gas 14 Process and safety control systems 14.1 General requirements 14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4 Regasification equipment 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment	
13.2.4 Fuel gas 14 Process and safety control systems 14.1 General requirements 14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4 Regasification equipment 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment 18 Preservation and corrosion protection	
14.1 General requirements 14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4 Regasification equipment 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment 18 Preservation and corrosion protection	
14.1 General requirements 14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4 Regasification equipment 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment Preservation and corrosion protection	3
14.1 General requirements 14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4 Regasification equipment 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment Preservation and corrosion protection	3
14.2 Interfaces between FSRU and gas export connection 14.3 Communication onshore/offshore 15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4 Regasification equipment 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment Preservation and corrosion protection	
14.3 Communication onshore/offshore 15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4 Regasification equipment 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment Preservation and corrosion protection	
15 Security management 16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4 Regasification equipment 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment Preservation and corrosion protection	
16 Commissioning 17 Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4 Regasification equipment 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment Preservation and corrosion protection	
17. Inspection and maintenance 17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4 Regasification equipment 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment Preservation and corrosion protection	
17.1 General requirements 17.2 Cargo tank 17.3 In-tank LNG pump 17.4 Regasification equipment 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment Preservation and corrosion protection	3
17.2 Cargo tank 17.3 In-tank LNG pump 17.4 Regasification equipment 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment Preservation and corrosion protection	
17.3 In-tank LNG pump	
17.4 Regasification equipment 17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment Preservation and corrosion protection	
17.4.1 HP LNG pump 17.4.2 LNG vaporizer 17.5 Recondenser 17.6 Handling/Crane equipment Preservation and corrosion protection	
17.4.2 LNG vaporizer	
17.5 Recondenser	
17.6 Handling/Crane equipment Preservation and corrosion protection	
18 Preservation and corrosion protection	
•	
19 Conversion of existing unit to floating LNG installations	3
Annex A (informative) Regasification system description	3

Bibliography 40

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*, Subcommittee SC 9, *Liquefied natural gas installations and equipment*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 282, *Installation and equipment for LNG*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

A list of all parts in the ISO 20257 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

INTERNATIONAL STANDARD

Installation and equipment for liquefied natural gas — Design of floating LNG installations —

Part 2:

Specific FSRU issues

1 Scope

This document provides specific requirements and guidance for the design and operation of floating LNG storage and regasification units (FSRU) described in ISO 20257-1.

This document is applicable to offshore, near-shore or docked FSRUs and to both new-built and converted FSRUs.

This document includes requirements to the jetty when an FSRU is moored to a jetty.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 20257-1:2020, Installation and equipment for liquefied natural gas — Design of floating LNG installations — Part 1: General requirements

AGA 9, Measurement of Gas by Multipath Ultrasonic Meters

AGA 10, Speed of Sound in Natural Gas and Other Related Hydrocarbon Gases

EN 1776, Gas infrastructure — Gas measuring systems — Functional requirements

EN 12186, Gas infrastructure — Gas pressure regulating stations for transmission and distribution - Functional requirements

ISO 13734, Natural gas — Organic components used as odorants — Requirements and test methods

EN 14382, Safety devices for gas pressure regulating stations and installations — Gas safety shut-off devices for inlet pressures up to 100 bar

IEC 61508 (all parts), Functional safety of electrical/electronic/programmable electronic safety-related systems

IEC 61511 (all parts), Functional safety — Safety instrumented systems for the process industry sector

ISO 5168, Measurement of fluid flow — Procedures for the evaluation of uncertainties

ISO 6976, Natural gas — Calculation of calorific values, density, relative density and Wobbe indices from composition

ISO 8943, Refrigerated light hydrocarbon fluids — Sampling of liquefied natural gas — Continuous and intermittent methods

ISO 12213-1, Natural gas — Calculation of compression factor — Part 1: Introduction and guidelines

ISO 12213-2, Natural gas — Calculation of compression factor — Part 2: Calculation using molar-composition analysis

ISO 13709, Centrifugal pumps for petroleum, petrochemical and natural gas industries

ISO 16903, Petroleum and natural gas industries — Characteristics of LNG, influencing the design, and material selection

ISO 17089-1, Measurement of fluid flow in closed conduits — Ultrasonic meters for gas — Part 1: Meters for custody transfer and allocation measurement

CODE IGC International Code of the Construction and Equipment of Ships Carrying Liquefied Gases in Bulk, International Maritime Organization (IMO)

OIML R 137-1, Gas meters — Part 1: Metrological and technical requirements

OIML R 137-2, Gas meters — Part 2: Metrological controls and performance tests

koniec náhľadu – text ďalej pokračuje v platenej verzii STN