

| | | |
|------------|--|---|
| STN | <p>Primárny sledovací radar (PSR) Harmonizovaná norma pre prístup k rádiovému spektru Časť 2: Senzory PSR riadenia letovej prevádzky (ATC) pracujúce vo frekvenčnom pásme od 2 700 MHz do 3 100 MHz (пásмо S)</p> | <p>STN EN 303 364-2 V1.1.1</p> |
| | | 87 3364 |

Primary Surveillance Radar (PSR); Harmonised Standard for access to radio spectrum; Part 2: Air Traffic Control (ATC) PSR sensors operating in the frequency band 2 700 MHz to 3 100 MHz (S band)

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 09/21

Obsahuje: EN 303 364-2 V1.1.1:2021

133400

ETSI EN 303 364-2 V1.1.1 (2021-02)



**Primary Surveillance Radar (PSR);
Harmonised Standard for access to radio spectrum;
Part 2: Air Traffic Control (ATC) PSR sensors operating in the
frequency band 2 700 MHz to 3 100 MHz (S band)**

Reference

DEN/ERM-TGAERO-31-2

Keywords

aeronautical, harmonised standard, radar, radio

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2021.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and

of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and
of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

| | |
|---|----|
| Intellectual Property Rights | 5 |
| Foreword..... | 5 |
| Modal verbs terminology..... | 6 |
| 1 Scope | 7 |
| 2 References | 7 |
| 2.1 Normative references | 7 |
| 2.2 Informative references..... | 7 |
| 3 Definition of terms, symbols and abbreviations..... | 8 |
| 3.1 Terms..... | 8 |
| 3.2 Symbols..... | 9 |
| 3.3 Abbreviations | 9 |
| 4 Technical requirements specifications | 10 |
| 4.1 Environmental profile..... | 10 |
| 4.2 Conformance requirements | 10 |
| 4.2.1 Transmitter requirements | 10 |
| 4.2.1.1 Maximum frequency deviation | 10 |
| 4.2.1.1.1 Definition..... | 10 |
| 4.2.1.1.2 Limits | 10 |
| 4.2.1.1.3 Conformance | 10 |
| 4.2.1.2 Transmitter power | 10 |
| 4.2.1.2.1 Definition..... | 10 |
| 4.2.1.2.2 Limits | 11 |
| 4.2.1.2.3 Conformance | 11 |
| 4.2.1.3 Measured B ₋₄₀ bandwidth | 11 |
| 4.2.1.3.1 Definition..... | 11 |
| 4.2.1.3.2 Limits | 11 |
| 4.2.1.3.3 Conformance | 11 |
| 4.2.1.4 Unwanted emissions..... | 11 |
| 4.2.1.4.1 General requirements..... | 11 |
| 4.2.1.4.2 Emissions in the Out-of-Band domain | 12 |
| 4.2.1.4.2.1 Definition..... | 12 |
| 4.2.1.4.2.2 Limits | 12 |
| 4.2.1.4.2.3 Conformance | 12 |
| 4.2.1.4.3 Emissions in the spurious domain | 12 |
| 4.2.1.4.3.1 Definition | 12 |
| 4.2.1.4.3.2 Limits | 12 |
| 4.2.1.4.3.3 Conformance | 13 |
| 4.2.1.4.4 Stand-by mode emissions | 13 |
| 4.2.1.4.4.1 Definition | 13 |
| 4.2.1.4.4.2 Limits | 13 |
| 4.2.1.4.4.3 Conformance | 13 |
| 4.2.2 Receiver requirements | 13 |
| 4.2.2.1 General requirement | 13 |
| 4.2.2.2 Noise Figure | 13 |
| 4.2.2.2.1 Definition..... | 13 |
| 4.2.2.2.2 Limits | 14 |
| 4.2.2.2.3 Conformance | 14 |
| 4.2.2.3 Receiver Compression Level | 14 |
| 4.2.2.3.1 Definition..... | 14 |
| 4.2.2.3.2 Limits | 14 |
| 4.2.2.3.3 Conformance | 14 |
| 4.2.2.4 Receiver selectivity | 14 |
| 4.2.2.4.1 Definition..... | 14 |
| 4.2.2.4.2 Limit | 15 |

| | | |
|-------------------------------|---|-----------|
| 4.2.2.4.3 | Conformance | 15 |
| 5 | Testing for compliance with technical requirements..... | 16 |
| 5.1 | General requirements | 16 |
| 5.2 | Environmental conditions for testing | 16 |
| 5.2.1 | Test conditions..... | 16 |
| 5.2.2 | Normal temperature and humidity | 16 |
| 5.2.3 | Normal test power supply | 16 |
| 5.3 | Radio test suites..... | 16 |
| 5.3.1 | Transmitter test specification..... | 16 |
| 5.3.1.1 | Maximum frequency deviation | 16 |
| 5.3.1.2 | Transmitter power | 16 |
| 5.3.1.3 | Measured B ₄₀ bandwidth | 17 |
| 5.3.1.4 | Measured B ₂₀ bandwidth | 17 |
| 5.3.1.5 | Unwanted emissions..... | 17 |
| 5.3.1.5.1 | Emissions in the Out-of-Band domain | 17 |
| 5.3.1.5.2 | Emissions in the spurious domain | 18 |
| 5.3.1.5.3 | Stand-by mode emissions | 18 |
| 5.3.2 | Receiver test specification | 19 |
| 5.3.2.1 | Noise Figure | 19 |
| 5.3.2.2 | Receiver Compression Level | 19 |
| 5.3.2.3 | Receiver selectivity | 20 |
| 5.3.2.3.1 | General setup | 20 |
| 5.3.2.3.2 | Disturbing Test Signals | 20 |
| 5.3.2.3.3 | Measurement Procedure | 20 |
| Annex A (informative): | Relationship between the present document and the essential requirements of Directive 2014/53/EU | 21 |
| Annex B (normative): | Calculation of the B₄₀ bandwidth..... | 23 |
| Annex C (normative): | Frequency deviation, transmitter power, B₄₀, B₂₀ and Out-of-band emissions measurement set-up..... | 25 |
| Annex D (normative): | Spurious and stand-by emissions measurement set-up | 26 |
| Annex E (normative): | Noise Figure measurement set-up | 28 |
| Annex F (normative): | Compression level and selectivity measurement set-up..... | 30 |
| Annex G (informative): | Maximum Measurement Uncertainty..... | 32 |
| Annex H (informative): | WR284/WG10 waveguide characteristics..... | 33 |
| Annex I (informative): | Checklist | 35 |
| Annex J (informative): | Bibliography..... | 37 |
| History | 38 | |

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Harmonised European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.2] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.1].

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive, and associated EFTA regulations.

The present document is part 2 of a multi-part deliverable covering ground based ATC Primary Surveillance Radar (PSR), as identified below:

Part 1: "Air Traffic Control (ATC) PSR sensors operating in the frequency band 1 215 MHz to 1 400 MHz (L band);

Part 2: "Air Traffic Control (ATC) PSR sensors operating in the frequency band 2 700 MHz to 3 100 MHz (S band);

Part 3: "Air Traffic Control (ATC) PSR sensors operating in the frequency band 8 500 MHz to 10 000 MHz (X band)."

| National transposition dates | |
|--|------------------|
| Date of adoption of this EN: | 18 February 2021 |
| Date of latest announcement of this EN (doa): | 31 May 2021 |
| Date of latest publication of new National Standard or endorsement of this EN (dop/e): | 30 November 2021 |
| Date of withdrawal of any conflicting National Standard (dow): | 30 November 2022 |

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

1 Scope

The present document specifies technical characteristics and methods of measurements for ground based monostatic ATC primary surveillance radars with the following characteristics:

- operating in the 2 700 MHz to 3 100 MHz frequency range;
- transmitter output peak power up to 100 kW;
- the transceiver-antenna connection uses a hollow metallic rectangular waveguide of type WR284/WG10/R32 according to IEC 60153-2 [i.6] with a minimum length between the output of the power amplifier and the input to the antenna of 2,886 m (20 times the wavelength of the waveguide cut-off frequency);
- the antenna rotates, is waveguide-based and passive;
- the transceiver output uses a RF circulator.

NOTE 1: Phased array ATC primary surveillance radars are not covered by the present document.

NOTE 2: The relationship between the present document and essential requirements of article 3.2 of Directive 2014/53/EU [i.1] is given in annex A.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ECC/Recommendation (02)05 (2012): "Unwanted emissions".
- [2] ERC/Recommendation 74-01 (2019): "Unwanted emissions in the spurious domain".
- [3] Recommendation ITU-R M.1177-4 (04/2011): "Techniques for measurement of unwanted emissions of radar systems".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] Directive 2014/53/EU of the European Parliament and of the Council of 16 April 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC.

- [i.2] Commission Implementing Decision C(2015) 5376 final of 4.8.2015 on a standardisation request to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards radio equipment in support of Directive 2014/53/EU of the European Parliament and of the Council.
- [i.3] ITU Radio Regulations (2020).
- [i.4] Recommendation ITU-R SM.1541-6 (08/2015): "Unwanted emissions in the out-of-band domain".
- [i.5] ETSI EG 203 336 (V1.2.1) (2020): "Guide for the selection of technical parameters for the production of Harmonised Standards covering article 3.1(b) and article 3.2 of Directive 2014/53/EU".
- [i.6] IEC 60153-2 (2016): "Hollow metallic waveguides - Part 2: Relevant specifications for ordinary rectangular waveguides".
- [i.7] Recommendation ITU-R SM.331-4 (07/1978): "Noise and sensitivity of receivers".
- [i.8] Recommendation ITU-R SM.332-4 (07/1978): "Selectivity of receivers".

koniec náhľadu – text ďalej pokračuje v platenej verzii STN